

ENDOFAUNA RAW DATA

abbreviations: agg., species complex; indet., un-identified representatives of taxonomic group (above family level); juv., juvenile; gen. sp., un-identified genus and sp

Header and content info:

STATID: distinctive station identifier for stations (see supplement "STATID_station_data_suppl" for station list and details)
SPECIES: species name or superordinate taxonomic name (higher taxonomic level)
TYPE: measurement type : B - biomass only (may be contained in BLFD), BLFD - biomass and size, LFD - size only, UNM - unmeasured, also epifauna
N_Klassen: abundance classes epifauna - colonial : wenig, mittel, viel
ABUNDANCE: number of individuals per vVeen grab sample 0.1 m²
AFDW: biomass as ash free dry weight [g] per vVeen grab 0.1 m²
WW: wet weight per vVeen grab sample 0.1 m²

INDEX	STATID	SPECIES	TYPE	N_Klassen	ABUNDANCE	AFDW	WW
1	1_TO_A_I_2019	Balanus crenatus	UNM		1		
2	1_TO_A_I_2019	Bathyporeia elegans	BLFD		3	0.00047	
3	1_TO_A_I_2019	Bathyporeia pelagica	BLFD		20	0.00603	
4	1_TO_A_I_2019	Bathyporeia sarsi	BLFD		1	0.00037	
5	1_TO_A_I_2019	cf. Hartlaubella gelatinosa	UNM	wenig			
6	1_TO_A_I_2019	Clytia hemisphaerica	UNM	wenig			
7	1_TO_A_I_2019	Conopeum reticulum	UNM	wenig			
8	1_TO_A_I_2019	Cumopsis goodsir	LFD		1		
9	1_TO_A_I_2019	Electra pilosa	UNM	wenig			
10	1_TO_A_I_2019	Eteone longa	LFD		2		
11	1_TO_A_I_2019	Macomangulus tenuis	BLFD		6	0.01057	
12	1_TO_A_I_2019	Magelona mirabilis	LFD		1		
13	1_TO_A_I_2019	Mytilus edulis	BLFD		1	0.00017	
14	1_TO_A_I_2019	Nemertea indet.	UNM		2		
15	1_TO_A_I_2019	Nephtys cirrosa	LFD		4		
16	1_TO_A_I_2019	Scoloplos armiger agg.	BLFD		4	0.01469	
17	1_TO_A_I_2019	Sertularia cupressina	UNM	wenig			
19	1_TO_A_I_2019	Spio martinensis	LFD		1		
18	1_TO_A_I_2019	Spio martinensis	BLFD		9	0.00075	

20	1_T0_C_K_2021	Magelona johnstoni	B		1	0.0003
21	1_T0_C_K_2021	Nephtys cirrosa	B		1	0.0043
22	1_T0_C_K_2021	Nephtys hombergii	B		2	0.02
23	10_T0_A_IV_2019	Bathyporeia sarsi	BLFD		13	0.00366
24	10_T0_A_IV_2019	Conopeum reticulum	UNM	wenig		
25	10_T0_A_IV_2019	Einhornia crustulenta	UNM	wenig		
26	10_T0_A_IV_2019	Euceilota maculata	UNM	wenig		
27	10_T0_A_IV_2019	Hydractinia echinata	UNM	wenig		
28	10_T0_A_IV_2019	Lanice conchilega	UNM		1	
29	10_T0_A_IV_2019	Limecola balthica	BLFD		3	0.03562
30	10_T0_A_IV_2019	Nephtys hombergii	BLFD		2	0.01094
31	10_T0_A_IV_2019	Retusa obtusa	BLFD		9	0.00113
32	10_T0_A_IV_2019	Schistomysis kervillei	LFD		1	
33	10_T0_A_IV_2019	Scoloplos armiger agg.	BLFD		1	0.00147
34	10_T0_A_IV_2019	Spio martinensis	BLFD		5	0.00074
35	10_T0_C_K_2021	Neomysis integer	B		1	0.0006
36	10_T0_C_K_2021	Nephtys hombergii	B		2	0.0549
37	10_T0_C_K_2021	Spio martinensis	B		1	
38	100_T1_B2_K_2021	Bathyporeia pelagica	B		29	0.0084
39	100_T1_B2_K_2021	Bathyporeia sarsi	B		2	5.00E-04
40	100_T1_B2_K_2021	Ensis sp.	B		1	0.0023
41	100_T1_B2_K_2021	Gastrosaccus spinifer	B		2	0.0007
42	100_T1_B2_K_2021	Microphthalmus similis	UNM		1	
43	100_T1_B2_K_2021	Paraonis fulgens	UNM		1	
44	101_GR_NDS10_U_2020	Magelona johnstoni	B		2	0.001
45	101_GR_NDS10_U_2020	Nephtys cirrosa	B		3	0.0082
46	101_GR_NDS10_U_2020	Obelia bidentata	UNM	wenig		
47	101_GR_NDS10_U_2020	Obelia longissima	UNM	wenig		
48	101_GR_NDS10_U_2020	Spio sp.	B		1	1.00E-04
49	101_T1_B2_K_2021	Bathyporeia pelagica	B		132	0.0402
50	101_T1_B2_K_2021	Bathyporeia sarsi	B		4	0.0012
51	101_T1_B2_K_2021	Ensis sp.	B		1	0.0027
52	101_T1_B2_K_2021	Gastrosaccus spinifer	B		1	0.0004

53	101_T1_B2_K_2021	Macomangulus tenuis	B		1	1.00E-04
54	101_T1_B2_K_2021	Magelona mirabilis	UNM		1	
55	101_T1_B2_K_2021	Nephtys cirrosa	B		1	0.0067
56	101_T1_B2_K_2021	Nephtys cirrosa	UNM		1	
57	101_T1_B2_K_2021	Pontocrates altamarinus	B		2	0.0004
58	101_T14_C_K_2021	Bathyporeia pelagica	B		2	0.0004
59	101_T14_C_K_2021	Bathyporeia sarsi	UNM		1	
60	101_T14_C_K_2021	Carcinus maenas	UNM		1	
61	101_T14_C_K_2021	Clytia hemisphaerica	UNM	wenig		
62	101_T14_C_K_2021	Electra pilosa	UNM	wenig		
63	101_T14_C_K_2021	Lanice conchilega	B		1	0.0282
64	101_T14_C_K_2021	Myrianida prolifera	B		2	0.0002
65	101_T14_C_K_2021	Nephtys cirrosa	B		7	0.0313
66	101_T14_C_K_2021	Obelia longissima	UNM	wenig		
67	101_T14_C_K_2021	Retusa obtusa	UNM		1	
68	102_GR_NDS10_U_2020	Bathyporeia elegans	B		2	0.001
69	102_GR_NDS10_U_2020	Nephtys cirrosa	B		1	0.0077
70	102_GR_NDS10_U_2020	Schistomysis kervillei	B		1	0.0009
71	102_T1_B2_K_2021	Bathyporeia pelagica	B		7	0.002
72	102_T1_B2_K_2021	Nephtys cirrosa	B		2	0.0099
73	102_T1_B2_K_2021	Scoloplos armiger agg.	B		1	0.0037
74	102_T14_C_K_2021	Bathyporeia pelagica	B		1	1.00E-04
75	102_T14_C_K_2021	Clytia hemisphaerica	UNM	wenig		
76	102_T14_C_K_2021	Electra pilosa	UNM	wenig		
77	102_T14_C_K_2021	Limecola balthica	B		1	0.0124
78	102_T14_C_K_2021	Nephtys cirrosa	B		1	0.0074
79	102_T14_C_K_2021	Obelia longissima	UNM	wenig		
80	102_T14_C_K_2021	Scoloplos armiger agg.	B		1	0.0024
81	103_GR_NDS10_U_2020	Nephtys cirrosa	B		1	0.0015
82	103_GR_NDS10_U_2020	Obelia bidentata	UNM	wenig		
83	103_GR_NDS10_U_2020	Sertularia sp.	UNM	wenig		
84	103_GR_NDS10_U_2020	Spio martinensis	B		2	0.0006
85	103_GR_NDS10_U_2020	Spiophanes bombyx	B		1	0.0003

86	103_T1_B2_K_2021	Bathyporeia guilliamsoniana	B		1	0.0011
87	103_T1_B2_K_2021	Bathyporeia pelagica	B		18	0.0057
88	103_T1_B2_K_2021	Bathyporeia sarsi	B		1	0.0003
89	103_T1_B2_K_2021	Nephtys cirrosa	B		1	0.0107
90	103_T1_B2_K_2021	Pontocrates altamarinus	B		1	0.0004
91	103_T14_C_K_2021	Bathyporeia sarsi	B		2	0.0012
92	103_T14_C_K_2021	Capitella capitata agg.	B		1	0.0002
93	103_T14_C_K_2021	Clytia hemisphaerica	UNM	wenig		
94	103_T14_C_K_2021	Magelona johnstoni	B		1	0.0001
95	103_T14_C_K_2021	Myrianida prolifera	UNM		1	
96	103_T14_C_K_2021	Nephtys cirrosa	B		3	0.0144
97	103_T14_C_K_2021	Nephtys hombergii	B		1	0.0828
98	103_T14_C_K_2021	Obelia longissima	UNM	wenig		
99	104_GR_NDS10_U_2020	Scoloplos armiger agg.	B		1	0.0002
100	104_GR_NDS10_U_2020	Spio martinensis	B		1	0.0003
101	104_T1_B2_K_2021	Bathyporeia pelagica	B		20	0.0064
102	104_T1_B2_K_2021	Caprella mutica	B		1	0.0003
103	104_T1_B2_K_2021	Crangon sp.	B		1	0.0006
104	104_T1_B2_K_2021	Electra pilosa	UNM	wenig		
105	104_T1_B2_K_2021	Mytilus edulis agg.	B		10	1.00E-04
106	104_T1_B2_K_2021	Nemertea indet.	B		1	0.0003
107	104_T1_B2_K_2021	Nephtys caeca	UNM		1	
108	104_T1_B2_K_2021	Nymphon brevirostre	B		1	0.0001
109	104_T1_B2_K_2021	Obelia longissima	UNM	wenig		
110	104_T1_B2_K_2021	Scoloplos armiger agg.	B		1	0.0071
111	104_T1_B2_K_2021	Terebellidae gen. sp.	B		1	
112	104_T14_C_K_2021	Clytia hemisphaerica	UNM	wenig		
113	104_T14_C_K_2021	Fabulina fabula	UNM		1	
114	104_T14_C_K_2021	Nephtys cirrosa	B		1	0.0021
115	104_T14_C_K_2021	Nephtys hombergii	B		3	0.0369
116	104_T14_C_K_2021	Scoloplos armiger agg.	B		1	0.0004
117	104_T14_C_K_2021	Spio martinensis	B		13	0.003
118	105_GR_NDS10_U_2020	Glycera tridactyla	B		1	5.00E-04

119	105_GR_NDS10_U_2020	Scoloplos armiger agg.	B		1	0.0011
120	105_GR_NDS10_U_2020	Spiophanes bombyx	B		1	0.0006
121	105_T1_B2_K_2021	Bathyporeia pelagica	B		38	0.0101
122	105_T1_B2_K_2021	Ensis sp.	B		1	0.0039
123	105_T1_B2_K_2021	Gastrosaccus spinifer	B		1	
124	105_T1_B2_K_2021	Nephtys cirrosa	B		1	0.0077
125	105_T1_B2_K_2021	Scoloplos armiger agg.	B		1	0.0025
126	105_T14_C_K_2021	Bathyporeia sarsi	B		1	0.0008
127	105_T14_C_K_2021	Clytia hemisphaerica	UNM	wenig		
128	105_T14_C_K_2021	Magelona johnstoni	B		1	0.0008
129	105_T14_C_K_2021	Nephtys cirrosa	B		1	0.004
130	105_T14_C_K_2021	Nephtys hombergii	B		1	0.0035
131	105_T14_C_K_2021	Obelia bidentata	UNM	wenig		
132	105_T14_C_K_2021	Obelia longissima	UNM	wenig		
133	105_T14_C_K_2021	Pontocrates altamarinus	B		1	0.0003
134	105_T14_C_K_2021	Retusa obtusa	B		1	0.0004
135	105_T14_C_K_2021	Scoloplos armiger agg.	B		2	0.0007
136	105_T14_C_K_2021	Sertularia argentea	UNM	wenig		
137	105_T14_C_K_2021	Spio martinensis	B		11	0.002
138	106_GR_NDS10_U_2020	Clytia hemisphaerica	UNM	wenig		
139	106_GR_NDS10_U_2020	Gastrosaccus spinifer	B		1	0.0024
140	106_GR_NDS10_U_2020	Heteromastus filiformis	B		1	0.0013
141	106_GR_NDS10_U_2020	Magelona mirabilis	B		1	0.0048
142	106_GR_NDS10_U_2020	Nephtys cirrosa	B		3	0.008
143	106_GR_NDS10_U_2020	Obelia longissima	UNM	wenig		
144	106_T1_B2_K_2021	Amathia sp.	UNM	wenig		
145	106_T1_B2_K_2021	Bathyporeia pelagica	B		24	0.007
146	106_T1_B2_K_2021	Bathyporeia sarsi	B		1	0.0011
147	106_T1_B2_K_2021	Electra pilosa	UNM	wenig		
148	106_T1_B2_K_2021	Ensis sp.	B		1	0.0027
149	106_T1_B2_K_2021	Fabulina fabula	B		1	5.00E-04
150	106_T1_B2_K_2021	Gastrosaccus spinifer	B		1	5.00E-04
151	106_T1_B2_K_2021	Magelona mirabilis	B		1	1.00E-04

152	106_T1_B2_K_2021	<i>Nephtys cirrosa</i>	B		3	0.0196	
153	106_T1_B2_K_2021	<i>Obelia bidentata</i>	UNM	wenig			
154	107_T14_C_IV_2021	<i>Alitta succinea</i>	B		1	0.0007	
155	107_T14_C_IV_2021	<i>Amphipholis squamata</i>	UNM		1		
156	107_T14_C_IV_2021	<i>Clytia hemisphaerica</i>	UNM	wenig			
157	107_T14_C_IV_2021	<i>Conopeum reticulum</i>	UNM	wenig			
158	107_T14_C_IV_2021	<i>Crepidula fornicata</i>	B		1	0.0004	
159	107_T14_C_IV_2021	<i>Cylista troglodytes</i> agg.	B		1	0.0492	
160	107_T14_C_IV_2021	<i>Electra pilosa</i>	UNM	wenig			
161	107_T14_C_IV_2021	<i>Eurydice pulchra</i>	UNM		1		
162	107_T14_C_IV_2021	<i>Glycera tridactyla</i>	B		1	0.0003	
163	107_T14_C_IV_2021	<i>Heteromastus filiformis</i>	B		1	0.001	
164	107_T14_C_IV_2021	<i>Microphthalmus</i> sp.	B		1		
165	107_T14_C_IV_2021	<i>Microprotopus maculatus</i>	B		6	0.0003	
166	107_T14_C_IV_2021	<i>Molgula</i> sp.	B		2	0.001	
167	107_T14_C_IV_2021	<i>Monocorophium acherusicum</i>	B		1		
168	107_T14_C_IV_2021	<i>Nephtys cirrosa</i>	B		2	0.0415	
169	107_T14_C_IV_2021	<i>Obelia longissima</i>	UNM	wenig			
170	107_T14_C_IV_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0015	
171	107_T14_C_IV_2021	<i>Spio martinensis</i>	B		1		
172	107_T14_C_IV_2021	<i>Tharyx</i> sp.	B		3	1.00E-04	
173	107_T14_C_IV_2021	<i>Tubificoides benedii</i>	B		1	0.0002	
174	107_T3_A_IV_2019	<i>Bathyporeia guilliamsoniana</i>	LFD		1		
175	107_T3_A_IV_2019	<i>Bathyporeia sarsi</i>	LFD		2		
176	107_T3_A_IV_2019	<i>Crangon crangon</i>	BLFD		1	0.01115	
177	107_T3_A_IV_2019	<i>Ensis leei</i>	BLFD		1		15.468
178	107_T3_A_IV_2019	<i>Limecola balthica</i>	BLFD		1	0.10085	
179	107_T3_A_IV_2019	<i>Macomangulus tenuis</i>	BLFD		2	0.00111	
180	107_T3_A_IV_2019	<i>Moerella donacina</i>	BLFD		1		0.377
181	107_T3_A_IV_2019	<i>Nephtys caeca</i>	BLFD		1	0.00671	
182	107_T3_A_IV_2019	<i>Nephtys kersivalensis</i>	BLFD		1	0.00529	
183	107_T3_A_IV_2019	<i>Scoloplos armiger</i> agg.	BLFD		1	0.01776	
184	107_T3_A_IV_2019	<i>Urothoe poseidonis</i>	BLFD		1	1.00E-04	

185	108_T1_B2_K_2021	Alcyonidiidae gen. sp.	UNM	wenig		
187	108_T1_B2_K_2021	Balanus crenatus	UNM		1	
186	108_T1_B2_K_2021	Balanus crenatus	B		6	0.0003
188	108_T1_B2_K_2021	Bathyporeia pelagica	B		15	0.0007
189	108_T1_B2_K_2021	Bathyporeia sarsi	B		3	0.0042
190	108_T1_B2_K_2021	Conopeum reticulum	UNM	wenig		
191	108_T1_B2_K_2021	Ensis sp.	B		1	0.0037
192	108_T1_B2_K_2021	Macomangulus tenuis	B		1	0.0141
193	108_T1_B2_K_2021	Monocorophium acherusicum	B		1	
194	108_T1_B2_K_2021	Nemertea indet.	B		1	0.0021
195	108_T1_B2_K_2021	Nephtys cirrosa	B		2	0.0126
196	108_T1_B2_K_2021	Pagurus bernhardus	UNM		1	
198	108_T1_B2_K_2021	Polydora ciliata	UNM		1	
197	108_T1_B2_K_2021	Polydora ciliata	B		4	0.0002
199	108_T1_B2_K_2021	Scoloplos armiger agg.	B		1	0.0054
200	108_T14_C_IV_2021	Bathyporeia elegans	UNM		1	
201	108_T14_C_IV_2021	Bathyporeia pelagica	B		20	0.0054
202	108_T14_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
203	108_T14_C_IV_2021	Cylista troglodytes agg.	B		1	0.0928
204	108_T14_C_IV_2021	Microprotopus maculatus	B		2	
205	108_T14_C_IV_2021	Nephtys cirrosa	B		2	0.0142
206	108_T14_C_IV_2021	Obelia longissima	UNM	wenig		
207	108_T14_C_IV_2021	Pariambus typicus	B		1	
208	108_T14_C_IV_2021	Spio martinensis	B		1	
209	108_T3_A_IV_2019	Atylus falcatus	LFD		1	
210	108_T3_A_IV_2019	Bathyporeia pelagica	UNM		1	
211	108_T3_A_IV_2019	Bathyporeia sarsi	UNM		14	
212	108_T3_A_IV_2019	Limecola balthica	BLFD		1	0.06233
213	108_T3_A_IV_2019	Magelona sp.	UNM		1	
214	108_T3_A_IV_2019	Nephtys hombergii	BLFD		2	0.0093
215	108_T3_A_IV_2019	Nephtys kersivalensis	BLFD		1	0.00683
216	108_T3_A_IV_2019	Scoloplos armiger agg.	BLFD		2	0.02603
217	109_T1_B2_K_2021	Bathyporeia pelagica	B		4	0.0017

218	109_T1_B2_K_2021	Macomangulus tenuis	B		1	0.0004
219	109_T1_B2_K_2021	Magelona mirabilis	B		2	0.0049
220	109_T1_B2_K_2021	Nephtys caeca	B		1	0.2162
221	109_T1_B2_K_2021	Nephtys cirrosa	B		1	0.0062
222	109_T1_B2_K_2021	Scoloplos armiger agg.	B		1	0.0201
223	109_T14_C_IV_2021	Alcyonidium parasiticum	UNM	wenig		
224	109_T14_C_IV_2021	Anguinella palmata	UNM	wenig		
225	109_T14_C_IV_2021	Anthozoa indet.	B		2	0.0048
226	109_T14_C_IV_2021	Arachnidium fibrosum	UNM	wenig		
227	109_T14_C_IV_2021	Bodotria scorpioides	B		1	1.00E-04
228	109_T14_C_IV_2021	Carcinus maenas	B		1	1.2518
229	109_T14_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
230	109_T14_C_IV_2021	Conopeum reticulum	UNM	wenig		
231	109_T14_C_IV_2021	Microprotopus maculatus	B		7	0.0004
232	109_T14_C_IV_2021	Nephtys cirrosa	B		1	0.0122
233	109_T14_C_IV_2021	Scoloplos armiger agg.	B		1	0.0067
234	109_T3_A_IV_2019	Bathyporeia guilliamsoniana	UNM		1	
235	109_T3_A_IV_2019	Bathyporeia sarsi	UNM		24	
236	109_T3_A_IV_2019	Capitella minima	LFD		1	
237	109_T3_A_IV_2019	Lagis koreni	UNM		1	
238	109_T3_A_IV_2019	Limecola balthica	BLFD		1	0.00537
239	109_T3_A_IV_2019	Mesopodopsis slabberi	LFD		1	
240	109_T3_A_IV_2019	Nephtys hombergii	BLFD		6	0.09504
241	109_T3_A_IV_2019	Nephtys juv.	BLFD		2	0.00158
242	109_T3_A_IV_2019	Retusa obtusa	LFD		1	
243	11_GR_DK1_0_2019	Actinaria gen. sp.	UNM		4	
244	11_GR_DK1_0_2019	Anoplodactylus pygmaeus	UNM		1	
246	11_GR_DK1_0_2019	Aricidea minuta	BLFD		1	9.00E-05
245	11_GR_DK1_0_2019	Aricidea minuta	B		17	0.00296
247	11_GR_DK1_0_2019	Balanus crenatus	LFD		3	
249	11_GR_DK1_0_2019	Capitella minima	LFD		2	
248	11_GR_DK1_0_2019	Capitella minima	BLFD		6	0.00622
250	11_GR_DK1_0_2019	Conopeum seurati	NA	wenig		

252	11_GR_DK1_0_2019	Eteone longa	LFD		2	
251	11_GR_DK1_0_2019	Eteone longa	B		4	0.00285
253	11_GR_DK1_0_2019	Eumida sanguinea	LFD		2	
254	11_GR_DK1_0_2019	Lanice conchilega	LFD		2	
255	11_GR_DK1_0_2019	Laomedea flexuosa	UNM	viel		
256	11_GR_DK1_0_2019	Malacoceros tetracerus	LFD		2	
257	11_GR_DK1_0_2019	Microphthalmus szelkowii	LFD		1	
258	11_GR_DK1_0_2019	Microprotopus maculatus	UNM		4	
259	11_GR_DK1_0_2019	Myrianida sanmartini	B		6	0.00045
260	11_GR_DK1_0_2019	Nephtys hombergii	B		1	
261	11_GR_DK1_0_2019	Nephtys hombergii	BLFD		3	0.04302
262	11_GR_DK1_0_2019	Phyllodoce mucosa	B		2	0.00092
263	11_GR_DK1_0_2019	Polydora ciliata	LFD		2	
265	11_GR_DK1_0_2019	Pygospio elegans	UNM		6	
264	11_GR_DK1_0_2019	Pygospio elegans	B		201	0.0171
267	11_GR_DK1_0_2019	Scoloplos armiger agg.	UNM		3	
266	11_GR_DK1_0_2019	Scoloplos armiger agg.	LFD		22	0.21188
268	11_GR_DK1_0_2019	Spio martinensis	LFD		1	
270	11_GR_DK1_0_2019	Streblospio benedicti	BLFD		2	0.00678
269	11_GR_DK1_0_2019	Streblospio benedicti	B		99	
271	11_GR_DK1_0_2019	Tharyx killariensis	BLFD		2	7.00E-05
272	11_GR_DK1_0_2019	Tharyx killariensis	UNM		3	
273	11_GR_DK1_0_2019	Tubificoides benedii	B		21	0.00275
275	11_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	LFD		5	
274	11_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	B		8	0.00036
276	11_GR_NA1_U_2019	Bathyporeia elegans	B		2	
277	11_GR_NA1_U_2019	Bathyporeia elegans	BLFD		16	0.00475
278	11_GR_NA1_U_2019	Bathyporeia pelagica	B		1	
279	11_GR_NA1_U_2019	Bathyporeia pelagica	BLFD		11	0.00349
280	11_GR_NA1_U_2019	Bathyporeia sarsi	BLFD		1	0.00045
281	11_GR_NA1_U_2019	Calycella syringa	UNM	wenig		
282	11_GR_NA1_U_2019	Capitella capitata agg.	BLFD		1	0.00018
283	11_GR_NA1_U_2019	Clytia hemisphaerica	UNM	wenig		

284	11_GR_NA1_U_2019	<i>Electra monostachys</i>	UNM	wenig			
285	11_GR_NA1_U_2019	<i>Electra pilosa</i>	UNM	wenig			
286	11_GR_NA1_U_2019	<i>Gammarus cf. crinicornis</i>	LFD		3		
287	11_GR_NA1_U_2019	<i>Hydractinia echinata</i>	UNM	wenig			
288	11_GR_NA1_U_2019	<i>Idotea linearis</i>	LFD		1		
289	11_GR_NA1_U_2019	<i>Microprotopus maculatus</i>	LFD		1		
290	11_GR_NA1_U_2019	<i>Nemertea</i> indet.	UNM		2		
292	11_GR_NA1_U_2019	<i>Nephtys cirrosa</i>	UNM		1		
291	11_GR_NA1_U_2019	<i>Nephtys cirrosa</i>	LFD		2		
293	11_GR_NA1_U_2019	<i>Obelia bidentata</i>	UNM	wenig			
294	11_GR_NA1_U_2019	<i>Obelia dichotoma</i>	UNM	mittel			
295	11_GR_NA1_U_2019	<i>Paraonis fulgens</i>	LFD		1		
296	11_GR_NA1_U_2019	<i>Pontocrates altamarinus</i>	LFD		1		
297	11_GR_NA1_U_2019	<i>Scolecopsis squamata</i>	LFD		1		
298	11_GR_NA1_U_2019	<i>Scoloplos armiger</i> agg.	BLFD		5	0.02107	
299	11_GR_NA1_U_2019	<i>Scruparia chelata</i>	UNM	wenig			
300	11_GR_NA1_U_2019	Scyphozoa indet.	UNM	wenig			
301	11_GR_NA1_U_2019	<i>Spio martinensis</i>	LFD		7		
302	11_GR_NDS01_U_2020	<i>Aricidea minuta</i>	LFD		1		
303	11_GR_NDS01_U_2020	<i>Bathyporeia elegans</i>	LFD		4		
304	11_GR_NDS01_U_2020	<i>Bathyporeia guilliamsoniana</i>	LFD		2		
305	11_GR_NDS01_U_2020	<i>Cheirocratus assimilis</i>	LFD		1		
306	11_GR_NDS01_U_2020	<i>Diogenes pugilator</i>	LFD		1		
307	11_GR_NDS01_U_2020	<i>Echinocardium cordatum</i>	BLFD		1	0.25789	14.769
308	11_GR_NDS01_U_2020	<i>Moerella donacina</i>	BLFD		1	0.00035	
309	11_GR_NDS01_U_2020	<i>Nephtys cirrosa</i>	BLFD		2	0.02332	
310	11_GR_NDS01_U_2020	<i>Nephtys</i> juv.	LFD		1		
311	11_GR_NDS01_U_2020	<i>Obelia</i> sp.	UNM	wenig			
312	11_GR_NDS01_U_2020	<i>Scolecopsis foliosa</i>	LFD		1		
313	11_GR_NDS01_U_2020	<i>Scoloplos armiger</i> agg.	BLFD		3	0.01173	
314	11_GR_NDS01_U_2020	<i>Spisula subtruncata</i>	BLFD		1	0.01155	
315	11_GR_NDS01_U_2020	<i>Tanaissus lilljeborgi</i>	LFD		1		
316	11_GR_SA1_U_2019	<i>Bathyporeia pelagica</i>	BLFD		11	0.00293	

317	11_GR_SA1_U_2019	Bathyporeia sarsi	B		1	
318	11_GR_SA1_U_2019	Bathyporeia sarsi	BLFD		66	0.02099
319	11_GR_SA1_U_2019	Capitella capitata agg.	BLFD		1	0.00027
320	11_GR_SA1_U_2019	Euceilota maculata	UNM	wenig		
321	11_GR_SA1_U_2019	Magelona mirabilis	BLFD		2	0.00075
322	11_GR_SA1_U_2019	Nephtys caeca	BLFD		1	0.19635
323	11_GR_SA1_U_2019	Nephtys cirrosa	BLFD		2	0.00902
324	11_GR_SA1_U_2019	Obelia bidentata	UNM	wenig		
325	11_GR_SA1_U_2019	Scoloplos armiger agg.	BLFD		2	0.01432
326	11_GR_SA1_U_2019	Spio martinensis	BLFD		2	0.00028
327	11_TO_A_IV_2019	Bathyporeia sarsi	BLFD		5	0.00153
328	11_TO_A_IV_2019	Capitella capitata agg.	B		1	0.00032
329	11_TO_A_IV_2019	Cerastoderma edule	LFD		1	
330	11_TO_A_IV_2019	Conopeum seurati	UNM	wenig		
331	11_TO_A_IV_2019	Fabulina fabula	BLFD		2	0.00036
332	11_TO_A_IV_2019	Hydractinia echinata	UNM	wenig		
333	11_TO_A_IV_2019	Limecola balthica	BLFD		1	0.009
334	11_TO_A_IV_2019	Nephtys hombergii	BLFD		4	0.02961
335	11_TO_A_IV_2019	Nephtys kersivalensis	B		1	0.00177
336	11_TO_A_IV_2019	Nephtys kersivalensis	BLFD		1	
338	11_TO_A_IV_2019	Retusa obtusa	LFD		2	
337	11_TO_A_IV_2019	Retusa obtusa	BLFD		122	0.01555
339	11_TO_C_IV_2021	Conopeum reticulum	UNM	wenig		
340	11_TO_C_IV_2021	Crangon crangon	B		2	0.0077
341	11_TO_C_IV_2021	Einhornia crustulenta	UNM	wenig		
342	11_TO_C_IV_2021	Electra monostachys	UNM	wenig		
343	11_TO_C_IV_2021	Electra sp. 1	UNM	wenig		
344	11_TO_C_IV_2021	Eteone longa	B		1	0.0002
345	11_TO_C_IV_2021	Mesopodopsis slabberi	B		1	0.0002
346	11_TO_C_IV_2021	Pygospio elegans	B		1	
347	110_T14_C_IV_2021	Anguinella palmata	UNM	wenig		
348	110_T14_C_IV_2021	Balanus crenatus	B		1	0.0001
349	110_T14_C_IV_2021	Conopeum reticulum	UNM	wenig		

350	110_T14_C_IV_2021	Crangon crangon	B		1	0.0275
351	110_T14_C_IV_2021	Electra pilosa	UNM	wenig		
352	110_T14_C_IV_2021	Heteromastus filiformis	B		2	0.0085
353	110_T14_C_IV_2021	Microphthalmus similis	B		3	
354	110_T14_C_IV_2021	Microprotopus maculatus	B		11	1.00E-04
355	110_T14_C_IV_2021	Mytilus edulis agg.	B		4	1.00E-04
356	110_T14_C_IV_2021	Neomysis integer	B		2	0.0002
357	110_T14_C_IV_2021	Nephtys cirrosa	B		1	0.0076
358	110_T14_C_IV_2021	Pariambus typicus	B		1	
359	110_T14_C_IV_2021	Tharyx killariensis	B		1	
360	110_T14_C_IV_2021	Tharyx sp.	B		1	1.00E-04
362	110_T3_A_K_2019	Bathyporeia pelagica	UNM		5	
361	110_T3_A_K_2019	Bathyporeia pelagica	B		6	0.00172759
364	110_T3_A_K_2019	Bathyporeia sarsi	UNM		21	
363	110_T3_A_K_2019	Bathyporeia sarsi	B		23	0.00662241
365	110_T3_A_K_2019	Bodotria scorpioides	UNM		1	
366	110_T3_A_K_2019	Capitella capitata agg.	BLFD		1	0.0002
367	110_T3_A_K_2019	Limecola balthica	BLFD		1	0.00433
368	110_T3_A_K_2019	Macomangulus tenuis	BLFD		1	0.00015
369	110_T3_A_K_2019	Magelona johnstoni	LFD		1	
370	110_T3_A_K_2019	Nephtys hombergii	BLFD		1	0.00804
371	110_T3_A_K_2019	Scoloplos armiger agg.	BLFD		1	0.02337
372	110_T3_A_K_2019	Spio martinensis	LFD		1	
373	111_GR_NDS11_U_2020	Aspidelectra melolontha	UNM	wenig		
374	111_GR_NDS11_U_2020	Carcinus maenas	B		1	0.0292
375	111_GR_NDS11_U_2020	Conopeum reticulum	UNM	wenig		
376	111_GR_NDS11_U_2020	Nephtys cirrosa	B		2	0.007
377	111_GR_NDS11_U_2020	Obelia longissima	UNM	wenig		
378	111_GR_NDS11_U_2020	Sertularia sp.	UNM	wenig		
379	111_GR_NDS11_U_2020	Spio sp.	B		1	0.0004
380	111_T14_C_IV_2021	Aequorea sp.	UNM	wenig		
381	111_T14_C_IV_2021	Alcyonidiidae gen. sp.	UNM	wenig		
382	111_T14_C_IV_2021	Anguinella palmata	UNM	wenig		

383	111_T14_C_IV_2021	Arachnidium fibrosum	UNM	wenig			
384	111_T14_C_IV_2021	Ascidacea indet.	B		1	1.00E-04	
385	111_T14_C_IV_2021	Aspidelectra melolontha	UNM	wenig			
386	111_T14_C_IV_2021	Bathyporeia pelagica	B		1	5.00E-04	
387	111_T14_C_IV_2021	Clytia hemisphaerica	UNM	wenig			
388	111_T14_C_IV_2021	Conopeum reticulum	UNM	wenig			
389	111_T14_C_IV_2021	Crangon crangon	B		1	0.0571	
390	111_T14_C_IV_2021	Electra monostachys	UNM	wenig			
391	111_T14_C_IV_2021	Electra pilosa	UNM	wenig			
392	111_T14_C_IV_2021	Farrella repens	UNM	wenig			
393	111_T14_C_IV_2021	Obelia longissima	UNM	wenig			
394	111_T14_C_IV_2021	Pedicellina sp.	UNM	wenig			
395	111_T3_A_K_2019	Asterias rubens	B		1		5.874
396	111_T3_A_K_2019	Bathyporeia elegans	B		2	0.00062392	
397	111_T3_A_K_2019	Bathyporeia elegans	UNM		2		
398	111_T3_A_K_2019	Bathyporeia pelagica	B		39	0.01216647	
399	111_T3_A_K_2019	Bathyporeia pelagica	UNM		41		
400	111_T3_A_K_2019	Bathyporeia sarsi	B		10	0.00311961	
401	111_T3_A_K_2019	Bathyporeia sarsi	UNM		10		
402	111_T3_A_K_2019	Conopeum seurati	UNM	wenig			
403	111_T3_A_K_2019	Macomangulus tenuis	BLFD		1	0.02372	
404	111_T3_A_K_2019	Magelona mirabilis	B		1	0.00134	
405	111_T3_A_K_2019	Nephtys longosetosa	BLFD		1	0.14019	
406	111_T3_A_K_2019	Scoloplos armiger agg.	BLFD		2	0.0069	
407	111_T3_A_K_2019	Spio martinensis	UNM		2		
408	112_GR_NDS11_U_2020	Electra pilosa	UNM	wenig			
409	112_GR_NDS11_U_2020	Heteromastus filiformis	B		1	0.0018	
410	112_GR_NDS11_U_2020	Nephtys hombergii	B		1	0.0079	
411	112_GR_NDS11_U_2020	Scoloplos armiger agg.	B		1	0.002	
412	112_GR_NDS11_U_2020	Sertularia sp.	UNM	wenig			
413	112_T1_B2_K_2021	Bathyporeia sarsi	B		1	0.0002	
414	112_T1_B2_K_2021	Decapoda	B		1	0.0007	
415	112_T1_B2_K_2021	Ensis sp.	B		1	0.0023	

416	112_T1_B2_K_2021	Eteone longa	B		1	1.00E-04
417	112_T1_B2_K_2021	Magelona johnstoni	B		2	0.003
418	112_T1_B2_K_2021	Nephtys hombergii	UNM		1	
419	112_T1_B2_K_2021	Scoloplos armiger agg.	B		1	0.0044
420	112_T1_B2_K_2021	Spio martinensis	B		4	0.0004
421	112_T1_B2_K_2021	Urothoe poseidonis	UNM		1	
422	112_T3_A_K_2019	Bathyporeia pelagica	BLFD		1	0.00044
423	112_T3_A_K_2019	Capitella capitata agg.	BLFD		1	0.00064
424	112_T3_A_K_2019	Cerastoderma edule	BLFD		1	0.0002
425	112_T3_A_K_2019	Ensis leei	BLFD		1	1.68438
426	112_T3_A_K_2019	Eucheilota maculata	UNM	wenig		
427	112_T3_A_K_2019	Limecola balthica	BLFD		1	0.10268
428	112_T3_A_K_2019	Magelona mirabilis	BLFD		2	0.00076
429	112_T3_A_K_2019	Nephtys caeca	BLFD		1	0.15981
430	112_T3_A_K_2019	Nephtys cirrosa	BLFD		2	0.00293
431	112_T3_A_K_2019	Nephtys kersivalensis	BLFD		4	0.00753
432	112_T3_A_K_2019	Nymphon brevirostre	LFD		1	
433	112_T3_A_K_2019	Scoloplos armiger agg.	BLFD		2	0.02029
434	112_T3_A_K_2019	Spio martinensis	BLFD		3	0.00041
435	113_GR_NDS11_U_2020	Clytia hemisphaerica	UNM	wenig		
436	113_GR_NDS11_U_2020	Magelona johnstoni	B		1	0.0006
437	113_GR_NDS11_U_2020	Nephtys cirrosa	B		2	0.0034
438	113_GR_NDS11_U_2020	Spio martinensis	B		1	0.0002
439	113_T1_B2_IV_2021	Bathyporeia pelagica	B		1	1.00E-04
440	113_T1_B2_IV_2021	Bathyporeia sarsi	B		6	0.0014
441	113_T1_B2_IV_2021	Capitella capitata agg.	B		1	0.0002
442	113_T1_B2_IV_2021	Nemertea indet.	B		1	0.0006
443	113_T1_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0514
444	113_T1_B2_IV_2021	Spio martinensis	B		3	0.0003
445	113_T14_C_K_2021	Arachnidium fibrosum	UNM	wenig		
446	113_T14_C_K_2021	Clytia hemisphaerica	UNM	wenig		
447	113_T14_C_K_2021	Electra pilosa	UNM	wenig		
448	113_T14_C_K_2021	Myrianida sp.	B		1	

449	113_T14_C_K_2021	Nephtys cirrosa	B		2	0.0015
450	113_T14_C_K_2021	Tharyx sp.	B		2	0.0002
451	114_GR_NDS11_U_2020	Bathyporeia elegans	B		10	0.003
452	114_GR_NDS11_U_2020	Nephtys cirrosa	B		5	0.0524
453	114_GR_NDS11_U_2020	Schistomysis kervillei	B		1	5.00E-04
454	114_T1_B2_K_2021	Bathyporeia pelagica	B		9	0.0025
455	114_T1_B2_K_2021	Bathyporeia sarsi	B		4	0.0009
456	114_T1_B2_K_2021	Conopeum reticulum	UNM	wenig		
457	114_T1_B2_K_2021	Electra pilosa	UNM	wenig		
458	114_T1_B2_K_2021	Magelona mirabilis	B		1	0.0031
459	114_T1_B2_K_2021	Nephtys cirrosa	B		1	0.0089
460	114_T1_B2_K_2021	Spio martinensis	B		1	0.0002
461	114_T14_C_K_2021	Crangon crangon	B		2	0.1823
462	114_T14_C_K_2021	Nephtys cirrosa	B		3	0.0106
463	114_T14_C_K_2021	Scoloplos armiger agg.	B		1	0.0054
464	115_GR_NDS11_U_2020	Bathyporeia elegans	B		1	0.0006
465	115_GR_NDS11_U_2020	Conopeum reticulum	UNM	wenig		
466	115_GR_NDS11_U_2020	Crangon crangon	B		1	0.0008
467	115_GR_NDS11_U_2020	Nephtys cirrosa	B		1	0.0006
468	115_T1_B2_IV_2021	Aspidelectra melolontha	UNM	wenig		
469	115_T1_B2_IV_2021	Bathyporeia pelagica	B		1	1.00E-04
470	115_T1_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
471	115_T1_B2_IV_2021	Conopeum reticulum	UNM	wenig		
472	115_T1_B2_IV_2021	Electra pilosa	UNM	wenig		
473	115_T1_B2_IV_2021	Magelona johnstoni	UNM		1	
474	115_T1_B2_IV_2021	Magelona mirabilis	B		1	0.0021
475	115_T1_B2_IV_2021	Nephtys cirrosa	B		3	0.0229
476	115_T1_B2_IV_2021	Scoloplos armiger agg.	B		2	0.0207
477	115_T14_C_IV_2021	Bathyporeia pelagica	B		4	0.0008
478	115_T14_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
479	115_T14_C_IV_2021	Crangon crangon	B		2	0.0077
480	115_T14_C_IV_2021	Cylista troglodytes agg.	B		1	0.4342
481	115_T14_C_IV_2021	Nephtys cirrosa	B		1	0.0019

482	115_T14_C_IV_2021	<i>Obelia longissima</i>	UNM	wenig		
483	115_T14_C_IV_2021	<i>Spio martinensis</i>	B		1	0.0002
484	115_T14_C_IV_2021	<i>Urothoe poseidonis</i>	B		2	0.0011
485	116_GR_NDS11_U_2020	unbesiedelt	UNM	wenig		
486	116_T1_B2_IV_2021	<i>Nephtys cirrosa</i>	B		1	0.0077
487	116_T1_B2_IV_2021	<i>Nymphon brevirostre</i>	B		1	0.0003
488	116_T1_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0008
489	116_T14_C_IV_2021	<i>Anguinella palmata</i>	UNM	wenig		
490	116_T14_C_IV_2021	Anthozoa indet.	B		23	0.1068
491	116_T14_C_IV_2021	<i>Arachnidium fibrosum</i>	UNM	wenig		
492	116_T14_C_IV_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
493	116_T14_C_IV_2021	<i>Conopeum seurati</i>	UNM	wenig		
494	116_T14_C_IV_2021	<i>Microprotopus maculatus</i>	B		1	
495	116_T14_C_IV_2021	<i>Nephtys cirrosa</i>	B		1	0.0037
496	116_T7_B_K_2019	<i>Bathyporeia elegans</i>	B		1	0.00023818
497	116_T7_B_K_2019	<i>Bathyporeia elegans</i>	UNM		2	
498	116_T7_B_K_2019	<i>Bathyporeia pelagica</i>	B		1	0.00023818
499	116_T7_B_K_2019	<i>Bathyporeia pelagica</i>	UNM		4	
500	116_T7_B_K_2019	<i>Bathyporeia sarsi</i>	B		9	0.00214364
501	116_T7_B_K_2019	<i>Bathyporeia sarsi</i>	UNM		48	
502	116_T7_B_K_2019	<i>Magelona johnstoni</i>	BLFD		1	0.00317
503	116_T7_B_K_2019	<i>Magelona mirabilis</i>	BLFD		1	0.00384
504	116_T7_B_K_2019	<i>Magelona mirabilis</i>	UNM		2	
505	116_T7_B_K_2019	<i>Nephtys hombergii</i>	BLFD		1	0.01012
506	116_T7_B_K_2019	<i>Nephtys kersivalensis</i>	BLFD		1	0.00268
507	116_T7_B_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		3	0.02426
508	116_T7_B_K_2019	<i>Spio martinensis</i>	LFD		1	
509	117_T1_B2_IV_2021	<i>Bathyporeia pelagica</i>	B		8	0.0025
510	117_T1_B2_IV_2021	<i>Bathyporeia sarsi</i>	B		4	0.001
511	117_T1_B2_IV_2021	<i>Crangon</i> sp.	B		2	0.0004
512	117_T1_B2_IV_2021	<i>Electra pilosa</i>	UNM	wenig		
513	117_T1_B2_IV_2021	<i>Nephtys cirrosa</i>	B		3	0.0347
514	117_T1_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		2	0.0524

515	117_T1_B2_IV_2021	<i>Spio martinensis</i>	B		1	0.0003	
516	117_T14_C_IV_2021	<i>Bathyporeia pelagica</i>	B		1	0.0003	
517	117_T14_C_IV_2021	<i>Clytia hemisphaerica</i>	UNM	wenig			
518	117_T14_C_IV_2021	<i>Crangon</i> sp.	B		1	0.0007	
519	117_T14_C_IV_2021	<i>Nephtys cirrosa</i>	B		2	0.0125	
520	117_T7_B_K_2019	<i>Bathyporeia sarsi</i>	LFD		2		
521	117_T7_B_K_2019	<i>Capitella minima</i>	LFD		1		
522	117_T7_B_K_2019	<i>Cauloramphus spiniferum</i>	UNM	wenig			
523	117_T7_B_K_2019	<i>Magelona</i> sp.	B		1	0.00107	
524	117_T7_B_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		4	0.07428	
525	117_T7_B_K_2019	<i>Spio martinensis</i>	UNM		9		
526	118_T1_B2_IV_2021	<i>Bathyporeia pelagica</i>	B		3	0.0025	
527	118_T1_B2_IV_2021	<i>Bathyporeia sarsi</i>	B		3	0.0007	
528	118_T1_B2_IV_2021	<i>Capitella capitata</i> agg.	B		1		
529	118_T1_B2_IV_2021	<i>Magelona mirabilis</i>	B		2	0.0118	
530	118_T1_B2_IV_2021	<i>Nephtys cirrosa</i>	B		4	0.0336	
531	118_T1_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0174	
532	118_T1_B2_IV_2021	<i>Spio martinensis</i>	B		1	1.00E-04	
533	118_T7_B_K_2019	<i>Bathyporeia pelagica</i>	UNM		10		
534	118_T7_B_K_2019	<i>Bathyporeia sarsi</i>	UNM		16		
535	118_T7_B_K_2019	<i>Magelona mirabilis</i>	BLFD		2	0.00104	
536	118_T7_B_K_2019	<i>Nephtys caeca</i>	BLFD		1		
537	118_T7_B_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		2	0.02608	
538	12_GR_DK1_0_2019	<i>Actinaria</i> gen. sp.	B		2		0.976
539	12_GR_DK1_0_2019	<i>Ampharete</i> sp.	LFD		1		
540	12_GR_DK1_0_2019	<i>Aricidea minuta</i>	LFD		1		
541	12_GR_DK1_0_2019	<i>Aricidea minuta</i>	UNM		1		
542	12_GR_DK1_0_2019	<i>Austrominius modestus</i>	BLFD		3	0.00129	
544	12_GR_DK1_0_2019	<i>Bodotria scorpioides</i>	UNM		1		
543	12_GR_DK1_0_2019	<i>Bodotria scorpioides</i>	B		15	0.00299	
545	12_GR_DK1_0_2019	<i>Capitella minima</i>	LFD		1		
546	12_GR_DK1_0_2019	<i>Conopeum seurati</i>	NA	wenig			
547	12_GR_DK1_0_2019	<i>Crassicorophium bonellii</i>	LFD		6		

548	12_GR_DK1_0_2019	Crepidula fornicata	LFD		1		
549	12_GR_DK1_0_2019	Ensis magnus	B		1		8.8
550	12_GR_DK1_0_2019	Eteone longa	B		3		
551	12_GR_DK1_0_2019	Eteone longa	BLFD		9	0.00683	
552	12_GR_DK1_0_2019	Eumida sanguinea	LFD		11		
553	12_GR_DK1_0_2019	Gammarus salinus	LFD		4		
554	12_GR_DK1_0_2019	Harmothoe imbricata	LFD		1		
555	12_GR_DK1_0_2019	Lagis koreni	LFD		1		
556	12_GR_DK1_0_2019	Lanice conchilega	BLFD		4		1.938
557	12_GR_DK1_0_2019	Liocarcinus navigator	BLFD		1	0.00517	
558	12_GR_DK1_0_2019	Malacoceros tetracerus	LFD		2		
559	12_GR_DK1_0_2019	Microprotopus maculatus	LFD		1		
560	12_GR_DK1_0_2019	Moerella donacina	LFD		9		
561	12_GR_DK1_0_2019	Myrianida sanmartini	B		3	0.00013	
562	12_GR_DK1_0_2019	Myrianida sanmartini	LFD		6		
563	12_GR_DK1_0_2019	Myrianida sp.	LFD		1		
564	12_GR_DK1_0_2019	Nephtys caeca	BLFD		1	0.30907	
565	12_GR_DK1_0_2019	Nephtys hombergii	BLFD		3	0.06501	
566	12_GR_DK1_0_2019	Nephtys juv.	LFD		1		
567	12_GR_DK1_0_2019	Nereis juv.	BLFD		6	0.00073	
568	12_GR_DK1_0_2019	Obelia bidentata	UNM	mittel			
570	12_GR_DK1_0_2019	Phyllodoce mucosa	LFD		1		
569	12_GR_DK1_0_2019	Phyllodoce mucosa	BLFD		3	0.00218	
571	12_GR_DK1_0_2019	Polycirrus sp.	LFD		18		
574	12_GR_DK1_0_2019	Polydora ciliata	LFD		6		
573	12_GR_DK1_0_2019	Polydora ciliata	BLFD		14	0.00878	
572	12_GR_DK1_0_2019	Polydora ciliata	B		219		
575	12_GR_DK1_0_2019	Polydora cornuta	LFD		2		
578	12_GR_DK1_0_2019	Pygospio elegans	LFD		6		
577	12_GR_DK1_0_2019	Pygospio elegans	BLFD		10		
576	12_GR_DK1_0_2019	Pygospio elegans	B		211	0.01554	
579	12_GR_DK1_0_2019	Scoloplos armiger agg.	BLFD		27	0.14677	
580	12_GR_DK1_0_2019	Spio martinensis	LFD		1		

581	12_GR_DK1_0_2019	Spiophanes bombyx	LFD		1	
582	12_GR_DK1_0_2019	Spisula subtruncata	LFD		2	
584	12_GR_DK1_0_2019	Streblospio benedicti	BLFD		12	0.00446
583	12_GR_DK1_0_2019	Streblospio benedicti	B		51	
585	12_GR_DK1_0_2019	Tharyx killariensis	LFD		2	
586	12_GR_DK1_0_2019	Tubificoides benedii	LFD		2	
587	12_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	LFD		1	
588	12_GR_NA1_U_2019	Actinaria gen. sp.	UNM		1	
589	12_GR_NA1_U_2019	Bathyporeia elegans	BLFD		4	0.0011
590	12_GR_NA1_U_2019	Bathyporeia sarsi	BLFD		1	0.00031
591	12_GR_NA1_U_2019	Conopeum reticulum	UNM	wenig		
592	12_GR_NA1_U_2019	Euceilota maculata	UNM	wenig		
593	12_GR_NA1_U_2019	Magelona johnstoni	LFD		1	
594	12_GR_NA1_U_2019	Nemertea indet.	UNM		1	
595	12_GR_NA1_U_2019	Nephtys caeca	BLFD		1	0.02886
596	12_GR_NA1_U_2019	Nephtys cirrosa	BLFD		3	0.01546
597	12_GR_NA1_U_2019	Obelia bidentata	UNM	wenig		
598	12_GR_NA1_U_2019	Obelia dichotoma	UNM	mittel		
599	12_GR_NA1_U_2019	Ophelia sp.	BLFD		1	0.00025
600	12_GR_NA1_U_2019	Paraonis fulgens	LFD		1	
601	12_GR_NA1_U_2019	Pontocrates altamarinus	BLFD		2	0.00089
602	12_GR_NA1_U_2019	Scoloplos armiger agg.	BLFD		3	0.04665
603	12_GR_NA1_U_2019	Scruparia ambigua	UNM	wenig		
604	12_GR_NA1_U_2019	Scyphozoa indet.	UNM	wenig		
605	12_GR_NA1_U_2019	Sertularia cupressina	UNM	wenig		
606	12_GR_NA1_U_2019	Spio sp.	LFD		1	
607	12_GR_NDS01_U_2020	Bathyporeia elegans	LFD		2	
608	12_GR_NDS01_U_2020	Capitella capitata agg.	LFD		1	
609	12_GR_NDS01_U_2020	Clytia hemisphaerica	UNM	wenig		
610	12_GR_NDS01_U_2020	Echinocardium cordatum	LFD		1	
611	12_GR_NDS01_U_2020	Gammaropsis nitida	LFD		1	
612	12_GR_NDS01_U_2020	Nephtys cirrosa	BLFD		4	0.03453
613	12_GR_NDS01_U_2020	Obelia bidentata	UNM	wenig		

614	12_GR_NDS01_U_2020	Ophelia sp.	BLFD		1	0.01687
615	12_GR_NDS01_U_2020	Scolecopsis foliosa	BLFD		1	0.0035
616	12_GR_NDS01_U_2020	Scoloplos armiger agg.	BLFD		1	0.00255
617	12_GR_NDS01_U_2020	Spio goniocephala	LFD		1	
618	12_GR_NDS01_U_2020	Spisula subtruncata	BLFD		2	0.00451
619	12_GR_NDS01_U_2020	Thia scutellata	BLFD		1	0.09317
620	12_GR_NDS01_U_2020	Thia scutellata	LFD		1	
621	12_GR_SA1_U_2019	Anthoathecata gen. sp.	UNM	wenig		
622	12_GR_SA1_U_2019	Bathyporeia pelagica	B		1	
623	12_GR_SA1_U_2019	Bathyporeia pelagica	BLFD		3	0.00138
624	12_GR_SA1_U_2019	Bathyporeia sarsi	BLFD		3	0.00114
625	12_GR_SA1_U_2019	Capitella capitata agg.	B		1	0.00035
626	12_GR_SA1_U_2019	Gastrosaccus spinifer	B		1	
627	12_GR_SA1_U_2019	Gastrosaccus spinifer	BLFD		2	0.00247
628	12_GR_SA1_U_2019	Limecola balthica	BLFD		1	0.05463
629	12_GR_SA1_U_2019	Pontocrates altamarinus	BLFD		1	0.00015
630	12_GR_SA1_U_2019	Scoloplos armiger agg.	BLFD		1	0.00226
631	12_GR_SA1_U_2019	Spio martinensis	BLFD		3	0.00045
632	12_T0_C_K_2021	Ascidiacea indet.	UNM		1	
633	12_T0_C_K_2021	Crangon sp.	B		1	0.0002
634	12_T0_C_K_2021	Mesopodopsis slabberi	B		1	0.0004
635	12_T0_C_K_2021	Neomysis integer	B		1	0.0002
636	12_T0_C_K_2021	Nephtys cirrosa	B		2	0.0099
637	12_T0_C_K_2021	Nephtys hombergii	B		1	0.0004
638	12_T0_C_K_2021	Scoloplos armiger agg.	B		2	0.0113
639	120_T1_B2_IV_2021	Bathyporeia pelagica	B		3	0.001
640	120_T1_B2_IV_2021	Conopeum reticulum	UNM	wenig		
641	120_T1_B2_IV_2021	Corambe obscura agg.	B		1	
642	120_T1_B2_IV_2021	Electra pilosa	UNM	wenig		
643	120_T1_B2_IV_2021	Limecola balthica	B		1	0.0034
644	120_T1_B2_IV_2021	Macomangulus tenuis	B		3	0.0062
645	120_T1_B2_IV_2021	Nephtys cirrosa	B		2	0.0112
646	120_T1_B2_IV_2021	Terebellidae gen. sp.	UNM		1	

647	121_T1_B2_IV_2021	Bathyporeia sarsi	B		1	0.0006
648	121_T1_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
649	121_T1_B2_IV_2021	Electra pilosa	UNM	wenig		
650	121_T1_B2_IV_2021	Magelona mirabilis	B		1	0.0004
651	121_T1_B2_IV_2021	Nephtys cirrosa	B		1	0.0112
652	121_T1_B2_IV_2021	Praunus flexuosus	B		1	0.0157
653	121_T1_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0193
654	122_T1_B2_IV_2021	Crangon sp.	B		1	
655	122_T1_B2_IV_2021	Electra pilosa	UNM	wenig		
656	122_T1_B2_IV_2021	Magelona mirabilis	B		4	0.0054
657	122_T1_B2_IV_2021	Nephtys caeca	B		1	0.2428
658	122_T1_B2_IV_2021	Nephtys cirrosa	B		2	0.0376
659	122_T1_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0021
660	125_T7_B_IV_2019	Bathyporeia pelagica	UNM		2	
661	125_T7_B_IV_2019	Bathyporeia sarsi	UNM		20	
662	125_T7_B_IV_2019	Capitella capitata agg.	UNM		1	
663	125_T7_B_IV_2019	Nephtys kersivalensis	B		3	0.00848
664	125_T7_B_IV_2019	Scoloplos armiger agg.	BLFD		16	0.19886
665	126_T7_B_IV_2019	Bathyporeia guilliamsoniana	UNM		1	
666	126_T7_B_IV_2019	Gammarus locusta	LFD		1	
667	126_T7_B_IV_2019	Hydractinia echinata	UNM	wenig		
668	126_T7_B_IV_2019	Limecola balthica	BLFD		1	0.00591
669	126_T7_B_IV_2019	Macomangulus tenuis	BLFD		1	0.04584
670	126_T7_B_IV_2019	Scoloplos armiger agg.	BLFD		8	0.17761
671	127_T7_B_IV_2019	Bathyporeia elegans	B		1	0.0003
672	127_T7_B_IV_2019	Bathyporeia sarsi	B		5	0.0027
673	127_T7_B_IV_2019	Conopeum reticulum	UNM	wenig		
674	127_T7_B_IV_2019	Crangon sp.	B		1	
675	127_T7_B_IV_2019	Einhornia crustulenta	UNM	wenig		
676	127_T7_B_IV_2019	Electra pilosa	UNM	wenig		
677	127_T7_B_IV_2019	Lamprops fasciatus	UNM		1	
678	127_T7_B_IV_2019	Obelia bidentata	UNM	wenig		
679	127_T7_B_IV_2019	Scoloplos armiger agg.	B		10	0.1391

680	127_T7_B_IV_2019	<i>Spio martinensis</i>	B		1		
681	13_GR_DK1_0_2019	<i>Actinaria</i> gen. sp.	UNM		1		
682	13_GR_DK1_0_2019	<i>Alcyonidioides mytili</i>	UNM	wenig			
683	13_GR_DK1_0_2019	<i>Alitta virens</i>	BLFD		1	0.11631	
684	13_GR_DK1_0_2019	<i>Ampharete</i> sp.	BLFD		1		0.02832
685	13_GR_DK1_0_2019	<i>Anoplodactylus pygmaeus</i>	LFD		1		
687	13_GR_DK1_0_2019	<i>Aricidea minuta</i>	LFD		4		
686	13_GR_DK1_0_2019	<i>Aricidea minuta</i>	B		5	0.00121	
688	13_GR_DK1_0_2019	<i>Asterias rubens</i>	B		1		9.361
689	13_GR_DK1_0_2019	<i>Balanus crenatus</i>	BLFD		21	0.00452	
691	13_GR_DK1_0_2019	<i>Bodotria scorpioides</i>	LFD		1		
690	13_GR_DK1_0_2019	<i>Bodotria scorpioides</i>	BLFD		5	0.00113	
692	13_GR_DK1_0_2019	<i>Capitella minima</i>	LFD		4		
693	13_GR_DK1_0_2019	<i>Cerastoderma edule</i>	BLFD		1	0.00021	
695	13_GR_DK1_0_2019	<i>Eteone longa</i>	LFD		1		
694	13_GR_DK1_0_2019	<i>Eteone longa</i>	B		10	0.00289	
696	13_GR_DK1_0_2019	<i>Eumida sanguinea</i>	BLFD		1	0.00074	
697	13_GR_DK1_0_2019	<i>Eumida sanguinea</i>	LFD		3		
698	13_GR_DK1_0_2019	<i>Gammarus salinus</i>	BLFD		3		0.02051
699	13_GR_DK1_0_2019	<i>Kurtiella bidentata</i>	LFD		3		
700	13_GR_DK1_0_2019	<i>Lagis koreni</i>	BLFD		1		0.03458
701	13_GR_DK1_0_2019	<i>Lanice conchilega</i>	LFD		1		
702	13_GR_DK1_0_2019	<i>Liocarcinus navigator</i>	BLFD		1	0.00603	
703	13_GR_DK1_0_2019	<i>Malacoceros tetracerus</i>	LFD		1		
704	13_GR_DK1_0_2019	<i>Microprotopus maculatus</i>	LFD		5		
706	13_GR_DK1_0_2019	<i>Myrianida sanmartini</i>	LFD		4		
705	13_GR_DK1_0_2019	<i>Myrianida sanmartini</i>	BLFD		16	0.00091	
707	13_GR_DK1_0_2019	<i>Nephtys hombergii</i>	BLFD		3	0.05928	
708	13_GR_DK1_0_2019	<i>Nereis</i> juv.	LFD		6		
709	13_GR_DK1_0_2019	<i>Obelia bidentata</i>	NA	viel			
710	13_GR_DK1_0_2019	<i>Obelia longissima</i>	NA	wenig			
711	13_GR_DK1_0_2019	<i>Parvipalpus capillaceus</i>	LFD		1		
712	13_GR_DK1_0_2019	<i>Phaxas pellucidus</i>	LFD		1		

714	13_GR_DK1_0_2019	Phyllodoce mucosa	LFD		1	
713	13_GR_DK1_0_2019	Phyllodoce mucosa	BLFD		3	0.00251
715	13_GR_DK1_0_2019	Polydora ciliata	B		2	
716	13_GR_DK1_0_2019	Polydora ciliata	BLFD		9	0.00068
717	13_GR_DK1_0_2019	Polydora ciliata	LFD		13	
718	13_GR_DK1_0_2019	Polydora cornuta	LFD		3	
720	13_GR_DK1_0_2019	Pygospio elegans	BLFD		5	0.01754
722	13_GR_DK1_0_2019	Pygospio elegans	UNM		6	
721	13_GR_DK1_0_2019	Pygospio elegans	LFD		12	
719	13_GR_DK1_0_2019	Pygospio elegans	B		197	
723	13_GR_DK1_0_2019	Scolecopsis bonnieri	LFD		1	
724	13_GR_DK1_0_2019	Scoloplos armiger agg.	B		2	
725	13_GR_DK1_0_2019	Scoloplos armiger agg.	BLFD		28	0.22504
726	13_GR_DK1_0_2019	Spio martinensis	LFD		4	
727	13_GR_DK1_0_2019	Spiophanes bombyx	LFD		1	
730	13_GR_DK1_0_2019	Streblospio benedicti	LFD		3	
729	13_GR_DK1_0_2019	Streblospio benedicti	BLFD		10	0.00599
728	13_GR_DK1_0_2019	Streblospio benedicti	B		81	
731	13_GR_DK1_0_2019	Tharyx killariensis	LFD		1	
732	13_GR_DK1_0_2019	Tubificoides benedii	LFD		4	
733	13_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	LFD		2	
734	13_GR_NA1_U_2019	Aricidea minuta	UNM		2	
735	13_GR_NA1_U_2019	Balanomorpha indet.	UNM	wenig		
736	13_GR_NA1_U_2019	Bathyporeia elegans	BLFD		2	0.00119
737	13_GR_NA1_U_2019	Bathyporeia pelagica	B		1	
738	13_GR_NA1_U_2019	Bathyporeia pelagica	BLFD		29	0.01015
739	13_GR_NA1_U_2019	Bathyporeia sarsi	BLFD		4	0.00224
740	13_GR_NA1_U_2019	Capitella capitata agg.	BLFD		4	0.00327
741	13_GR_NA1_U_2019	Gastrosaccus spinifer	LFD		1	
742	13_GR_NA1_U_2019	Mytilus edulis	BLFD		1	0.0003
743	13_GR_NA1_U_2019	Nemertea indet.	UNM		1	
744	13_GR_NA1_U_2019	Nephtys cirrosa	BLFD		2	0.05538
745	13_GR_NA1_U_2019	Obelia longissima	UNM	mittel		

746	13_GR_NA1_U_2019	Ophelia sp.	BLFD		1	0.00102	
747	13_GR_NA1_U_2019	Paraonis fulgens	UNM		1		
748	13_GR_NA1_U_2019	Scoloplos armiger agg.	BLFD		2	0.0375	
749	13_GR_NA1_U_2019	Scyphozoa indet.	UNM	wenig			
750	13_GR_NA1_U_2019	Spio martinensis	BLFD		2	0.00057	
751	13_GR_NDS01_U_2020	Bathyporeia elegans	LFD		1		
752	13_GR_NDS01_U_2020	Crangon crangon	LFD		1		
753	13_GR_NDS01_U_2020	Echinocardium cordatum	BLFD		1		6.405
754	13_GR_NDS01_U_2020	Ensis leei	B		4		20.852
755	13_GR_NDS01_U_2020	Nephtys caeca	BLFD		1	0.00737	
756	13_GR_NDS01_U_2020	Nephtys kersivalensis	BLFD		1	0.00401	
757	13_GR_NDS01_U_2020	Ophelia sp.	BLFD		1	0.00311	
758	13_GR_NDS01_U_2020	Owenia fusiformis agg.	LFD		1		
759	13_GR_NDS01_U_2020	Scoloplos armiger agg.	BLFD		2	0.00254	
760	13_GR_NDS01_U_2020	Spiophanes bombyx	LFD		1		
761	13_GR_NDS01_U_2020	Spisula subtruncata	BLFD		3	0.03012	
762	13_GR_SA1_U_2019	Aequorea sp.	UNM	wenig			
763	13_GR_SA1_U_2019	Bathyporeia pelagica	B		1		
764	13_GR_SA1_U_2019	Bathyporeia pelagica	BLFD		7	0.00154	
765	13_GR_SA1_U_2019	Bathyporeia sarsi	BLFD		4	0.00116	
766	13_GR_SA1_U_2019	Capitella capitata agg.	BLFD		1	0.0005	
767	13_GR_SA1_U_2019	Crangon crangon	BLFD		2	0.19704	
768	13_GR_SA1_U_2019	Mytilus edulis	BLFD		1	0.00017	
769	13_GR_SA1_U_2019	Nemertea indet.	UNM		1		
770	13_GR_SA1_U_2019	Nephtys cirrosa	BLFD		2	0.00262	
771	13_GR_SA1_U_2019	Obelia dichotoma	UNM	wenig			
772	13_GR_SA1_U_2019	Obelia longissima	UNM	wenig			
773	13_GR_SA1_U_2019	Pontocrates altamarinus	BLFD		1	0.00045	
774	13_GR_SA1_U_2019	Schistomysis kervillei	BLFD		2	0.00205	
775	13_GR_SA1_U_2019	Scoloplos armiger agg.	BLFD		2	0.01314	
776	13_T0_B_I_2019	Bathyporeia sarsi	BLFD		6	0.00244	
777	13_T0_B_I_2019	Limecola balthica	BLFD		1	0.00443	
778	13_T0_B_I_2019	Nephtys hombergii	BLFD		3	0.03116	

779	13_T0_B_I_2019	Retusa obtusa	BLFD		1	0.00037
780	13_T0_B_I_2019	Scoloplos armiger agg.	B		1	0.02335
781	13_T0_C_K_2021	Bathyporeia pelagica	B		7	0.002
782	13_T0_C_K_2021	Bathyporeia sarsi	B		2	0.001
783	13_T0_C_K_2021	Mesopodopsis slabberi	B		1	0.0007
785	134_T7_B_IV_2019	Bathyporeia guilliamsoniana	UNM		1	
784	134_T7_B_IV_2019	Bathyporeia guilliamsoniana	B		3	0.00095795
787	134_T7_B_IV_2019	Bathyporeia pelagica	UNM		2	
786	134_T7_B_IV_2019	Bathyporeia pelagica	B		7	0.00223523
789	134_T7_B_IV_2019	Bathyporeia sarsi	UNM		24	
788	134_T7_B_IV_2019	Bathyporeia sarsi	B		78	0.02490682
790	134_T7_B_IV_2019	Eteone longa	BLFD		1	0.0006
791	134_T7_B_IV_2019	Lamprops fasciatus	LFD		1	
792	134_T7_B_IV_2019	Microphthalmus similis	LFD		1	
793	134_T7_B_IV_2019	Mytilus edulis	LFD		3	
794	134_T7_B_IV_2019	Nemertea indet.	UNM		1	
795	134_T7_B_IV_2019	Scoloplos armiger agg.	BLFD		12	0.06329
796	134_T7_B_IV_2019	Spio martinensis	LFD		3	
797	135_T7_B_IV_2019	Bathyporeia elegans	B		1	0.0006
798	135_T7_B_IV_2019	Bathyporeia guilliamsoniana	B		1	0.0008
799	135_T7_B_IV_2019	Bathyporeia sarsi	B		43	0.0142
800	135_T7_B_IV_2019	Nephtys cirrosa	B		2	0.0093
801	135_T7_B_IV_2019	Scoloplos armiger agg.	B		12	0.09
802	135_T7_B_IV_2019	Spio martinensis	B		6	0.0002
803	136_T7_B_IV_2019	Alcyonidiidae gen. sp.	UNM	wenig		
804	136_T7_B_IV_2019	Anthoathecata indet.	UNM	wenig		
805	136_T7_B_IV_2019	Bathyporeia elegans	B		6	0.003
806	136_T7_B_IV_2019	Bathyporeia sarsi	B		39	0.0123
807	136_T7_B_IV_2019	Conopeum reticulum	UNM	wenig		
808	136_T7_B_IV_2019	Conopeum seurati	UNM	wenig		
809	136_T7_B_IV_2019	Einhornia crustulenta	UNM	wenig		
810	136_T7_B_IV_2019	Mytilus edulis agg.	B		1	0.0003
811	136_T7_B_IV_2019	Nephtys cirrosa	B		1	0.0238

812	136_T7_B_IV_2019	Obelia bidentata	UNM	wenig		
813	136_T7_B_IV_2019	Obelia longissima	UNM	wenig		
814	136_T7_B_IV_2019	Pontocrates arcticus	UNM		1	
815	136_T7_B_IV_2019	Pseudocuma (Pseudocuma) longicauda	UNM		1	
816	136_T7_B_IV_2019	Scoloplos armiger agg.	B		7	0.0092
817	136_T7_B_IV_2019	Spio martinensis	B		3	1.00E-04
818	136_T7_B_IV_2019	Terebellidae gen. sp.	B		1	
819	137_T7_B_K_2019	Bathyporeia pelagica	UNM		2	
820	137_T7_B_K_2019	Bathyporeia sarsi	UNM		16	
821	137_T7_B_K_2019	Eteone longa	BLFD		2	0.0009
822	137_T7_B_K_2019	Limecola balthica	BLFD		1	0.00638
823	137_T7_B_K_2019	Magelona johnstoni	UNM		1	
825	137_T7_B_K_2019	Magelona mirabilis	UNM		1	
824	137_T7_B_K_2019	Magelona mirabilis	B		2	0.00279
826	137_T7_B_K_2019	Mytilus edulis	BLFD		2	4.00E-05
827	137_T7_B_K_2019	Nephtys caeca	BLFD		1	0.02791
828	137_T7_B_K_2019	Scoloplos armiger agg.	B		1	0.00118
829	137_T7_B_K_2019	Sertularia cupressina	UNM	wenig		
830	138_T7_B_K_2019	Bathyporeia pelagica	UNM		13	
831	138_T7_B_K_2019	Bathyporeia sarsi	UNM		24	
832	138_T7_B_K_2019	Capitella capitata agg.	LFD		1	
833	138_T7_B_K_2019	Nephtys caeca	BLFD		1	0.28085
834	138_T7_B_K_2019	Nephtys hombergii	BLFD		4	0.03798
835	138_T7_B_K_2019	Nephtys juv.	LFD		1	
836	138_T7_B_K_2019	Nephtys kersivalensis	BLFD		2	0.00715
837	138_T7_B_K_2019	Scoloplos armiger agg.	BLFD		2	0.02576
838	138_T7_B_K_2019	Sertularia cupressina	UNM	wenig		
839	138_T7_B_K_2019	Spio martinensis	LFD		1	
840	139_T7_B_K_2019	Bathyporeia pelagica	UNM		14	
841	139_T7_B_K_2019	Bathyporeia sarsi	UNM		24	
842	139_T7_B_K_2019	Clytia sp.	UNM	wenig		
843	139_T7_B_K_2019	Magelona mirabilis	B		4	0.01204
844	139_T7_B_K_2019	Magelona mirabilis	UNM		4	

845	139_T7_B_K_2019	Mesopodopsis slabberi	LFD		1	
846	139_T7_B_K_2019	Nephtys caeca	BLFD		1	0.30983
847	139_T7_B_K_2019	Nephtys kersivalensis	BLFD		1	0.0043
848	139_T7_B_K_2019	Scoloplos armiger agg.	BLFD		3	0.01666
849	139_T7_B_K_2019	Spio martinensis	UNM		2	
850	14_GR_DK1_0_2019	Abra tenuis	LFD		1	
852	14_GR_DK1_0_2019	Actinia sp.	LFD		1	
851	14_GR_DK1_0_2019	Actinia sp.	BLFD		2	0.12039
853	14_GR_DK1_0_2019	Alcyonidioides mytili	UNM	wenig		
854	14_GR_DK1_0_2019	Alitta virens	BLFD		1	0.52703
855	14_GR_DK1_0_2019	Ampharete sp.	LFD		1	
856	14_GR_DK1_0_2019	Anoplodactylus pygmaeus	LFD		2	
857	14_GR_DK1_0_2019	Aricidea minuta	LFD		4	
858	14_GR_DK1_0_2019	Austrominius modestus	LFD		1	
859	14_GR_DK1_0_2019	Balanus crenatus	LFD		14	
861	14_GR_DK1_0_2019	Capitella minima	LFD		6	
860	14_GR_DK1_0_2019	Capitella minima	B		7	4.00E-05
862	14_GR_DK1_0_2019	Conopeum reticulum	UNM	wenig		
863	14_GR_DK1_0_2019	Conopeum seurati	UNM	wenig		
864	14_GR_DK1_0_2019	Corophium juv.	BLFD		21	0.00228
865	14_GR_DK1_0_2019	Crassikorophium bonellii	LFD		1	
866	14_GR_DK1_0_2019	Einhornia crustulenta	UNM	wenig		
868	14_GR_DK1_0_2019	Eumida juv.	LFD		4	
867	14_GR_DK1_0_2019	Eumida juv.	B		7	0.00025
869	14_GR_DK1_0_2019	Laomedea flexuosa	UNM	viel		
870	14_GR_DK1_0_2019	Liocarcinus navigator	LFD		3	
871	14_GR_DK1_0_2019	Magallana gigas	BLFD		2	2.11219
872	14_GR_DK1_0_2019	Myrianida sanmartini	LFD		10	
873	14_GR_DK1_0_2019	Myrianida sp.	LFD		1	
874	14_GR_DK1_0_2019	Mytilus edulis	BLFD		1	0.00092
875	14_GR_DK1_0_2019	Nephtys hombergii	BLFD		3	0.03337
876	14_GR_DK1_0_2019	Nephtys juv.	BLFD		2	0.00127
877	14_GR_DK1_0_2019	Nereis juv.	BLFD		6	0.00128

878	14_GR_DK1_0_2019	<i>Obelia bidentata</i>	UNM	viel		
879	14_GR_DK1_0_2019	<i>Phaxas pellucidus</i>	LFD		1	
881	14_GR_DK1_0_2019	<i>Phyllodoce mucosa</i>	LFD		1	
880	14_GR_DK1_0_2019	<i>Phyllodoce mucosa</i>	BLFD		2	0.00038
882	14_GR_DK1_0_2019	<i>Polydora ciliata</i>	LFD		8	
883	14_GR_DK1_0_2019	<i>Polydora cornuta</i>	LFD		1	
886	14_GR_DK1_0_2019	<i>Pygospio elegans</i>	LFD		1	
885	14_GR_DK1_0_2019	<i>Pygospio elegans</i>	BLFD		45	0.01427
884	14_GR_DK1_0_2019	<i>Pygospio elegans</i>	B		128	
887	14_GR_DK1_0_2019	<i>Sagartia</i> sp.	BLFD		1	0.02571
888	14_GR_DK1_0_2019	<i>Sagartia</i> sp.	LFD		1	
890	14_GR_DK1_0_2019	<i>Scoloplos armiger</i> agg.	LFD		1	
889	14_GR_DK1_0_2019	<i>Scoloplos armiger</i> agg.	BLFD		20	0.07954
892	14_GR_DK1_0_2019	<i>Streblospio benedicti</i>	BLFD		1	0.00024
891	14_GR_DK1_0_2019	<i>Streblospio benedicti</i>	B		5	
893	14_GR_DK1_0_2019	<i>Streblospio benedicti</i>	LFD		6	
894	14_GR_DK1_0_2019	Terebellidae gen. sp.	LFD		2	
895	14_GR_DK1_0_2019	<i>Tubificoides benedii</i>	LFD		3	
897	14_GR_DK1_0_2019	<i>Tubificoides</i> cf. <i>pseudogaster</i> agg.	NA		1	
896	14_GR_DK1_0_2019	<i>Tubificoides</i> cf. <i>pseudogaster</i> agg.	LFD		4	
898	14_GR_NA1_U_2019	<i>Bathyporeia pelagica</i>	B		1	
899	14_GR_NA1_U_2019	<i>Bathyporeia pelagica</i>	BLFD		27	0.00988
900	14_GR_NA1_U_2019	<i>Bathyporeia sarsi</i>	BLFD		2	0.00044
901	14_GR_NA1_U_2019	<i>Conopeum reticulum</i>	UNM	wenig		
902	14_GR_NA1_U_2019	<i>Magelona mirabilis</i>	BLFD		1	0.00045
903	14_GR_NA1_U_2019	<i>Mytilus edulis</i>	LFD		1	
904	14_GR_NA1_U_2019	<i>Nemertea</i> indet.	UNM		2	
905	14_GR_NA1_U_2019	<i>Nephtys cirrosa</i>	BLFD		1	0.00248
906	14_GR_NA1_U_2019	<i>Obelia dichotoma</i>	UNM	wenig		
907	14_GR_NA1_U_2019	<i>Pontocrates altamarinus</i>	LFD		1	
908	14_GR_NA1_U_2019	<i>Scoloplos armiger</i> agg.	BLFD		1	0.00682
909	14_GR_NA1_U_2019	<i>Scyphozoa</i> indet.	UNM	wenig		
910	14_GR_NA1_U_2019	<i>Spio martinensis</i>	BLFD		1	6.00E-05

911	14_GR_NDS01_U_2020	Bathyporeia elegans	LFD		9		
912	14_GR_NDS01_U_2020	Chaetozone chambersae/sp.	LFD		1		
913	14_GR_NDS01_U_2020	Diastylis bradyi	BLFD		1	0.00104	
914	14_GR_NDS01_U_2020	Liocarcinus holsatus	BLFD		1		0.022
915	14_GR_NDS01_U_2020	Magelona johnstoni	BLFD		1	0.00099	
916	14_GR_NDS01_U_2020	Nephtys caeca	BLFD		1	0.00327	
917	14_GR_NDS01_U_2020	Obelia longissima	UNM	mittel			
918	14_GR_NDS01_U_2020	Ophelia sp.	BLFD		3	0.00299	
919	14_GR_NDS01_U_2020	Ophiura ophiura	BLFD		2		0.3244
920	14_GR_NDS01_U_2020	Scoloplos armiger agg.	BLFD		5	0.02573	
921	14_GR_NDS01_U_2020	Spisula subtruncata	BLFD		7	0.09984	
922	14_GR_SA1_U_2019	Aspidelectra melolontha	UNM	wenig			
923	14_GR_SA1_U_2019	Bathyporeia pelagica	BLFD		2	0.00055	
924	14_GR_SA1_U_2019	Crangon crangon	BLFD		2	0.0168	
925	14_GR_SA1_U_2019	Magelona mirabilis	BLFD		1	0.00268	
926	14_GR_SA1_U_2019	Obelia bidentata	UNM	wenig			
927	14_GR_SA1_U_2019	Obelia dichotoma	UNM	mittel			
928	14_GR_SA1_U_2019	Scoloplos armiger agg.	BLFD		2	0.00909	
929	14_GR_SA1_U_2019	Scruparia ambigua	UNM	wenig			
930	14_GR_SA1_U_2019	Scyphozoa indet.	UNM	wenig			
931	14_GR_SA1_U_2019	Spio martinensis	BLFD		2	0.00032	
932	14_TO_B_I_2019	Bathyporeia sarsi	BLFD		1	0.00041	
933	14_TO_B_I_2019	Corynidae - sp. indet.	UNM	wenig			
934	14_TO_B_I_2019	Laomedea neglecta	UNM	wenig			
935	14_TO_B_I_2019	Magelona johnstoni	LFD		1		
936	14_TO_B_I_2019	Magelona mirabilis	BLFD		2	0.00729	
937	14_TO_B_I_2019	Nephtys hombergii	B		2	0.0068	
938	14_TO_B_I_2019	Phyllodoce mucosa	LFD		1		
939	14_TO_B_I_2019	Scoloplos armiger agg.	B		1	0.00307	
940	14_TO_B_I_2019	Scyphozoa gen. sp. (Polyps)	UNM		1		
941	14_TO_B_I_2019	Spio martinensis	BLFD		25	0.00215	
942	14_TO_C_IV_2021	Aequorea sp.	UNM	wenig			
943	14_TO_C_IV_2021	Conopeum reticulum	UNM	wenig			

944	14_T0_C_IV_2021	Conopeum seurati	UNM	wenig		
945	14_T0_C_IV_2021	Crangon crangon	B		1	0.0599
946	14_T0_C_IV_2021	Einhornia crustulenta	UNM	wenig		
947	14_T0_C_IV_2021	Electra monostachys	UNM	wenig		
948	14_T0_C_IV_2021	Nephtys cirrosa	B		1	0.0071
949	14_T0_C_IV_2021	Polydora cornuta	B		1	
950	140_T7_A_K_2019	Capitella capitata agg.	LFD		1	
951	140_T7_A_K_2019	Limecola balthica	BLFD		1	0.04843
952	140_T7_A_K_2019	Magelona mirabilis	BLFD		1	0.00283
953	140_T7_A_K_2019	Nephtys hombergii	BLFD		3	0.02394
954	140_T7_A_K_2019	Nephtys juv.	BLFD		3	0.00331
955	140_T7_A_K_2019	Nephtys kersivalensis	BLFD		3	0.01362
956	140_T7_A_K_2019	Scoloplos armiger agg.	BLFD		2	0.05325
957	141_T7_A_K_2019	Bodotria scorpioides	UNM		2	
958	141_T7_A_K_2019	Capitella capitata agg.	LFD		1	
959	141_T7_A_K_2019	Cerastoderma edule	BLFD		1	9.00E-05
960	141_T7_A_K_2019	Crangon crangon	BLFD		1	0.00049
961	141_T7_A_K_2019	Limecola balthica	BLFD		2	0.08045
962	141_T7_A_K_2019	Macomangulus tenuis	BLFD		1	0.0159
963	141_T7_A_K_2019	Nephtys hombergii	BLFD		1	0.01576
964	141_T7_A_K_2019	Nephtys juv.	BLFD		1	0.00069
965	141_T7_A_K_2019	Nephtys kersivalensis	BLFD		1	0.00164
966	141_T7_A_K_2019	Scoloplos armiger agg.	BLFD		3	0.04124
967	141_T7_A_K_2019	Spio martinensis	UNM		1	
968	143_T7_A_K_2019	Bathyporeia sarsi	LFD		1	
969	143_T7_A_K_2019	Cerastoderma edule	BLFD		1	0.00082
970	143_T7_A_K_2019	Limecola balthica	BLFD		1	0.03028
971	143_T7_A_K_2019	Macomangulus tenuis	BLFD		1	0.02117
972	143_T7_A_K_2019	Magelona mirabilis	BLFD		1	0.005
973	143_T7_A_K_2019	Nephtys hombergii	BLFD		1	0.00754
974	143_T7_A_K_2019	Nephtys kersivalensis	BLFD		2	0.00468
975	143_T7_A_K_2019	Scoloplos armiger agg.	BLFD		5	0.07386
976	148_T7_A_IV_2019	Bathyporeia sarsi	LFD		1	

977	148_T7_A_IV_2019	Bodotria scorpioides	LFD		1	
978	148_T7_A_IV_2019	Conopeum seurati	UNM	wenig		
979	148_T7_A_IV_2019	Crepidula fornicata	LFD		1	
980	148_T7_A_IV_2019	Macomangulus tenuis	BLFD		1	0.00062
981	148_T7_A_IV_2019	Magelona johnstoni	UNM		1	
982	148_T7_A_IV_2019	Nemertea indet.	UNM		1	
983	148_T7_A_IV_2019	Nephtys hombergii	BLFD		3	0.0362
984	148_T7_A_IV_2019	Nephtys juv.	BLFD		2	0.00268
985	148_T7_A_IV_2019	Phyllodoce mucosa	LFD		1	
986	148_T7_A_IV_2019	Retusa obtusa	LFD		1	
987	148_T7_A_IV_2019	Scoloplos armiger agg.	BLFD		1	0.02048
988	148_T7_A_IV_2019	Spio martinensis	UNM		11	
989	148_T7_A_IV_2019	Tubularidae	UNM	wenig		
990	149_T7_A_IV_2019	Bathyporeia sarsi	LFD		1	
991	149_T7_A_IV_2019	Bodotria scorpioides	BLFD		1	9.00E-05
992	149_T7_A_IV_2019	Cerastoderma edule	BLFD		2	0.00012
993	149_T7_A_IV_2019	Nephtys hombergii	BLFD		1	0.00574
994	149_T7_A_IV_2019	Nephtys kersivalensis	BLFD		2	0.01493
995	149_T7_A_IV_2019	Obelia dichotoma	UNM	wenig		
996	149_T7_A_IV_2019	Sertularia cupressina	UNM	wenig		
997	149_T7_A_IV_2019	Spio martinensis	LFD		2	
998	15_GR_DK1_0_2019	Actinaria gen. sp.	B		1	1.535
999	15_GR_DK1_0_2019	Aricidea minuta	LFD		1	
1000	15_GR_DK1_0_2019	Aricidea minuta	UNM		1	
1001	15_GR_DK1_0_2019	Austrominius modestus	BLFD		1	0.00428
1002	15_GR_DK1_0_2019	Balanus crenatus	BLFD		8	0.00703
1003	15_GR_DK1_0_2019	Bodotria scorpioides	LFD		1	
1004	15_GR_DK1_0_2019	Conopeum seurati	NA	mittel		
1005	15_GR_DK1_0_2019	Crassicorophium bonellii	LFD		2	
1006	15_GR_DK1_0_2019	Crepidula fornicata	BLFD		1	0.00085
1007	15_GR_DK1_0_2019	Ensis leeii juv.	BLFD		1	0.00063
1008	15_GR_DK1_0_2019	Eteone longa	BLFD		2	0.00069
1009	15_GR_DK1_0_2019	Moerella donacina	LFD		1	

1010	15_GR_DK1_0_2019	Myrianida sanmartini	LFD		4	
1011	15_GR_DK1_0_2019	Nephtys caeca	BLFD		1	0.01715
1012	15_GR_DK1_0_2019	Nephtys hombergii	BLFD		4	0.04054
1013	15_GR_DK1_0_2019	Nephtys juv.	BLFD		1	0.00061
1014	15_GR_DK1_0_2019	Nereis juv.	BLFD		8	0.00028
1015	15_GR_DK1_0_2019	Obelia bidentata	NA	mittel		
1016	15_GR_DK1_0_2019	Phyllodoce mucosa	BLFD		2	0.00128
1017	15_GR_DK1_0_2019	Polycirrus sp.	UNM		5	
1019	15_GR_DK1_0_2019	Polydora ciliata	BLFD		11	0.00036484
1020	15_GR_DK1_0_2019	Polydora ciliata	LFD		12	
1018	15_GR_DK1_0_2019	Polydora ciliata	B		153	0.00507466
1022	15_GR_DK1_0_2019	Polydora cornuta	BLFD		5	0.00016584
1023	15_GR_DK1_0_2019	Polydora cornuta	LFD		7	
1021	15_GR_DK1_0_2019	Polydora cornuta	B		153	0.00507466
1025	15_GR_DK1_0_2019	Pygospio elegans	LFD		5	
1024	15_GR_DK1_0_2019	Pygospio elegans	B		59	0.00559
1026	15_GR_DK1_0_2019	Scoloplos armiger agg.	BLFD		13	0.0753
1027	15_GR_DK1_0_2019	Sertularia cupressina	NA	wenig		
1028	15_GR_DK1_0_2019	Spisula subtruncata	LFD		1	
1029	15_GR_DK1_0_2019	Streblospio benedicti	B		4	9.00E-06
1030	15_GR_DK1_0_2019	Tharyx killariensis	LFD		1	
1031	15_GR_DK1_0_2019	Tubificoides benedii	LFD		1	
1032	15_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	LFD		3	
1033	15_GR_NA1_U_2019	Alcyonidioides cf. mytili	UNM	wenig		
1034	15_GR_NA1_U_2019	Bathyporeia elegans	B		2	
1035	15_GR_NA1_U_2019	Bathyporeia elegans	BLFD		12	0.00311
1036	15_GR_NA1_U_2019	Bathyporeia pelagica	B		8	
1037	15_GR_NA1_U_2019	Bathyporeia pelagica	BLFD		67	0.02123
1038	15_GR_NA1_U_2019	Bathyporeia sarsi	B		2	
1039	15_GR_NA1_U_2019	Bathyporeia sarsi	BLFD		10	0.00444
1040	15_GR_NA1_U_2019	Capitella capitata agg.	BLFD		2	0.00129
1041	15_GR_NA1_U_2019	Conopeum reticulum	UNM	wenig		
1042	15_GR_NA1_U_2019	Euceilota maculata	UNM	wenig		

1043	15_GR_NA1_U_2019	Nephtys cirrosa	B		1	0.00388	
1044	15_GR_NA1_U_2019	Obelia dichotoma	UNM	wenig			
1045	15_GR_NA1_U_2019	Scyphozoa indet.	UNM	wenig			
1046	15_GR_NA1_U_2019	Spio martinensis	BLFD		1	3.00E-05	
1047	15_GR_NDS01_U_2020	Aonides paucibranchiata	UNM		1		
1048	15_GR_NDS01_U_2020	Bathyporeia elegans	UNM		1		
1049	15_GR_NDS01_U_2020	Chaetozone chambersae/sp.	UNM		1		
1050	15_GR_NDS01_U_2020	Circomphalus casina	BLFD		1		0.216
1051	15_GR_NDS01_U_2020	Echinocardium cordatum	BLFD		1		10.89
1052	15_GR_NDS01_U_2020	Hyperoplus lanceolatus	BLFD		1		4.28
1053	15_GR_NDS01_U_2020	Nephtys cirrosa	BLFD		2	0.00954	
1054	15_GR_NDS01_U_2020	Ophelia sp.	BLFD		1	0.0043	
1055	15_GR_NDS01_U_2020	Ophiura ophiura	LFD		1		
1056	15_GR_NDS01_U_2020	Scoloplos armiger agg.	BLFD		3	0.00475	
1057	15_GR_NDS01_U_2020	Spiophanes bombyx	UNM		1		
1058	15_GR_NDS01_U_2020	Spiophanes kröyeri	UNM		1		
1059	15_GR_NDS01_U_2020	Spisula subtruncata	BLFD		2	0.00956	
1060	15_GR_NDS01_U_2020	Travisia forbesii	BLFD		2	0.00409	
1061	15_GR_NDS01_U_2020	Urothoe brevicornis	BLFD		1	0.00055	
1062	15_GR_SA1_U_2019	Bathyporeia pelagica	B		1		
1063	15_GR_SA1_U_2019	Bathyporeia pelagica	BLFD		3	0.00108	
1064	15_GR_SA1_U_2019	Bathyporeia sarsi	BLFD		48	0.01669	
1065	15_GR_SA1_U_2019	Crangon crangon	BLFD		1	0.09911	
1066	15_GR_SA1_U_2019	Mytilus edulis	BLFD		1	0.00045	
1067	15_GR_SA1_U_2019	Obelia bidentata	UNM	wenig			
1068	15_GR_SA1_U_2019	Scoloplos armiger agg.	BLFD		2	0.01404	
1069	15_GR_SA1_U_2019	Spio martinensis	BLFD		1	0.00021	
1070	15_T0_C_IV_2021	Bathyporeia sarsi	B		1	0.0003	
1071	15_T0_C_IV_2021	Capitellidae gen. sp.	UNM		1		
1072	15_T0_C_IV_2021	Carcinus maenas	B		1	1.2791	
1073	15_T0_C_IV_2021	Cerastoderma edule	UNM		1		
1074	15_T0_C_IV_2021	Scoloplos armiger agg.	B		3	0.0183	
1075	15_T0_C_IV_2021	Spio martinensis	B		1	0.0003	

1076	151_T7_A_IV_2019	Nephtys kersivalensis	BLFD		3	0.01761
1077	151_T7_A_IV_2019	Retusa obtusa	BLFD		7	0.00085
1078	151_T7_A_IV_2019	Spio martinensis	LFD		1	
1079	155_T3_B2_K_2021	Bathyporeia pelagica	B		15	0.0046
1080	155_T3_B2_K_2021	Bathyporeia sarsi	B		3	0.0013
1081	155_T3_B2_K_2021	Conopeum reticulum	UNM	wenig		
1082	155_T3_B2_K_2021	Microprotopus maculatus	B		1	
1083	155_T3_B2_K_2021	Nephtys cirrosa	B		1	0.0034
1084	155_T3_B2_K_2021	Nototropis swammerdamei	UNM		1	
1085	155_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0284
1086	156_T3_B2_K_2021	Bathyporeia pelagica	B		1	0.0011
1087	156_T3_B2_K_2021	Crangon sp.	B		1	
1088	156_T3_B2_K_2021	Electra pilosa	UNM	wenig		
1089	156_T3_B2_K_2021	Magelona mirabilis	B		1	0.004
1090	156_T3_B2_K_2021	Microprotopus maculatus	UNM		1	
1091	156_T3_B2_K_2021	Nephtys cirrosa	B		2	0.0137
1092	156_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0643
1093	157_T3_B2_K_2021	Bathyporeia pelagica	B		60	0.018
1094	157_T3_B2_K_2021	Bathyporeia sarsi	B		5	0.00125
1095	157_T3_B2_K_2021	Bodotria scorpioides	B		2	5.00E-04
1096	157_T3_B2_K_2021	Electra pilosa	UNM	wenig		
1097	157_T3_B2_K_2021	Ensis sp.	B		1	0.0039
1098	157_T3_B2_K_2021	Magelona mirabilis	B		1	0.0033
1099	157_T3_B2_K_2021	Palaemonidae	B		1	0.0003
1100	157_T3_B2_K_2021	Pontocrates altamarinus	B		1	0.0003
1101	157_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0029
1102	157_T3_B2_K_2021	Sertularia sp.	UNM	wenig		
1103	157_T3_B2_K_2021	Smittoidea prolifica	UNM	wenig		
1104	157_T3_B2_K_2021	Spio martinensis	B		2	0.0003
1105	157_T3_B2_K_2021	Tubulanus sp.	UNM		1	
1106	158_T3_B2_K_2021	Bathyporeia pelagica	B		88	0.0291
1107	158_T3_B2_K_2021	Bathyporeia sarsi	B		8	0.0024
1108	158_T3_B2_K_2021	Crangon sp.	B		1	0.0004

1109	158_T3_B2_K_2021	Limecola balthica	B		1	0.0008
1110	158_T3_B2_K_2021	Macomangulus tenuis	B		4	0.004
1111	158_T3_B2_K_2021	Magelona mirabilis	B		2	0.004
1112	158_T3_B2_K_2021	Nephtys cirrosa	B		1	0.0067
1113	158_T3_B2_K_2021	Obelia bidentata	UNM	wenig		
1114	158_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0064
1115	158_T7_A_IV_2019	Bathyporeia sarsi	B		1	1.00E-04
1116	158_T7_A_IV_2019	Capitella capitata agg.	B		1	0.0002
1117	158_T7_A_IV_2019	Conopeum reticulum	UNM	wenig		
1118	158_T7_A_IV_2019	Limecola balthica	B		1	0.039
1119	158_T7_A_IV_2019	Magelona mirabilis	B		1	0.0001
1120	158_T7_A_IV_2019	Nephtys cirrosa	B		1	0.0006
1121	158_T7_A_IV_2019	Scoloplos armiger agg.	B		2	0.0269
1122	158_T7_A_IV_2019	Spio martinensis	B		4	5.00E-04
1123	159_T7_A_IV_2019	Bathyporeia sarsi	LFD		2	
1124	159_T7_A_IV_2019	Retusa obtusa	BLFD		3	0.00028
1125	159_T7_A_IV_2019	Scoloplos armiger agg.	B		1	0.00344
1126	16_GR_DK1_0_2019	Abra tenuis	LFD		1	
1127	16_GR_DK1_0_2019	Aricidea minuta	LFD		2	
1128	16_GR_DK1_0_2019	Aricidea minuta	UNM		3	
1129	16_GR_DK1_0_2019	Balanus crenatus	LFD		2	
1130	16_GR_DK1_0_2019	Capitella minima	UNM		3	
1131	16_GR_DK1_0_2019	Conopeum seurati	NA	wenig		
1132	16_GR_DK1_0_2019	Crangon crangon	LFD		1	
1133	16_GR_DK1_0_2019	Eteone longa	BLFD		1	0.00073
1134	16_GR_DK1_0_2019	Lagis koreni	LFD		1	
1135	16_GR_DK1_0_2019	Laomedea flexuosa	UNM	wenig		
1136	16_GR_DK1_0_2019	Nephtys juv.	LFD		1	
1137	16_GR_DK1_0_2019	Polycirrus sp.	UNM		2	
1138	16_GR_DK1_0_2019	Polydora ciliata	LFD		3	
1139	16_GR_DK1_0_2019	Polydora ciliata	UNM		3	
1141	16_GR_DK1_0_2019	Pygospio elegans	BLFD		5	0.00204
1142	16_GR_DK1_0_2019	Pygospio elegans	LFD		5	

1140	16_GR_DK1_0_2019	Pygospio elegans	B		26		
1143	16_GR_DK1_0_2019	Scoloplos armiger agg.	BLFD		8	0.0348	
1144	16_GR_DK1_0_2019	Sertularia cupressina	NA	wenig			
1145	16_GR_DK1_0_2019	Spio martinensis	LFD		6		
1146	16_GR_DK1_0_2019	Spisula subtruncata	LFD		1		
1148	16_GR_DK1_0_2019	Streblospio benedicti	LFD		2		
1147	16_GR_DK1_0_2019	Streblospio benedicti	B		8	0.0005	
1149	16_GR_DK1_0_2019	Tharyx killariensis	LFD		2		
1150	16_GR_DK1_0_2019	Tharyx killariensis	UNM		2		
1152	16_GR_DK1_0_2019	Tubificoides benedii	LFD		1		
1151	16_GR_DK1_0_2019	Tubificoides benedii	B		198	0.00181	
1154	16_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	UNM		1		
1153	16_GR_DK1_0_2019	Tubificoides cf. pseudogaster agg.	LFD		4		
1155	16_GR_DK1_0_2019	Tubularidae	NA	wenig			
1156	16_GR_NDS01_U_2020	Abra alba juv.	LFD		1		
1157	16_GR_NDS01_U_2020	Bathyporeia elegans	LFD		9		
1158	16_GR_NDS01_U_2020	Chamelea gallina	BLFD		1	0.22759	
1159	16_GR_NDS01_U_2020	Echinocardium cordatum	BLFD		1		2.4
1160	16_GR_NDS01_U_2020	Lanice conchilega	B		1	0.0018	
1161	16_GR_NDS01_U_2020	Magelona sp.	UNM		1		
1162	16_GR_NDS01_U_2020	Nephtys caeca	BLFD		1	0.07319	
1163	16_GR_NDS01_U_2020	Nephtys juv.	BLFD		1	0.00128	
1164	16_GR_NDS01_U_2020	Ophelia sp.	BLFD		3	0.00594	
1165	16_GR_NDS01_U_2020	Ophiura ophiura	BLFD		1	0.00112	
1166	16_GR_NDS01_U_2020	Spisula subtruncata	BLFD		5	0.0422	
1167	16_TO_C_K_2021	Clytia hemisphaerica	UNM	wenig			
1168	16_TO_C_K_2021	Conopeum reticulum	UNM	wenig			
1169	16_TO_C_K_2021	Magelona mirabilis	B		1	0.0013	
1170	16_TO_C_K_2021	Nephtys caeca	B		1	0.0078	
1171	16_TO_C_K_2021	Nephtys cirrosa	B		2	0.0047	
1172	16_TO_C_K_2021	Obelia longissima	UNM	wenig			
1173	16_TO_C_K_2021	Scoloplos armiger agg.	B		2	0.0061	
1174	16_TO_C_K_2021	Spio martinensis	B		1	1.00E-04	

1175	160_T3_B2_K_2021	Bathyporeia pelagica	B		3	0.001
1176	160_T3_B2_K_2021	Bathyporeia sarsi	B		3	0.0007
1177	160_T3_B2_K_2021	Bodotria scorpioides	B		1	
1178	160_T3_B2_K_2021	Conopeum reticulum	UNM	wenig		
1179	160_T3_B2_K_2021	Einhornia crustulenta	UNM	wenig		
1180	160_T3_B2_K_2021	Electra monostachys	UNM	wenig		
1181	160_T3_B2_K_2021	Electra pilosa	UNM	wenig		
1182	160_T3_B2_K_2021	Macomangulus tenuis	B		1	0.0016
1183	160_T3_B2_K_2021	Magelona mirabilis	B		2	0.0029
1184	160_T3_B2_K_2021	Nephtys cirrosa	B		1	0.0107
1185	160_T3_B2_K_2021	Nymphon brevirostre	B		1	0.0002
1186	160_T3_B2_K_2021	Palaemonidae	B		1	0.0002
1187	160_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0194
1188	160_T3_B2_K_2021	Sertularia sp.	UNM	wenig		
1189	160_T7_A_IV_2019	Bathyporeia sarsi	B		3	0.0006
1190	160_T7_A_IV_2019	Capitella capitata agg.	B		3	0.0004
1191	160_T7_A_IV_2019	Conopeum reticulum	UNM	wenig		
1192	160_T7_A_IV_2019	Eteone longa	B		1	0.0003
1193	160_T7_A_IV_2019	Magelona mirabilis	B		1	0.0019
1194	160_T7_A_IV_2019	Nephtys hombergii	B		2	0.0251
1195	160_T7_A_IV_2019	Pygospio elegans	B		1	0.0002
1196	160_T7_A_IV_2019	Scoloplos armiger agg.	B		2	0.001
1197	160_T7_A_IV_2019	Spio martinensis	B		3	0.0003
1198	160_T7_A_IV_2019	Spiophanes bombyx	B		1	0.0023
1199	161_T3_B2_K_2021	Amphibalanus improvisus	UNM		1	
1200	161_T3_B2_K_2021	Bathyporeia pelagica	B		7	0.0017
1201	161_T3_B2_K_2021	Bathyporeia sarsi	B		2	0.0007
1202	161_T3_B2_K_2021	Capitella capitata agg.	B		1	0.0003
1203	161_T3_B2_K_2021	Cerastoderma sp.	UNM		1	
1204	161_T3_B2_K_2021	Corambe obscura agg.	B		1	
1205	161_T3_B2_K_2021	Crangon sp.	B		1	0.0004
1206	161_T3_B2_K_2021	Einhornia crustulenta	UNM	wenig		
1207	161_T3_B2_K_2021	Electra pilosa	UNM	wenig		

1208	161_T3_B2_K_2021	Eteone longa	B		1	0.0021
1209	161_T3_B2_K_2021	Gammarus locusta	B		1	0.0022
1210	161_T3_B2_K_2021	Idotea linearis	B		2	0.0021
1211	161_T3_B2_K_2021	Macomangulus tenuis	B		1	0.0012
1213	161_T3_B2_K_2021	Molgula sp.	UNM		1	
1212	161_T3_B2_K_2021	Molgula sp.	B		6	0.0002
1214	161_T3_B2_K_2021	Nephtys cirrosa	B		1	0.0051
1215	161_T3_B2_K_2021	Nymphon brevirostre	UNM		1	
1216	161_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0015
1217	161_T3_B2_K_2021	Spio martinensis	B		2	0.0003
1218	161_T3_B2_K_2021	Terebellidae gen. sp.	B		1	0.0003
1219	161_T7_A_K_2019	Bathyporeia pelagica	LFD		1	
1220	161_T7_A_K_2019	Bathyporeia sarsi	LFD		1	
1221	161_T7_A_K_2019	Bodotria scorpioides	BLFD		2	0.00052
1222	161_T7_A_K_2019	Nephtys hombergii	BLFD		6	0.07641
1223	161_T7_A_K_2019	Pontocrates altamarinus	LFD		1	
1224	161_T7_A_K_2019	Urothoe poseidonis	BLFD		1	0.00081
1225	162_T3_B2_K_2021	Bathyporeia pelagica	B		13	0.0037
1226	162_T3_B2_K_2021	Bathyporeia sarsi	B		2	0.0007
1227	162_T3_B2_K_2021	Conopeum reticulum	UNM	wenig		
1228	162_T3_B2_K_2021	Liocarcinus holsatus	UNM		1	
1229	162_T3_B2_K_2021	Macomangulus tenuis	B		2	0.008
1230	162_T3_B2_K_2021	Nephtys cirrosa	B		1	0.0118
1231	162_T3_B2_K_2021	Scoloplos armiger agg.	B		2	0.0213
1232	162_T7_A_K_2019	Fabulina fabula	BLFD		2	0.00566
1233	162_T7_A_K_2019	Limecola balthica	BLFD		1	0.00608
1234	162_T7_A_K_2019	Macomangulus tenuis	BLFD		3	0.00214
1235	162_T7_A_K_2019	Nephtys caeca	BLFD		1	0.04206
1236	162_T7_A_K_2019	Nephtys cirrosa	BLFD		1	0.01558
1237	162_T7_A_K_2019	Nephtys hombergii	BLFD		3	0.02551
1238	162_T7_A_K_2019	Scoloplos armiger agg.	BLFD		1	0.02914
1239	162_T7_A_K_2019	Tubularidae	UNM	wenig		
1240	163_T3_B2_K_2021	Bathyporeia pelagica	B		16	0.0044

1241	163_T3_B2_K_2021	Bathyporeia sarsi	B		4	0.0017
1242	163_T3_B2_K_2021	Corambe obscura agg.	B		1	
1243	163_T3_B2_K_2021	Electra pilosa	UNM	wenig		
1244	163_T3_B2_K_2021	Ensis sp.	B		1	0.0023
1245	163_T3_B2_K_2021	Gammarus sp.	B		1	0.0003
1246	163_T3_B2_K_2021	Idotea linearis	B		7	0.0129
1247	163_T3_B2_K_2021	Macomangulus tenuis	B		1	0.0014
1248	163_T3_B2_K_2021	Magelona mirabilis	B		2	0.0016
1249	163_T3_B2_K_2021	Mytilus edulis agg.	B		6	
1250	163_T3_B2_K_2021	Nephtys hombergii	B		1	0.1128
1251	163_T3_B2_K_2021	Nototropis swammerdamei	B		1	0.0002
1252	163_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0102
1253	163_T3_B2_K_2021	Spio martinensis	B		2	0.0002
1254	163_T3_B2_K_2021	Terebellidae gen. sp.	B		3	1.00E-04
1255	163_T3_B2_K_2021	Veneridae gen. sp.	B		1	0.0002
1256	163_T7_A_K_2019	Bathyporeia pelagica	LFD		1	
1257	163_T7_A_K_2019	Bathyporeia sarsi	LFD		1	
1258	163_T7_A_K_2019	Cerastoderma edule	BLFD		1	5.00E-05
1259	163_T7_A_K_2019	Limecola balthica	BLFD		1	0.01631
1260	163_T7_A_K_2019	Magelona mirabilis	B		3	0.0042
1261	163_T7_A_K_2019	Nephtys hombergii	BLFD		3	0.02918
1262	163_T7_A_K_2019	Scoloplos armiger agg.	UNM		1	
1263	164_T14_B_K_2019	Bathyporeia pelagica	BLFD		7	0.00302
1264	164_T14_B_K_2019	Bathyporeia sarsi	B		1	
1265	164_T14_B_K_2019	Bathyporeia sarsi	BLFD		15	0.00512
1266	164_T14_B_K_2019	Magelona mirabilis	BLFD		2	0.00234
1267	164_T14_B_K_2019	Nephtys cirrosa	BLFD		2	0.03323
1268	164_T14_B_K_2019	Nephtys hombergii	BLFD		2	0.02495
1269	164_T14_B_K_2019	Scoloplos armiger agg.	BLFD		3	0.059
1270	164_T14_B_K_2019	Spio martinensis	BLFD		2	0.00047
1271	164_T14_B_K_2019	Urothoe poseidonis	BLFD		2	0.00112
1272	164_T3_B2_K_2021	Conopeum reticulum	UNM	wenig		
1273	164_T3_B2_K_2021	Crangon sp.	B		1	0.0004

1274	164_T3_B2_K_2021	Einhornia crustulenta	UNM	wenig		
1275	164_T3_B2_K_2021	Ensis sp.	B		1	0.004
1276	164_T3_B2_K_2021	Macomangulus tenuis	B		1	0.0075
1277	164_T3_B2_K_2021	Nephtys cirrosa	B		2	0.0024
1278	164_T3_B2_K_2021	Nephtys hombergii	B		1	0.0044
1279	164_T3_B2_K_2021	Palaemonidae	B		1	5.00E-04
1280	164_T3_B2_K_2021	Schistomysis kervillei	B		1	5.00E-04
1281	164_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0133
1282	164_T3_B2_K_2021	Spio martinensis	B		1	1.00E-04
1283	165_T14_B_K_2019	Bathyporeia elegans	BLFD		1	0.00038
1284	165_T14_B_K_2019	Bathyporeia pelagica	BLFD		1	0.0007
1285	165_T14_B_K_2019	Bathyporeia sarsi	B		2	
1286	165_T14_B_K_2019	Bathyporeia sarsi	BLFD		73	0.02216
1287	165_T14_B_K_2019	Capitella cf. capitata agg.	BLFD		1	0.0006
1288	165_T14_B_K_2019	Magelona johnstoni	BLFD		1	0.00175
1289	165_T14_B_K_2019	Magelona mirabilis	BLFD		1	0.00158
1290	165_T14_B_K_2019	Mesopodopsis slabberi	LFD		2	
1291	165_T14_B_K_2019	Nephtys caeca	BLFD		1	0.16768
1292	165_T14_B_K_2019	Nephtys cirrosa	BLFD		4	0.3427
1293	165_T14_B_K_2019	Pontocrates altamarinus	LFD		1	
1294	165_T14_B_K_2019	Scoloplos armiger agg.	BLFD		6	0.16493
1295	165_T14_B_K_2019	Spio martinensis	BLFD		2	0.00074
1296	165_T3_B2_K_2021	Bathyporeia pelagica	B		39	0.013
1297	165_T3_B2_K_2021	Bathyporeia sarsi	B		6	0.0029
1298	165_T3_B2_K_2021	Capitella capitata agg.	B		1	0.0009
1299	165_T3_B2_K_2021	Crangon crangon	B		1	0.0519
1300	165_T3_B2_K_2021	Crangon sp.	B		1	0.0004
1301	165_T3_B2_K_2021	Electra pilosa	UNM	wenig		
1302	165_T3_B2_K_2021	Macomangulus tenuis	B		4	0.0458
1303	165_T3_B2_K_2021	Nephtys hombergii	B		1	0.0249
1304	165_T3_B2_K_2021	Scoloplos armiger agg.	B		1	0.0003
1305	165_T3_B2_K_2021	Spio martinensis	B		2	0.0004
1306	167_T14_B_K_2019	Bathyporeia elegans	BLFD		4	0.0011

1307	167_T14_B_K_2019	Bathyporeia pelagica	B		6	0.05028
1308	167_T14_B_K_2019	Bathyporeia pelagica	BLFD		126	
1309	167_T14_B_K_2019	Bathyporeia sarsi	B		4	
1310	167_T14_B_K_2019	Bathyporeia sarsi	BLFD		248	0.07733
1311	167_T14_B_K_2019	Magelona mirabilis	BLFD		2	0.00155
1312	167_T14_B_K_2019	Nephtys caeca	BLFD		1	0.23308
1313	167_T14_B_K_2019	Nephtys cirrosa	BLFD		2	0.00958
1314	167_T14_B_K_2019	Obelia bidentata	UNM	wenig		
1315	167_T14_B_K_2019	Spio martinensis	BLFD		1	0.00024
1316	169_T3_B2_IV_2021	Bathyporeia pelagica	B		45	0.0135
1317	169_T3_B2_IV_2021	Electra pilosa	UNM	wenig		
1318	169_T3_B2_IV_2021	Gastrosaccus spinifer	B		1	0.0004
1319	169_T3_B2_IV_2021	Microprotopus maculatus	B		2	0.0003
1320	169_T3_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0146
1321	169_T3_B2_IV_2021	Sertularia sp.	UNM	wenig		
1322	17_T0_C_IV_2021	Bathyporeia sarsi	B		2	0.0009
1323	17_T0_C_IV_2021	Limecola balthica	B		2	0.0978
1324	17_T0_C_IV_2021	Macomangulus tenuis	UNM		1	
1325	17_T0_C_IV_2021	Nephtys cirrosa	B		1	0.0018
1326	17_T0_C_IV_2021	Nephtys cirrosa	UNM		1	
1327	17_T0_C_IV_2021	Obelia longissima	UNM	wenig		
1329	17_T0_C_IV_2021	Scoloplos armiger agg.	UNM		1	
1328	17_T0_C_IV_2021	Scoloplos armiger agg.	B		8	0.0173
1330	170_T3_B2_IV_2021	Bathyporeia pelagica	B		9	0.0028
1331	170_T3_B2_IV_2021	Electra pilosa	UNM	wenig		
1332	170_T3_B2_IV_2021	Nephtys cirrosa	B		2	0.0167
1333	170_T3_B2_IV_2021	Paguroidea indet.	UNM		1	
1334	171_T3_B2_IV_2021	Bathyporeia pelagica	B		3	0.0012
1335	171_T3_B2_IV_2021	Crangon sp.	B		1	0.0004
1336	171_T3_B2_IV_2021	Eteone longa	B		1	0.0009
1337	171_T3_B2_IV_2021	Mytilus edulis agg.	B		1	5.00E-04
1338	171_T3_B2_IV_2021	Scoloplos armiger agg.	B		2	0.0272
1339	172_T14_B_IV_2019	Aequorea sp.	UNM	wenig		

1340	172_T14_B_IV_2019	Bathyporeia elegans	B		2	0.001
1341	172_T14_B_IV_2019	Bathyporeia sarsi	B		4	0.0021
1342	172_T14_B_IV_2019	Lamprops fasciatus	B		1	0.0001
1343	172_T14_B_IV_2019	Microphthalmus similis	B		2	5.00E-04
1344	172_T14_B_IV_2019	Mytilus edulis agg.	B		1	5.00E-04
1345	172_T14_B_IV_2019	Nephtys cirrosa	B		1	0.0104
1346	172_T14_B_IV_2019	Obelia bidentata	UNM	wenig		
1347	172_T14_B_IV_2019	Scoloplos armiger agg.	B		10	0.1281
1348	172_T3_B2_IV_2021	Bathyporeia pelagica	B		8	0.0026
1349	172_T3_B2_IV_2021	Electra pilosa	UNM	wenig		
1350	172_T3_B2_IV_2021	Eteone longa	B		1	0.0014
1351	172_T3_B2_IV_2021	Gammarus locusta	B		1	0.0018
1352	172_T3_B2_IV_2021	Idotea linearis	B		1	1.00E-04
1353	172_T3_B2_IV_2021	Mytilus edulis agg.	UNM		1	
1354	172_T3_B2_IV_2021	Nephtys cirrosa	B		1	0.0074
1355	172_T3_B2_IV_2021	Pontocrates altamarinus	B		1	0.0001
1356	172_T3_B2_IV_2021	Scruparia ambigua	UNM	wenig		
1357	173_T3_B2_IV_2021	Amathia sp.	UNM	wenig		
1358	173_T3_B2_IV_2021	Bathyporeia pelagica	B		7	0.0026
1359	173_T3_B2_IV_2021	Bathyporeia sarsi	B		1	0.0002
1360	173_T3_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
1361	173_T3_B2_IV_2021	Nephtys cirrosa	B		2	0.0133
1362	173_T3_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0042
1363	174_T14_B_IV_2019	Bathyporeia elegans	B		4	0.0028
1364	174_T14_B_IV_2019	Bathyporeia guilliamsoniana	B		1	0.0006
1365	174_T14_B_IV_2019	Bathyporeia sarsi	B		9	0.0031
1366	174_T14_B_IV_2019	Conopeum reticulum	UNM	wenig		
1367	174_T14_B_IV_2019	Gastrosaccus spinifer	B		1	0.001
1368	174_T14_B_IV_2019	Idotea linearis	B		1	0.0012
1369	174_T14_B_IV_2019	Lamprops fasciatus	B		1	0.0003
1370	174_T14_B_IV_2019	Microphthalmus similis	B		4	0.0002
1371	174_T14_B_IV_2019	Microprotopus maculatus	B		1	0.0002
1372	174_T14_B_IV_2019	Mytilus edulis agg.	B		3	0.0004

1373	174_T14_B_IV_2019	<i>Nephtys cirrosa</i>	B		2	0.0026
1375	174_T14_B_IV_2019	<i>Nototropis falcatus</i>	UNM		1	
1374	174_T14_B_IV_2019	<i>Nototropis falcatus</i>	B		3	
1376	174_T14_B_IV_2019	<i>Obelia bidentata</i>	UNM	wenig		
1377	174_T14_B_IV_2019	<i>Pontocrates altamarinus</i>	B		1	0.0002
1378	174_T14_B_IV_2019	<i>Scoloplos armiger</i> agg.	B		2	0.0562
1379	174_T14_B_IV_2019	<i>Spio</i> sp.	B		1	5.00E-04
1380	174_T3_B2_IV_2021	<i>Bathyporeia elegans</i>	B		2	0.0007
1381	174_T3_B2_IV_2021	<i>Bathyporeia pelagica</i>	B		1	1.00E-04
1382	174_T3_B2_IV_2021	<i>Bathyporeia sarsi</i>	B		1	
1383	174_T3_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
1384	174_T3_B2_IV_2021	<i>Magelona mirabilis</i>	B		1	
1385	174_T3_B2_IV_2021	<i>Nephtys cirrosa</i>	B		2	0.0289
1386	175_T14_B_IV_2019	<i>Bathyporeia elegans</i>	B		17	0.0073
1387	175_T14_B_IV_2019	<i>Bathyporeia guilliamsoniana</i>	B		7	0.0076
1388	175_T14_B_IV_2019	<i>Bathyporeia sarsi</i>	B		9	0.0025
1389	175_T14_B_IV_2019	<i>Brachyura</i> indet.	UNM		1	
1390	175_T14_B_IV_2019	<i>Einhornia crustulenta</i>	UNM	wenig		
1391	175_T14_B_IV_2019	<i>Gastrosaccus spinifer</i>	B		1	0.0016
1392	175_T14_B_IV_2019	<i>Microphthalmus similis</i>	B		2	0.0002
1393	175_T14_B_IV_2019	<i>Nephtys cirrosa</i>	B		1	0.004
1394	175_T14_B_IV_2019	<i>Ophelia</i> sp.	B		1	
1395	175_T14_B_IV_2019	<i>Pontocrates altamarinus</i>	B		1	0.0002
1396	175_T14_B_IV_2019	<i>Scoloplos armiger</i> agg.	B		2	0.0287
1397	175_T14_B_IV_2019	<i>Spio martinensis</i>	B		1	
1398	175_T3_B2_IV_2021	<i>Bathyporeia pelagica</i>	B		1	
1399	175_T3_B2_IV_2021	<i>Bathyporeia sarsi</i>	B		1	
1400	175_T3_B2_IV_2021	<i>Conopeum seurati</i>	UNM	wenig		
1401	175_T3_B2_IV_2021	<i>Crangon</i> sp.	B		1	1.00E-04
1402	175_T3_B2_IV_2021	<i>Electra pilosa</i>	UNM	wenig		
1403	175_T3_B2_IV_2021	<i>Macomangulus tenuis</i>	B		1	0.001
1404	175_T3_B2_IV_2021	<i>Nemertea</i> indet.	B		1	0.0007
1405	175_T3_B2_IV_2021	<i>Nephtys cirrosa</i>	B		3	0.0443

1406	175_T3_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0101
1407	175_T3_B2_IV_2021	Sertularia sp.	UNM	wenig		
1408	175_T3_B2_IV_2021	Spio martinensis	B		1	1.00E-04
1409	177_T3_B2_IV_2021	Aspidelectra melolontha	UNM	wenig		
1410	177_T3_B2_IV_2021	Bathyporeia pelagica	B		1	5.00E-04
1411	177_T3_B2_IV_2021	Conopeum reticulum	UNM	wenig		
1412	177_T3_B2_IV_2021	Conopeum seurati	UNM	wenig		
1413	177_T3_B2_IV_2021	Crangon sp.	B		1	1.00E-04
1414	177_T3_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0002
1415	178_T3_B2_IV_2021	Bathyporeia elegans	UNM		1	
1417	178_T3_B2_IV_2021	Bathyporeia pelagica	UNM		1	
1416	178_T3_B2_IV_2021	Bathyporeia pelagica	B		19	0.0055
1418	178_T3_B2_IV_2021	Bathyporeia sarsi	B		1	0.0003
1419	178_T3_B2_IV_2021	Bathyporeia sarsi	UNM		1	
1420	178_T3_B2_IV_2021	Capitella capitata agg.	B		2	0.0003
1421	178_T3_B2_IV_2021	Crangon sp.	UNM		1	
1422	178_T3_B2_IV_2021	Einhornia crustulenta	UNM	wenig		
1423	178_T3_B2_IV_2021	Ensis sp.	UNM		1	
1424	178_T3_B2_IV_2021	Mytilus edulis agg.	B		1	1.00E-04
1425	178_T3_B2_IV_2021	Nephtys cirrosa	B		2	0.0337
1426	178_T3_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0006
1427	179_T3_B2_IV_2021	Bathyporeia pelagica	B		6	0.0022
1428	179_T3_B2_IV_2021	Bathyporeia sarsi	B		1	0.0006
1429	179_T3_B2_IV_2021	Conopeum reticulum	UNM	wenig		
1430	179_T3_B2_IV_2021	Magelona mirabilis	B		1	0.0021
1431	179_T3_B2_IV_2021	Nephtys cirrosa	B		1	0.0083
1432	179_T3_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0096
1433	18_T0_C_IV_2021	Aequorea sp.	UNM	wenig		
1434	18_T0_C_IV_2021	Anthoathecata indet.	UNM	wenig		
1435	18_T0_C_IV_2021	Capitella capitata agg.	B		2	0.0001
1436	18_T0_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
1437	18_T0_C_IV_2021	Conopeum reticulum	UNM	wenig		
1438	18_T0_C_IV_2021	Eteone longa	B		1	0.0004

1439	18_T0_C_IV_2021	Mesopodopsis slabberi	B		1	0.0009
1440	18_T0_C_IV_2021	Myrianida sanmartini	B		1	0.0002
1441	18_T0_C_IV_2021	Nemertea indet.	UNM		1	
1442	18_T0_C_IV_2021	Nephtys caeca	B		3	0.0147
1443	18_T0_C_IV_2021	Nephtys cirrosa	B		1	0.008
1444	18_T0_C_IV_2021	Polydora cornuta	B		1	0.0004
1445	18_T0_C_IV_2021	Scoloplos armiger agg.	B		26	0.042
1446	18_T0_C_IV_2021	Spio martinensis	B		2	0.0004
1448	181_T14_B_K_2019	Bathyporeia guilliamsoniana	BLFD		1	0.01728
1447	181_T14_B_K_2019	Bathyporeia guilliamsoniana	B		3	0.00098512
1450	181_T14_B_K_2019	Bathyporeia pelagica	LFD		2	
1449	181_T14_B_K_2019	Bathyporeia pelagica	B		6	0.00197023
1453	181_T14_B_K_2019	Bathyporeia sarsi	LFD		4	
1452	181_T14_B_K_2019	Bathyporeia sarsi	BLFD		10	0.01728
1451	181_T14_B_K_2019	Bathyporeia sarsi	B		34	0.01116465
1454	181_T14_B_K_2019	Gastrosaccus spinifer	LFD		1	
1455	181_T14_B_K_2019	Laomedea flexuosa	UNM	wenig		
1456	181_T14_B_K_2019	Magelona mirabilis	BLFD		2	0.00339
1457	181_T14_B_K_2019	Nephtys caeca	BLFD		1	0.17414
1458	181_T14_B_K_2019	Scoloplos armiger agg.	BLFD		5	0.10183
1459	181_T14_B_K_2019	Spio martinensis	BLFD		7	0.00095
1460	182_T14_B_K_2019	Atheicata gen. sp.	UNM	wenig		
1461	182_T14_B_K_2019	Bathyporeia sarsi	BLFD		3	0.00297
1462	182_T14_B_K_2019	Conopeum reticulum	UNM	wenig		
1463	182_T14_B_K_2019	Conopeum seurati	UNM	wenig		
1464	182_T14_B_K_2019	Eteone longa	BLFD		1	0.00101
1465	182_T14_B_K_2019	Hydrallmania sp	UNM	wenig		
1466	182_T14_B_K_2019	Magelona mirabilis	LFD		2	
1467	182_T14_B_K_2019	Nephtys caeca	BLFD		2	0.44881
1468	182_T14_B_K_2019	Nephtys kersivalensis	BLFD		2	0.11547
1469	182_T14_B_K_2019	Obelia bidentata	UNM	wenig		
1470	182_T14_B_K_2019	Scoloplos armiger agg.	BLFD		4	0.00387
1471	182_T14_B_K_2019	Sertularia cupressina	UNM	wenig		

1472	182_T14_B_K_2019	<i>Spio martinensis</i>	BLFD		5	0.00084
1473	183_T14_B_IV_2019	<i>Aequorea</i> sp.	UNM	wenig		
1474	183_T14_B_IV_2019	<i>Bathyporeia elegans</i>	B		22	0.009
1475	183_T14_B_IV_2019	<i>Bathyporeia guilliamsoniana</i>	B		4	0.0041
1476	183_T14_B_IV_2019	<i>Bathyporeia sarsi</i>	B		36	0.0114
1477	183_T14_B_IV_2019	<i>Gastrosaccus spinifer</i>	B		1	0.001
1478	183_T14_B_IV_2019	<i>Nemertea</i> indet.	B		2	0.0007
1479	183_T14_B_IV_2019	<i>Nephtys cirrosa</i>	B		1	0.0007
1480	183_T14_B_IV_2019	<i>Obelia bidentata</i>	UNM	wenig		
1481	183_T14_B_IV_2019	<i>Ophelia</i> sp.	B		1	0.0004
1482	183_T14_B_IV_2019	<i>Pontocrates arcticus</i>	B		1	0.0003
1483	183_T14_B_IV_2019	<i>Scoloplos armiger</i> agg.	B		1	0.005
1484	184_T14_B_IV_2019	<i>Aurelia aurita</i>	UNM	wenig		
1485	184_T14_B_IV_2019	<i>Bathyporeia elegans</i>	B		2	0.0007
1486	184_T14_B_IV_2019	<i>Bathyporeia guilliamsoniana</i>	B		1	0.0013
1487	184_T14_B_IV_2019	<i>Bathyporeia sarsi</i>	B		5	0.0018
1488	184_T14_B_IV_2019	<i>Conopeum reticulum</i>	UNM	wenig		
1489	184_T14_B_IV_2019	<i>Einhornia crustulenta</i>	UNM	wenig		
1490	184_T14_B_IV_2019	<i>Microphthalmus</i> sp.	B		1	
1491	184_T14_B_IV_2019	<i>Nemertea</i> indet.	B		1	0.0002
1492	184_T14_B_IV_2019	<i>Nephtys cirrosa</i>	B		1	0.0023
1493	184_T14_B_IV_2019	<i>Obelia bidentata</i>	UNM	wenig		
1494	184_T14_B_IV_2019	<i>Scoloplos armiger</i> agg.	B		1	0.0033
1495	185_T14_A_K_2019	<i>Bathyporeia pelagica</i>	BLFD		2	0.00118
1496	185_T14_A_K_2019	<i>Bathyporeia sarsi</i>	BLFD		1	0.00078
1497	185_T14_A_K_2019	<i>Capitella</i> cf. <i>capitata</i> agg.	BLFD		1	0.00049
1498	185_T14_A_K_2019	<i>Capitella</i> cf. <i>minima</i>	BLFD		3	0.0007
1499	185_T14_A_K_2019	<i>Conopeum reticulum</i>	UNM	wenig		
1500	185_T14_A_K_2019	<i>Euceilota maculata</i>	UNM	mittel		
1501	185_T14_A_K_2019	<i>Hydractinia echinata</i>	UNM	wenig		
1502	185_T14_A_K_2019	<i>Limecola balthica</i>	BLFD		1	0.08761
1503	185_T14_A_K_2019	<i>Macomangulus tenuis</i>	BLFD		1	0.00574
1504	185_T14_A_K_2019	<i>Magelona mirabilis</i>	BLFD		2	0.00272

1505	185_T14_A_K_2019	<i>Nephtys cirrosa</i>	BLFD		6	0.033
1506	185_T14_A_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		3	0.11903
1507	185_T14_A_K_2019	<i>Spio martinensis</i>	BLFD		1	0.00027
1508	186_T14_A_K_2019	<i>Bathyporeia elegans</i>	BLFD		1	0.00061
1509	186_T14_A_K_2019	<i>Bathyporeia guilliamsoniana</i>	LFD		1	
1510	186_T14_A_K_2019	<i>Bathyporeia sarsi</i>	BLFD		2	0.00041
1511	186_T14_A_K_2019	<i>Capitella</i> cf. <i>capitata</i> agg.	BLFD		4	0.00149
1512	186_T14_A_K_2019	<i>Conopeum reticulum</i>	UNM	wenig		
1513	186_T14_A_K_2019	<i>Hydrallmania falcata</i>	UNM	wenig		
1514	186_T14_A_K_2019	<i>Magelona mirabilis</i>	BLFD		1	0.00108
1515	186_T14_A_K_2019	<i>Nephtys hombergii</i>	BLFD		3	0.02896
1516	186_T14_A_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		4	0.05998
1517	186_T14_A_K_2019	<i>Sertularia cupressina</i>	UNM	wenig		
1518	186_T14_A_K_2019	<i>Spio martinensis</i>	BLFD		9	0.0012
1519	187_T14_A_K_2019	<i>Alcyonidioides</i> cf. <i>mytili</i>	UNM	wenig		
1520	187_T14_A_K_2019	<i>Bodotria scorpioides</i>	BLFD		1	0.00026
1521	187_T14_A_K_2019	<i>Bodotria scorpioides</i>	LFD		1	
1522	187_T14_A_K_2019	<i>Capitella</i> cf. <i>capitata</i> agg.	BLFD		1	0.00066
1523	187_T14_A_K_2019	<i>Capitella</i> cf. <i>minima</i>	BLFD		8	0.00279
1524	187_T14_A_K_2019	<i>Conopeum reticulum</i>	UNM	mittel		
1525	187_T14_A_K_2019	<i>Conopeum seurati</i>	UNM	mittel		
1526	187_T14_A_K_2019	<i>Einhornia crustulenta</i>	UNM	wenig		
1527	187_T14_A_K_2019	<i>Euceilota maculata</i>	UNM	mittel		
1528	187_T14_A_K_2019	<i>Limecola balthica</i>	LFD		1	
1529	187_T14_A_K_2019	<i>Macomangulus tenuis</i>	BLFD		2	0.0398
1530	187_T14_A_K_2019	<i>Magelona mirabilis</i>	BLFD		5	0.00941
1531	187_T14_A_K_2019	<i>Mytilus edulis</i>	BLFD		1	0.00017
1532	187_T14_A_K_2019	<i>Nephtys caeca</i>	BLFD		2	0.06439
1533	187_T14_A_K_2019	<i>Nephtys cirrosa</i>	BLFD		4	0.03664
1534	187_T14_A_K_2019	<i>Pontocrates altamarinus</i>	LFD		1	
1535	187_T14_A_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		2	0.03043
1536	187_T14_A_K_2019	<i>Spio martinensis</i>	BLFD		4	0.00072
1537	19_GR_NDS12_U_2021	<i>Aequorea</i> sp.	UNM	wenig		

1538	19_GR_NDS12_U_2021	Alitta succinea	UNM		1	
1539	19_GR_NDS12_U_2021	Anoplodactylus petiolatus	B		1	1.00E-04
1540	19_GR_NDS12_U_2021	Anthozoa indet.	B		5	0.0029
1542	19_GR_NDS12_U_2021	Aricidea minuta	UNM		1	
1541	19_GR_NDS12_U_2021	Aricidea minuta	B		7	0.0012
1543	19_GR_NDS12_U_2021	Ascidacea indet.	B		2	5.00E-04
1544	19_GR_NDS12_U_2021	Asterias rubens	B		1	0.0006
1546	19_GR_NDS12_U_2021	Capitella capitata agg.	UNM		1	
1545	19_GR_NDS12_U_2021	Capitella capitata agg.	B		3	1.00E-04
1547	19_GR_NDS12_U_2021	Carcinus maenas	B		1	1.4289
1548	19_GR_NDS12_U_2021	Clytia hemisphaerica	UNM	wenig		
1549	19_GR_NDS12_U_2021	Conopeum reticulum	UNM	wenig		
1550	19_GR_NDS12_U_2021	Corophiidae gen. sp.	B		2	
1551	19_GR_NDS12_U_2021	Crangon sp.	B		1	
1552	19_GR_NDS12_U_2021	Crepidula fornicata	UNM		1	
1553	19_GR_NDS12_U_2021	Cylista troglodytes agg.	B		1	0.3552
1554	19_GR_NDS12_U_2021	Electra pilosa	UNM	wenig		
1555	19_GR_NDS12_U_2021	Eunereis longissima	B		1	0.0035
1556	19_GR_NDS12_U_2021	Gattyana cirrhosa	UNM		1	
1557	19_GR_NDS12_U_2021	Glycera tridactyla	UNM		1	
1558	19_GR_NDS12_U_2021	Heteromastus filiformis	B		1	0.002
1559	19_GR_NDS12_U_2021	Hypophorella expansa	UNM	wenig		
1561	19_GR_NDS12_U_2021	Lanice conchilega	UNM		1	
1560	19_GR_NDS12_U_2021	Lanice conchilega	B		5	0.1762
1562	19_GR_NDS12_U_2021	Magelona mirabilis	UNM		1	
1563	19_GR_NDS12_U_2021	Malmgrenia bicki	B		1	
1564	19_GR_NDS12_U_2021	Malmgrenia bicki	UNM		1	
1565	19_GR_NDS12_U_2021	Mediomastus fragilis	UNM		1	
1566	19_GR_NDS12_U_2021	Metridium senile	B		1	0.0214
1568	19_GR_NDS12_U_2021	Myrianida sanmartini	UNM		1	
1567	19_GR_NDS12_U_2021	Myrianida sanmartini	B		10	0.0003
1569	19_GR_NDS12_U_2021	Myrianida sp.	UNM		1	
1570	19_GR_NDS12_U_2021	Neomysis integer	B		1	

1572	19_GR_NDS12_U_2021	Nephtys caeca	UNM		1	
1571	19_GR_NDS12_U_2021	Nephtys caeca	B		3	0.0052
1573	19_GR_NDS12_U_2021	Nereididae gen. sp.	UNM		1	
1574	19_GR_NDS12_U_2021	Obelia bidentata	UNM	wenig		
1575	19_GR_NDS12_U_2021	Obelia longissima	UNM	wenig		
1577	19_GR_NDS12_U_2021	Polydora cornuta	UNM		1	
1576	19_GR_NDS12_U_2021	Polydora cornuta	B		2	0.0002
1578	19_GR_NDS12_U_2021	Praunus flexuosus	UNM		1	
1579	19_GR_NDS12_U_2021	Pygospio elegans	B		44	0.0049
1580	19_GR_NDS12_U_2021	Scoloplos armiger agg.	B		10	0.0165
1581	19_GR_NDS12_U_2021	Spio martinensis	B		1	0.0002
1582	19_GR_NDS12_U_2021	Streblospio shrubsolii	UNM		1	
1584	19_GR_NDS12_U_2021	Tharyx killariensis	UNM		1	
1583	19_GR_NDS12_U_2021	Tharyx killariensis	B		6	0.0007
1586	19_GR_NDS12_U_2021	Tharyx sp.	UNM		1	
1585	19_GR_NDS12_U_2021	Tharyx sp.	B		7	0.0009
1587	19_GR_NDS12_U_2021	Tubificinae gen. sp.	B		1	
1588	19_GR_NDS12_U_2021	Tubificoides benedii	B		2	
1589	193_T14_A_IV_2019	Bathyporeia sarsi	LFD		6	
1590	193_T14_A_IV_2019	Cerastoderma edule	LFD		1	
1591	193_T14_A_IV_2019	Magelona mirabilis	LFD		1	
1592	193_T14_A_IV_2019	Nephtys hombergii	BLFD		2	0.0125
1593	194_T14_A_IV_2019	Bathyporeia sarsi	LFD		1	
1594	194_T14_A_IV_2019	Capitella capitata agg.	LFD		1	
1595	194_T14_A_IV_2019	Cerastoderma edule	BLFD		1	0.00122
1596	194_T14_A_IV_2019	Macomangulus tenuis	BLFD		1	0.00171
1597	194_T14_A_IV_2019	Mytilus edulis	LFD		1	
1598	194_T14_A_IV_2019	Nephtys hombergii	BLFD		1	0.00829
1599	194_T14_A_IV_2019	Nephtys kersivalensis	BLFD		2	0.03632
1600	194_T14_A_IV_2019	Retusa obtusa	LFD		1	
1601	194_T14_A_IV_2019	Scoloplos armiger agg.	BLFD		2	0.0124
1602	194_T14_A_IV_2019	Sertularia cupressina	UNM	wenig		
1603	194_T14_A_IV_2019	Spiophanes bombyx	LFD		1	

1604	195_T14_A_IV_2019	Aequorea sp.	UNM	wenig		
1605	195_T14_A_IV_2019	Bathyporeia sarsi	B		2	0.0007
1606	195_T14_A_IV_2019	Capitella capitata agg.	B		4	0.001
1607	195_T14_A_IV_2019	Conopeum reticulum	UNM	wenig		
1608	195_T14_A_IV_2019	Limecola balthica	B		2	0.0321
1609	195_T14_A_IV_2019	Nephtys hombergii	B		3	0.0166
1610	195_T14_A_IV_2019	Obelia bidentata	UNM	wenig		
1611	195_T14_A_IV_2019	Schistomysis kervillei	B		1	0.002
1612	195_T14_A_IV_2019	Scoloplos armiger agg.	B		2	0.0287
1613	195_T14_A_IV_2019	Sertularia sp.	UNM	wenig		
1614	195_T14_A_IV_2019	Spio martinensis	B		2	0.0002
1615	2_T0_C_IV_2021	Alcyonidiidae gen. sp.	UNM	wenig		
1616	2_T0_C_IV_2021	Bathyporeia sarsi	B		1	5.00E-04
1617	2_T0_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
1618	2_T0_C_IV_2021	Conopeum reticulum	UNM	wenig		
1619	2_T0_C_IV_2021	Cylista troglodytes agg.	B		3	0.0056
1620	2_T0_C_IV_2021	Heteromastus filiformis	B		3	0.0081
1621	2_T0_C_IV_2021	Microphthalmus similis	B		12	0.0008
1622	2_T0_C_IV_2021	Molgula sp.	B		1	
1623	2_T0_C_IV_2021	Mytilus edulis agg.	B		8	1.00E-04
1624	2_T0_C_IV_2021	Nephtys cirrosa	B		1	0.0011
1625	2_T0_C_IV_2021	Obelia longissima	UNM	wenig		
1626	2_T0_C_IV_2021	Scoloplos armiger agg.	B		1	0.0026
1627	20_GR_NDS12_U_2021	Abra alba	UNM		1	
1628	20_GR_NDS12_U_2021	Aequorea sp.	UNM	wenig		
1629	20_GR_NDS12_U_2021	Alitta succinea	B		8	0.0202
1630	20_GR_NDS12_U_2021	Anoplodactylus petiolatus	B		1	
1631	20_GR_NDS12_U_2021	Anthozoa indet.	B		52	0.0263
1632	20_GR_NDS12_U_2021	Bodotria scorpioides	B		1	
1633	20_GR_NDS12_U_2021	Capitella capitata agg.	B		15	0.0025
1634	20_GR_NDS12_U_2021	Clytia hemisphaerica	UNM	wenig		
1635	20_GR_NDS12_U_2021	Conopeum reticulum	UNM	wenig		
1636	20_GR_NDS12_U_2021	Conopeum seurati	UNM	wenig		

1637	20_GR_NDS12_U_2021	Einhornia crustulenta	UNM	wenig		
1638	20_GR_NDS12_U_2021	Electra monostachys	UNM	wenig		
1639	20_GR_NDS12_U_2021	Eteone longa	B		1	0.0004
1640	20_GR_NDS12_U_2021	Eumida bahusiensis	B		8	0.0006
1641	20_GR_NDS12_U_2021	Eunereis longissima	B		3	0.1627
1642	20_GR_NDS12_U_2021	Farrella repens	UNM	wenig		
1643	20_GR_NDS12_U_2021	Gattyana cirrhosa	B		2	0.0037
1644	20_GR_NDS12_U_2021	Heteromastus filiformis	B		6	0.0043
1645	20_GR_NDS12_U_2021	Lanice conchilega	B		20	0.3251
1646	20_GR_NDS12_U_2021	Limecola balthica	B		1	0.0064
1647	20_GR_NDS12_U_2021	Malmgrenia bicki	B		1	0.0023
1648	20_GR_NDS12_U_2021	Mesopodopsis slabberi	B		1	0.0011
1650	20_GR_NDS12_U_2021	Metridium senile	UNM		1	
1649	20_GR_NDS12_U_2021	Metridium senile	B		19	0.3486
1651	20_GR_NDS12_U_2021	Microprotopus maculatus	B		2	0.0008
1652	20_GR_NDS12_U_2021	Monocorophium acherusicum	B		1	0.0002
1653	20_GR_NDS12_U_2021	Myrianida sp.	B		5	0.0004
1654	20_GR_NDS12_U_2021	Mytilus edulis agg.	B		1	0.0017
1655	20_GR_NDS12_U_2021	Nephtys caeca	B		3	0.0062
1656	20_GR_NDS12_U_2021	Obelia longissima	UNM	wenig		
1657	20_GR_NDS12_U_2021	Polydora cornuta	B		14	0.0013
1658	20_GR_NDS12_U_2021	Protodorvillea kefersteini	UNM		1	
1659	20_GR_NDS12_U_2021	Pygospio elegans	B		27	0.0062
1660	20_GR_NDS12_U_2021	Scoloplos armiger agg.	B		13	0.0612
1661	20_GR_NDS12_U_2021	Streblospio benedicti	UNM		1	
1662	20_GR_NDS12_U_2021	Tharyx killariensis	B		3	0.0019
1663	20_GR_NDS12_U_2021	Tharyx sp.	B		43	0.0069
1664	20_GR_NDS12_U_2021	Tubificinae gen. sp.	B		4	0.0007
1666	20_GR_NDS12_U_2021	Tubificoides benedii	UNM		1	
1665	20_GR_NDS12_U_2021	Tubificoides benedii	B		6	0.0009
1667	20_GR_NDS12_U_2021	Urothoe poseidonis	UNM		1	
1668	20_T0_B_IV_2019	Bathyporeia guilliamsoniana	LFD		1	
1670	20_T0_B_IV_2019	Bathyporeia sarsi	LFD		1	

1669	20_T0_B_IV_2019	Bathyporeia sarsi	BLFD		8	0.00671
1671	20_T0_B_IV_2019	Eteone longa	BLFD		1	0.00017
1672	20_T0_B_IV_2019	Laomedea flexuosa	UNM	wenig		
1673	20_T0_B_IV_2019	Malacoceros sp.	LFD		1	
1674	20_T0_B_IV_2019	Nephtys cirrosa	BLFD		2	0.39636
1675	20_T0_B_IV_2019	Scoloplos armiger agg.	BLFD		9	0.12211
1676	20_T0_B_IV_2019	Spio martinensis	BLFD		15	0.00253
1677	200_T14_A_K_2019	Magelona mirabilis	BLFD		2	0.00212
1678	200_T14_A_K_2019	Nemertea indet.	UNM		2	
1679	200_T14_A_K_2019	Nephtys cirrosa	BLFD		3	0.01075
1680	200_T14_A_K_2019	Scoloplos armiger agg.	BLFD		7	0.12419
1681	200_T14_A_K_2019	Spio martinensis	BLFD		1	0.0004
1682	201_T14_A_K_2019	Balanus crenatus	UNM		1	
1683	201_T14_A_K_2019	Bathyporeia sarsi	BLFD		4	0.00166
1684	201_T14_A_K_2019	Capitella cf. capitata agg.	BLFD		2	0.00102
1685	201_T14_A_K_2019	Euceilota maculata	UNM	mittel		
1686	201_T14_A_K_2019	Magelona mirabilis	BLFD		1	0.00124
1687	201_T14_A_K_2019	Nephtys cirrosa	BLFD		1	0.00447
1688	201_T14_A_K_2019	Nephtys hombergii	BLFD		2	0.00682
1689	201_T14_A_K_2019	Obelia bidentata	UNM	wenig		
1690	201_T14_A_K_2019	Scoloplos armiger agg.	BLFD		4	0.06607
1691	201_T14_A_K_2019	Spio martinensis	BLFD		2	0.00047
1692	202_T14_A_K_2019	Bathyporeia pelagica	B		1	0.00034
1693	202_T14_A_K_2019	Limecola balthica	BLFD		1	0.00575
1694	202_T14_A_K_2019	Macomangulus tenuis	BLFD		3	0.00794
1695	202_T14_A_K_2019	Magelona mirabilis	BLFD		2	0.00244
1696	202_T14_A_K_2019	Nemertea indet.	UNM		1	
1697	202_T14_A_K_2019	Nephtys cirrosa	BLFD		3	0.04983
1698	202_T14_A_K_2019	Scoloplos armiger agg.	BLFD		7	0.14966
1699	202_T14_A_K_2019	Spio martinensis	BLFD		1	0.00077
1700	203_T14_A_IV_2019	Bathyporeia sarsi	B		5	0.0016
1701	203_T14_A_IV_2019	Bodotria scorpioides	B		1	0.0004
1702	203_T14_A_IV_2019	Capitella capitata agg.	B		1	

1703	203_T14_A_IV_2019	<i>Clytia hemisphaerica</i>	UNM	wenig		
1704	203_T14_A_IV_2019	<i>Conopeum reticulum</i>	UNM	wenig		
1705	203_T14_A_IV_2019	<i>Magelona mirabilis</i>	B		2	0.0022
1706	203_T14_A_IV_2019	<i>Nephtys hombergii</i>	B		4	0.0333
1707	203_T14_A_IV_2019	<i>Obelia bidentata</i>	UNM	wenig		
1708	203_T14_A_IV_2019	<i>Scoloplos armiger</i> agg.	B		2	0.0398
1709	204_T14_A_IV_2019	<i>Capitella minima</i>	UNM		1	
1710	204_T14_A_IV_2019	<i>Eteone longa</i>	UNM		1	
1711	204_T14_A_IV_2019	<i>Macomangulus tenuis</i>	BLFD		2	0.00163
1712	204_T14_A_IV_2019	<i>Nephtys hombergii</i>	B		1	
1713	204_T14_A_IV_2019	<i>Nephtys hombergii</i>	BLFD		2	0.0229
1714	204_T14_A_IV_2019	<i>Nephtys</i> juv.	BLFD		3	0.00349
1715	204_T14_A_IV_2019	<i>Pontocrates altamarinus</i>	LFD		1	
1716	204_T14_A_IV_2019	<i>Scoloplos armiger</i> agg.	BLFD		1	0.02366
1717	204_T14_A_IV_2019	<i>Spio martinensis</i>	UNM		7	
1718	204_T14_A_IV_2019	<i>Urothoe poseidonis</i>	BLFD		1	0.00204
1719	205_T14_A_IV_2019	<i>Bathyporeia sarsi</i>	LFD		11	
1720	205_T14_A_IV_2019	<i>Capitella minima</i>	LFD		1	
1721	205_T14_A_IV_2019	<i>Fabulina fabula</i>	BLFD		1	0.00544
1722	205_T14_A_IV_2019	<i>Limecola balthica</i>	BLFD		1	0.02114
1723	205_T14_A_IV_2019	<i>Macomangulus tenuis</i>	BLFD		3	0.00105
1724	205_T14_A_IV_2019	<i>Magelona</i> sp.	BLFD		1	0.00082
1725	205_T14_A_IV_2019	<i>Nemertea</i> indet.	LFD		1	
1726	205_T14_A_IV_2019	<i>Nephtys hombergii</i>	BLFD		3	0.02413
1727	205_T14_A_IV_2019	<i>Nephtys kersivalensis</i>	BLFD		4	0.01612
1728	205_T14_A_IV_2019	<i>Scoloplos armiger</i> agg.	BLFD		1	0.01434
1729	205_T14_A_IV_2019	<i>Spio martinensis</i>	LFD		1	
1730	205_T14_A_IV_2019	<i>Spiophanes bombyx</i>	LFD		2	
1731	205_T7_B2_K_2021	<i>Bathyporeia sarsi</i>	B		10	0.0027
1732	205_T7_B2_K_2021	<i>Campanulariidae</i> gen. sp.	UNM	wenig		
1733	205_T7_B2_K_2021	<i>Capitella capitata</i> agg.	B		3	0.0014
1734	205_T7_B2_K_2021	<i>Conopeum reticulum</i>	UNM	wenig		
1735	205_T7_B2_K_2021	<i>Decapoda</i>	UNM		1	

1736	205_T7_B2_K_2021	<i>Electra pilosa</i>	UNM	wenig		
1737	205_T7_B2_K_2021	<i>Nephtys cirrosa</i>	B		1	0.008
1738	205_T7_B2_K_2021	<i>Praunus flexuosus</i>	UNM		1	
1739	205_T7_B2_K_2021	<i>Schistomysis kervillei</i>	B		1	0.0011
1740	205_T7_B2_K_2021	<i>Scoloplos armiger</i> agg.	B		5	0.0641
1741	205_T7_B2_K_2021	<i>Sertularia</i> sp.	UNM	wenig		
1742	205_T7_B2_K_2021	<i>Spio martinensis</i>	B		3	5.00E-04
1743	206_T7_B2_K_2021	<i>Bathyporeia pelagica</i>	B		1	0.0002
1744	206_T7_B2_K_2021	<i>Bathyporeia sarsi</i>	B		9	0.0024
1745	206_T7_B2_K_2021	<i>Capitella capitata</i> agg.	B		1	
1746	206_T7_B2_K_2021	<i>Electra pilosa</i>	UNM	wenig		
1747	206_T7_B2_K_2021	<i>Hydrallmania falcata</i>	UNM	wenig		
1748	206_T7_B2_K_2021	<i>Nephtys cirrosa</i>	B		1	0.0065
1749	206_T7_B2_K_2021	<i>Scoloplos armiger</i> agg.	B		5	0.0915
1750	206_T7_B2_K_2021	<i>Spio martinensis</i>	B		4	0.0002
1751	207_T7_B2_K_2021	<i>Bathyporeia sarsi</i>	B		1	0.0003
1752	207_T7_B2_K_2021	<i>Nemertea</i> indet.	B		1	0.0008
1753	207_T7_B2_K_2021	<i>Nephtys caeca</i>	B		1	0.2685
1754	207_T7_B2_K_2021	<i>Nephtys cirrosa</i>	B		2	0.0147
1755	207_T7_B2_K_2021	<i>Scoloplos armiger</i> agg.	B		3	0.0171
1756	207_T7_B2_K_2021	<i>Spio martinensis</i>	B		4	0.0003
1757	208_T7_B2_K_2021	<i>Bathyporeia pelagica</i>	B		5	0.0014
1758	208_T7_B2_K_2021	<i>Bathyporeia sarsi</i>	B		5	0.0021
1759	208_T7_B2_K_2021	<i>Gammarus locusta</i>	B		1	0.0008
1760	208_T7_B2_K_2021	<i>Jassa herdmani</i>	UNM		1	
1761	208_T7_B2_K_2021	<i>Jassa</i> sp.	B		2	5.00E-04
1762	208_T7_B2_K_2021	<i>Nemertea</i> indet.	B		1	0.0014
1763	208_T7_B2_K_2021	<i>Nephtys cirrosa</i>	B		2	0.0274
1764	208_T7_B2_K_2021	<i>Obelia bidentata</i>	UNM	wenig		
1765	208_T7_B2_K_2021	Palaemonidae	UNM		1	
1766	208_T7_B2_K_2021	<i>Schistomysis kervillei</i>	UNM		1	
1767	208_T7_B2_K_2021	<i>Spio martinensis</i>	B		1	0.0002
1768	209_T7_B2_K_2021	<i>Bathyporeia pelagica</i>	B		1	0.0002

1769	209_T7_B2_K_2021	Conopeum reticulum	UNM	wenig		
1770	209_T7_B2_K_2021	Eteone longa	B		1	0.0003
1771	209_T7_B2_K_2021	Nephtys cirrosa	B		1	0.0045
1772	209_T7_B2_K_2021	Scoloplos armiger agg.	B		2	0.0014
1773	209_T7_B2_K_2021	Spio martinensis	B		3	0.0004
1774	21_GR_NA2_U_2019	Bathyporeia elegans	B		3	
1775	21_GR_NA2_U_2019	Bathyporeia elegans	BLFD		169	0.03626
1776	21_GR_NA2_U_2019	Bathyporeia guilliamsoniana	LFD		1	
1777	21_GR_NA2_U_2019	Bathyporeia pelagica	B		9	
1778	21_GR_NA2_U_2019	Bathyporeia pelagica	BLFD		288	0.0687
1779	21_GR_NA2_U_2019	Bathyporeia sarsi	B		1	
1780	21_GR_NA2_U_2019	Bathyporeia sarsi	BLFD		12	0.00375
1781	21_GR_NA2_U_2019	Gastrosaccus spinifer	BLFD		10	0.01517
1782	21_GR_NA2_U_2019	Haustorius arenarius	LFD		1	
1783	21_GR_NA2_U_2019	Mytilus edulis	LFD		7	
1784	21_GR_NA2_U_2019	Nephtys cirrosa	BLFD		1	0.00111
1785	21_GR_NA2_U_2019	Scyphozoa indet.	UNM	mittel		
1786	21_GR_NDS02_U_2020	Abra alba	B		1	0.0091
1787	21_GR_NDS02_U_2020	Alcyonidium parasiticum	UNM	wenig		
1788	21_GR_NDS02_U_2020	Aonides paucibranchiata	B		35	0.0061
1789	21_GR_NDS02_U_2020	Branchiostoma lanceolatum	UNM		1	
1790	21_GR_NDS02_U_2020	Conopeum reticulum	UNM	wenig		
1791	21_GR_NDS02_U_2020	Diastylis bradyi	UNM		1	
1792	21_GR_NDS02_U_2020	Electra pilosa	UNM	wenig		
1793	21_GR_NDS02_U_2020	Ensis leei	B		1	0.1264
1794	21_GR_NDS02_U_2020	Gattyana cirrhosa	B		1	0.0095
1795	21_GR_NDS02_U_2020	Goniadella bobretzkii	B		9	0.0012
1796	21_GR_NDS02_U_2020	Hypereteone foliosa	UNM		1	
1797	21_GR_NDS02_U_2020	Hypophorella expansa	UNM	wenig		
1798	21_GR_NDS02_U_2020	Kurtiella bidentata	B		2	1.00E-04
1799	21_GR_NDS02_U_2020	Lanice conchilega	B		3	0.0569
1800	21_GR_NDS02_U_2020	Magelona johnstoni	B		2	5.00E-04
1801	21_GR_NDS02_U_2020	Mediomastus fragilis	B		2	0.0008

1803	21_GR_NDS02_U_2020	Nephtys cirrosa	UNM		1	
1802	21_GR_NDS02_U_2020	Nephtys cirrosa	B		2	0.0511
1804	21_GR_NDS02_U_2020	Nereididae gen. sp.	B		1	
1805	21_GR_NDS02_U_2020	Obelia bidentata	UNM	wenig		
1806	21_GR_NDS02_U_2020	Obelia longissima	UNM	wenig		
1807	21_GR_NDS02_U_2020	Ophelia sp.	B		1	1.00E-04
1808	21_GR_NDS02_U_2020	Ophelia sp.	UNM		1	
1809	21_GR_NDS02_U_2020	Philocheras trispinosus	UNM		1	
1810	21_GR_NDS02_U_2020	Pisione remota	B		2	1.00E-04
1811	21_GR_NDS02_U_2020	Poecilochaetus serpens	B		1	0.0009
1812	21_GR_NDS02_U_2020	Protodorvillea kefersteini	B		13	0.0019
1813	21_GR_NDS02_U_2020	Scoloplos armiger agg.	B		3	0.0125
1814	21_GR_NDS02_U_2020	Spathipora sp.	UNM	wenig		
1815	21_GR_NDS02_U_2020	Spisula elliptica	B		5	0.0115
1816	21_GR_NDS02_U_2020	Tubulanus polymorphus	B		3	0.003
1817	21_GR_SA2_U_2019	Bathyporeia sarsi	B		1	0.00017
1818	21_GR_SA2_U_2019	Ensis leei	B		1	
1819	21_GR_SA2_U_2019	Ensis leei	BLFD		6	1.60448
1820	21_GR_SA2_U_2019	Mytilus edulis	BLFD		1	0.00028
1821	21_GR_SA2_U_2019	Nephtys cirrosa	B		2	0.00079
1822	21_GR_SA2_U_2019	Obelia bidentata	UNM	wenig		
1823	21_GR_SA2_U_2019	Obelia dichotoma	UNM	wenig		
1824	211_T7_B2_K_2021	Bathyporeia pelagica	B		1	0.0002
1825	211_T7_B2_K_2021	Bathyporeia sarsi	B		3	0.0003
1826	211_T7_B2_K_2021	Bodotria scorpioides	B		1	
1827	211_T7_B2_K_2021	Gammarus locusta	UNM		1	
1828	211_T7_B2_K_2021	Mytilus edulis agg.	B		2	
1829	211_T7_B2_K_2021	Nephtys cirrosa	B		2	0.0069
1830	211_T7_B2_K_2021	Scoloplos armiger agg.	B		2	0.0097
1831	211_T7_B2_K_2021	Sertularia sp.	UNM	wenig		
1832	211_T7_B2_K_2021	Spio martinensis	B		5	1.00E-04
1833	212_T7_B2_K_2021	Asterias rubens	B		1	0.001
1834	212_T7_B2_K_2021	Bathyporeia pelagica	B		42	0.0107

1835	212_T7_B2_K_2021	Bathyporeia sarsi	B		9	0.002
1836	212_T7_B2_K_2021	Electra pilosa	UNM	wenig		
1837	212_T7_B2_K_2021	Nephtys cirrosa	B		1	0.0144
1838	212_T7_B2_K_2021	Obelia bidentata	UNM	wenig		
1839	212_T7_B2_K_2021	Scoloplos armiger agg.	B		2	0.0422
1840	212_T7_B2_K_2021	Spio martinensis	B		1	0.0001
1841	213_T7_B2_K_2021	Bathyporeia pelagica	B		85	0.0236
1842	213_T7_B2_K_2021	Bathyporeia sarsi	B		17	0.0048
1843	213_T7_B2_K_2021	Clytia hemisphaerica	UNM	wenig		
1844	213_T7_B2_K_2021	Conopeum reticulum	UNM	wenig		
1845	213_T7_B2_K_2021	Electra pilosa	UNM	wenig		
1846	213_T7_B2_K_2021	Nephtys cirrosa	B		2	0.0253
1847	213_T7_B2_K_2021	Scoloplos armiger agg.	B		1	0.0285
1848	213_T7_B2_K_2021	Spio martinensis	B		1	
1849	214_T7_B2_K_2021	Asterias rubens	B		1	0.0008
1850	214_T7_B2_K_2021	Bathyporeia pelagica	B		21	0.0055
1851	214_T7_B2_K_2021	Bathyporeia sarsi	B		7	0.0019
1852	214_T7_B2_K_2021	Jassa sp.	UNM		1	
1853	214_T7_B2_K_2021	Leucosolenia sp.	UNM	wenig		
1854	214_T7_B2_K_2021	Nephtys cirrosa	B		1	0.0233
1855	214_T7_B2_K_2021	Scoloplos armiger agg.	B		1	0.0024
1856	214_T7_B2_K_2021	Spio martinensis	B		1	0.0003
1857	215_T7_B2_K_2021	Bathyporeia pelagica	B		6	0.001
1858	215_T7_B2_K_2021	Bathyporeia sarsi	B		1	0.0002
1859	215_T7_B2_K_2021	Electra pilosa	UNM	wenig		
1860	215_T7_B2_K_2021	Nephtys cirrosa	B		1	0.0078
1861	215_T7_B2_K_2021	Palaemonidae	B		1	0.0001
1862	215_T7_B2_K_2021	Scoloplos armiger agg.	B		2	0.0294
1863	215_T7_B2_K_2021	Spio martinensis	B		3	0.0003
1864	217_T7_B2_IV_2021	Amathia sp.	UNM	wenig		
1865	217_T7_B2_IV_2021	Bathyporeia pelagica	B		4	0.0014
1866	217_T7_B2_IV_2021	Bathyporeia sarsi	B		26	0.0076
1867	217_T7_B2_IV_2021	Bodotria scorpioides	UNM		1	

1868	217_T7_B2_IV_2021	<i>Idotea linearis</i>	UNM		1	
1869	217_T7_B2_IV_2021	<i>Mesopodopsis slabberi</i>	UNM		1	
1870	217_T7_B2_IV_2021	<i>Nemertea</i> indet.	B		1	0.0011
1871	217_T7_B2_IV_2021	<i>Nephtys cirrosa</i>	B		2	0.0109
1872	217_T7_B2_IV_2021	<i>Nephtys hombergii</i>	B		1	0.008
1873	217_T7_B2_IV_2021	<i>Obelia longissima</i>	UNM	wenig		
1874	217_T7_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		4	0.0813
1875	217_T7_B2_IV_2021	<i>Spio martinensis</i>	B		2	
1876	218_T7_B2_IV_2021	<i>Bathyporeia sarsi</i>	B		1	0.0003
1877	218_T7_B2_IV_2021	<i>Electra pilosa</i>	UNM	wenig		
1878	218_T7_B2_IV_2021	<i>Magelona mirabilis</i>	B		1	0.0037
1879	218_T7_B2_IV_2021	<i>Nephtys caeca</i>	B		1	0.2083
1880	218_T7_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0685
1881	218_T7_B2_IV_2021	<i>Scruparia chelata</i>	UNM	wenig		
1882	218_T7_B2_IV_2021	<i>Spio martinensis</i>	B		4	0.0006
1883	219_T7_B2_IV_2021	<i>Bathyporeia sarsi</i>	B		22	0.0084
1884	219_T7_B2_IV_2021	<i>Electra pilosa</i>	UNM	wenig		
1885	219_T7_B2_IV_2021	<i>Eteone longa</i>	B		1	1.00E-04
1886	219_T7_B2_IV_2021	<i>Nephtys cirrosa</i>	B		6	0.0393
1887	219_T7_B2_IV_2021	<i>Praunus flexuosus</i>	B		1	0.0003
1888	219_T7_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		2	0.0495
1889	219_T7_B2_IV_2021	<i>Sertularia</i> sp.	UNM	wenig		
1890	219_T7_B2_IV_2021	<i>Spio martinensis</i>	B		3	
1891	22_GR_DK2_0_2019	<i>Abra alba</i>	LFD		18	
1892	22_GR_DK2_0_2019	<i>Actinaria</i> gen. sp.	B		22	0.34802
1893	22_GR_DK2_0_2019	<i>Ampharete</i> sp.	UNM		1	
1894	22_GR_DK2_0_2019	<i>Aphelochaeta marioni</i>	UNM		1	
1895	22_GR_DK2_0_2019	<i>Aricidea minuta</i>	UNM		1	
1896	22_GR_DK2_0_2019	<i>Bodotria scorpioides</i>	B		8	0.00178
1897	22_GR_DK2_0_2019	<i>Cerastoderma edule</i>	BLFD		1	0.0008
1898	22_GR_DK2_0_2019	<i>Cheirocratus sundevallii</i>	B		3	0.00061
1899	22_GR_DK2_0_2019	<i>Conopeum seurati</i>	UNM	mittel		
1900	22_GR_DK2_0_2019	<i>Crassicorophium bonellii</i>	B		7	0.00035

1901	22_GR_DK2_0_2019	Ensis leei	B		1		16.888
1902	22_GR_DK2_0_2019	Ensis leei juv.	BLFD		7	0.01376	
1903	22_GR_DK2_0_2019	Eteone longa	B		4	0.00128	
1904	22_GR_DK2_0_2019	Eumida sanguinea	B		10	0.00409	
1905	22_GR_DK2_0_2019	Lagis koreni	UNM		1		
1907	22_GR_DK2_0_2019	Lanice conchilega	LFD		1		
1906	22_GR_DK2_0_2019	Lanice conchilega	BLFD		29	0.05805	
1908	22_GR_DK2_0_2019	Liocarcinus navigator	LFD		4		
1909	22_GR_DK2_0_2019	Macomangulus tenuis	BLFD		1	0.00166	
1910	22_GR_DK2_0_2019	Moerella donacina	BLFD		12		
1911	22_GR_DK2_0_2019	Myrianida sanmartini	UNM		9		
1912	22_GR_DK2_0_2019	Mytilus edulis	BLFD		1	8.00E-05	
1913	22_GR_DK2_0_2019	Nephtys cirrosa	BLFD		1	0.19267	
1914	22_GR_DK2_0_2019	Nephtys juv.	LFD		2		
1915	22_GR_DK2_0_2019	Nephtys kersivalensis	BLFD		3	0.02913	
1916	22_GR_DK2_0_2019	Nereis juv.	BLFD		1	0.00055	
1917	22_GR_DK2_0_2019	Notomastus latericeus	UNM		1		
1918	22_GR_DK2_0_2019	Nymphon brevirostre	UNM		1		
1919	22_GR_DK2_0_2019	Obelia bidentata	UNM	mittel			
1920	22_GR_DK2_0_2019	Paguridae, gen. sp. indet.	BLFD		1	0.00042	
1921	22_GR_DK2_0_2019	Phyllodoce mucosa	B		16	0.00114	
1922	22_GR_DK2_0_2019	Polycirrus sp.	UNM		1		
1924	22_GR_DK2_0_2019	Polydora ciliata	UNM		6		
1923	22_GR_DK2_0_2019	Polydora ciliata	B		7	0.00042737	
1926	22_GR_DK2_0_2019	Polydora cornuta	UNM		62		
1925	22_GR_DK2_0_2019	Polydora cornuta	B		69	0.00421263	
1927	22_GR_DK2_0_2019	Pseudopolydora pulchra	B		2	0.00116	
1929	22_GR_DK2_0_2019	Pygospio elegans	UNM		3		
1928	22_GR_DK2_0_2019	Pygospio elegans	B		331	0.0231	
1930	22_GR_DK2_0_2019	Scoloplos armiger agg.	BLFD		32	0.05857	
1932	22_GR_DK2_0_2019	Spio martinensis	UNM		3		
1931	22_GR_DK2_0_2019	Spio martinensis	B		18	0.01868	
1933	22_GR_DK2_0_2019	Streblospio benedicti	B		296	0.01676	

1934	22_GR_DK2_0_2019	Tharyx killariensis	B		1	0.00013
1935	22_GR_DK2_0_2019	Tharyx killariensis	UNM		4	
1936	22_GR_DK2_0_2019	Tubificoides pseudogaster agg.	UNM		1	
1937	22_GR_DK2_0_2019	unknown	UNM	wenig		
1938	22_GR_NA2_U_2019	Balanus crenatus	UNM		7	
1939	22_GR_NA2_U_2019	Bathyporeia elegans	B		1	0.00153
1940	22_GR_NA2_U_2019	Bathyporeia elegans	BLFD		9	
1941	22_GR_NA2_U_2019	Bathyporeia pelagica	B		1	
1942	22_GR_NA2_U_2019	Bathyporeia pelagica	BLFD		68	0.01468
1943	22_GR_NA2_U_2019	Bathyporeia sarsi	BLFD		3	0.00074
1944	22_GR_NA2_U_2019	Calycella syringa	UNM	wenig		
1945	22_GR_NA2_U_2019	Cliona cf. lobata	UNM	wenig		
1946	22_GR_NA2_U_2019	Conopeum reticulum	UNM	wenig		
1947	22_GR_NA2_U_2019	Eucheilota maculata	UNM	wenig		
1948	22_GR_NA2_U_2019	Haustorius arenarius	BLFD		4	0.00085
1949	22_GR_NA2_U_2019	Hydrallmania falcata	UNM	wenig		
1950	22_GR_NA2_U_2019	Kurtiella bidentata	BLFD		1	7.00E-05
1951	22_GR_NA2_U_2019	Mytilus edulis	BLFD		131	0.00343
1952	22_GR_NA2_U_2019	Nephtys cirrosa	BLFD		1	0.09203
1953	22_GR_NA2_U_2019	Obelia bidentata	UNM	wenig		
1954	22_GR_NA2_U_2019	Ophelia sp.	BLFD		12	0.00128
1955	22_GR_NA2_U_2019	Pontocrates altamarinus	BLFD		1	0.00045
1956	22_GR_NA2_U_2019	Scoloplos armiger agg.	BLFD		1	0.0054
1957	22_GR_NA2_U_2019	Scyphozoa indet.	UNM	mittel		
1958	22_GR_NA2_U_2019	Triticella flava	UNM	mittel		
1959	22_GR_NA2_U_2019	Tubificoides benedii	BLFD		2	0.00227
1960	22_GR_NA2_U_2019	Venerupis corrugata	BLFD		1	0.00013
1961	22_GR_NDS02_U_2020	Abra alba	B		1	0.0071
1962	22_GR_NDS02_U_2020	Aonides paucibranchiata	B		48	0.009
1963	22_GR_NDS02_U_2020	Bodotria scorpioides	UNM		1	
1964	22_GR_NDS02_U_2020	Ensis leei	B		2	0.2318
1965	22_GR_NDS02_U_2020	Eumida sp.	UNM		1	
1966	22_GR_NDS02_U_2020	Gattyana cirrhosa	B		1	0.0006

1967	22_GR_NDS02_U_2020	Goniadella bobretzkii	B		1	1.00E-04
1968	22_GR_NDS02_U_2020	Goniadella bobretzkii	UNM		1	
1969	22_GR_NDS02_U_2020	Kurtiella bidentata	B		1	0.0004
1970	22_GR_NDS02_U_2020	Lanice conchilega	B		6	0.1466
1971	22_GR_NDS02_U_2020	Liocarcinus holsatus	UNM		1	
1972	22_GR_NDS02_U_2020	Malmgrenia bicki	B		2	0.0004
1973	22_GR_NDS02_U_2020	Nemertea indet.	B		2	1.00E-04
1974	22_GR_NDS02_U_2020	Nephtys caeca	B		1	0.04
1975	22_GR_NDS02_U_2020	Nephtys cirrosa	B		5	0.0529
1976	22_GR_NDS02_U_2020	Nereididae gen. sp.	B		3	0.001
1977	22_GR_NDS02_U_2020	Obelia bidentata	UNM	wenig		
1978	22_GR_NDS02_U_2020	Obelia longissima	UNM	wenig		
1979	22_GR_NDS02_U_2020	Ophelia sp.	B		4	0.0244
1981	22_GR_NDS02_U_2020	Pisione remota	UNM		1	
1980	22_GR_NDS02_U_2020	Pisione remota	B		2	0.0003
1982	22_GR_NDS02_U_2020	Poecilochaetus serpens	UNM		1	
1983	22_GR_NDS02_U_2020	Protodorvillea kefersteini	UNM		1	
1985	22_GR_NDS02_U_2020	Spio decorata	UNM		1	
1984	22_GR_NDS02_U_2020	Spio decorata	B		2	
1986	22_GR_NDS02_U_2020	Spio symphyta	B		2	0.0016
1987	22_GR_NDS02_U_2020	Terebellidae gen. sp.	B		1	
1988	22_GR_NDS12_U_2021	Conopeum reticulum	UNM	wenig		
1989	22_GR_NDS12_U_2021	Conopeum seurati	UNM	wenig		
1990	22_GR_NDS12_U_2021	Electra monostachys	UNM	wenig		
1991	22_GR_NDS12_U_2021	Limecola balthica	B		1	0.0868
1992	22_GR_NDS12_U_2021	Magelona mirabilis	B		1	0.0024
1993	22_GR_NDS12_U_2021	Mesopodopsis slabberi	B		1	0.0008
1994	22_GR_NDS12_U_2021	Neomysis integer	B		1	0.0006
1995	22_GR_NDS12_U_2021	Nephtys hombergii	B		1	0.0324
1996	22_GR_NDS12_U_2021	Scoloplos armiger agg.	B		2	0.0047
1997	22_GR_NDS12_U_2021	Spio martinensis	B		9	0.0017
1998	22_GR_SA2_U_2019	Bathyporeia sarsi	B		4	
1999	22_GR_SA2_U_2019	Bathyporeia sarsi	BLFD		21	0.00749

2000	22_GR_SA2_U_2019	Ensis leei	BLFD		6	1.4038
2001	22_GR_SA2_U_2019	Obelia bidentata	UNM	wenig		
2002	22_GR_SA2_U_2019	Obelia dichotoma	UNM	wenig		
2003	22_GR_SA2_U_2019	Pagurus bernhardus	LFD		1	
2004	22_T0_B_IV_2019	Bathyporeia elegans	BLFD		1	0.00018
2005	22_T0_B_IV_2019	Bathyporeia pelagica	B		3	
2006	22_T0_B_IV_2019	Bathyporeia pelagica	BLFD		42	0.0111
2007	22_T0_B_IV_2019	Bathyporeia sarsi	B		1	
2009	22_T0_B_IV_2019	Bathyporeia sarsi	LFD		1	
2008	22_T0_B_IV_2019	Bathyporeia sarsi	BLFD		54	0.01383
2010	22_T0_B_IV_2019	Eteone longa	BLFD		1	0.00096
2011	22_T0_B_IV_2019	Fabulina fabula	BLFD		2	0.0013
2012	22_T0_B_IV_2019	Hydractinia echinata	UNM	wenig		
2013	22_T0_B_IV_2019	Limecola balthica	BLFD		1	0.00938
2014	22_T0_B_IV_2019	Liocarcinus holsatus	UNM		1	
2015	22_T0_B_IV_2019	Magelona mirabilis	BLFD		2	0.00435
2016	22_T0_B_IV_2019	Nephtys caeca	BLFD		1	0.0754
2017	22_T0_B_IV_2019	Nephtys cirrosa	UNM		1	
2018	22_T0_B_IV_2019	Retusa obtusa	BLFD		1	0.00012
2019	22_T0_B_IV_2019	Scoloplos armiger agg.	BLFD		5	0.11208
2020	22_T0_B_IV_2019	Spio martinensis	BLFD		5	0.0008
2021	220_T7_B2_IV_2021	Bathyporeia pelagica	B		6	0.0031
2022	220_T7_B2_IV_2021	Bathyporeia sarsi	B		16	0.005
2023	220_T7_B2_IV_2021	Capitella capitata agg.	B		1	1.00E-04
2024	220_T7_B2_IV_2021	Mesopodopsis slabberi	B		1	0.0004
2025	220_T7_B2_IV_2021	Nephtys cirrosa	B		2	0.0143
2026	220_T7_B2_IV_2021	Praunus flexuosus	B		1	0.0003
2027	220_T7_B2_IV_2021	Scoloplos armiger agg.	B		4	0.1342
2028	220_T7_B2_IV_2021	Spio martinensis	B		1	1.00E-04
2029	221_T7_B2_IV_2021	Bathyporeia pelagica	B		1	0.0002
2030	221_T7_B2_IV_2021	Bathyporeia sarsi	B		4	0.0009
2031	221_T7_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
2032	221_T7_B2_IV_2021	Nephtys cirrosa	B		1	0.0092

2033	221_T7_B2_IV_2021	Scoloplos armiger agg.	B		1	0.045
2034	222_T7_B2_IV_2021	Bathyporeia sarsi	B		1	1.00E-04
2035	222_T7_B2_IV_2021	Capitella capitata agg.	B		1	
2036	222_T7_B2_IV_2021	Crangon crangon	B		1	0.0454
2037	222_T7_B2_IV_2021	Diplosoma sp.	UNM	wenig		
2038	222_T7_B2_IV_2021	Electra pilosa	UNM	wenig		
2039	222_T7_B2_IV_2021	Gammarus sp.	B		1	1.00E-04
2040	222_T7_B2_IV_2021	Jassa sp.	B		1	0.0003
2041	222_T7_B2_IV_2021	Macomangulus tenuis	B		1	0.003
2042	222_T7_B2_IV_2021	Magelona mirabilis	B		4	0.0053
2043	222_T7_B2_IV_2021	Nephtys cirrosa	B		3	0.0221
2044	222_T7_B2_IV_2021	Obelia longissima	UNM	wenig		
2045	222_T7_B2_IV_2021	Scoloplos armiger agg.	B		5	0.1843
2046	222_T7_B2_IV_2021	Sertularia sp.	UNM	wenig		
2047	222_T7_B2_IV_2021	Spio martinensis	B		1	0.0002
2048	223_T7_B2_IV_2021	Ascidacea indet.	B		1	1.00E-04
2049	223_T7_B2_IV_2021	Bathyporeia pelagica	B		3	0.0006
2050	223_T7_B2_IV_2021	Bathyporeia sarsi	B		12	0.0035
2051	223_T7_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
2052	223_T7_B2_IV_2021	Capitella capitata agg.	B		2	0.0007
2053	223_T7_B2_IV_2021	Electra pilosa	UNM	wenig		
2054	223_T7_B2_IV_2021	Magelona mirabilis	B		1	0.0019
2055	223_T7_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0385
2056	223_T7_B2_IV_2021	Spio martinensis	B		4	5.00E-04
2057	224_T7_B2_IV_2021	Bathyporeia elegans	B		2	4.00E-04
2058	224_T7_B2_IV_2021	Bathyporeia pelagica	B		83	0.0232
2059	224_T7_B2_IV_2021	Bathyporeia sarsi	B		16	0.0076
2060	224_T7_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
2061	224_T7_B2_IV_2021	Magelona mirabilis	B		1	0.0014
2062	224_T7_B2_IV_2021	Nemertea indet.	UNM		1	
2063	224_T7_B2_IV_2021	Nephtys cirrosa	B		6	0.0715
2064	224_T7_B2_IV_2021	Scoloplos armiger agg.	B		3	0.0948
2065	224_T7_B2_IV_2021	Spio martinensis	B		2	0.0004

2066	225_T7_B2_IV_2021	Bathyporeia guilliamsoniana	B		1	0.0013	
2067	225_T7_B2_IV_2021	Bathyporeia pelagica	B		45	0.0118	
2068	225_T7_B2_IV_2021	Bathyporeia sarsi	B		16	0.0039	
2069	225_T7_B2_IV_2021	Capitella capitata agg.	B		1	0.0002	
2070	225_T7_B2_IV_2021	Crangon sp.	B		1		
2071	225_T7_B2_IV_2021	Macomangulus tenuis	B		1	0.0033	
2072	225_T7_B2_IV_2021	Magelona johnstoni	B		1	0.0012	
2073	225_T7_B2_IV_2021	Nephtys cirrosa	B		2	0.0022	
2074	225_T7_B2_IV_2021	Scoloplos sp.	UNM		1		
2075	225_T7_B2_IV_2021	Spio martinensis	B		3	5.00E-04	
2076	227_T7_B2_IV_2021	Bathyporeia pelagica	B		1	0.0004	
2077	227_T7_B2_IV_2021	Bathyporeia sarsi	B		4	0.001	
2078	227_T7_B2_IV_2021	Brachyura indet.	UNM		1		
2079	227_T7_B2_IV_2021	Electra pilosa	UNM	wenig			
2080	227_T7_B2_IV_2021	Lamprops fasciatus	B		1	1.00E-04	
2081	227_T7_B2_IV_2021	Nephtys caeca	B		1	0.1707	
2082	227_T7_B2_IV_2021	Palaemonidae	B		1	0.0002	
2083	227_T7_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0226	
2084	227_T7_B2_IV_2021	Spio martinensis	B		1		
2085	229_T12_B2_K_2021	Conopeum reticulum	UNM	wenig			
2086	229_T12_B2_K_2021	Electra monostachys	UNM	wenig			
2087	229_T12_B2_K_2021	Magelona mirabilis	B		1	0.0028	
2088	229_T12_B2_K_2021	Scoloplos armiger agg.	B		2	0.0813	
2089	23_GR_DK2_0_2019	Actinaria gen. sp.	B		38	1.3075	
2090	23_GR_DK2_0_2019	Alcyonidioides mytili	UNM	wenig			
2091	23_GR_DK2_0_2019	Ampharete sp.	B		5		0.09903
2092	23_GR_DK2_0_2019	Aricidea minuta	LFD		1		
2093	23_GR_DK2_0_2019	Asterias rubens	B		1		1.864
2094	23_GR_DK2_0_2019	Balanus crenatus	BLFD		2	0.00238	
2096	23_GR_DK2_0_2019	Capitella capitata agg.	UNM		8		
2095	23_GR_DK2_0_2019	Capitella capitata agg.	B		34	0.00928	
2097	23_GR_DK2_0_2019	Caprella linearis	BLFD		1	4.00E-05	
2098	23_GR_DK2_0_2019	Conopeum reticulum	UNM	wenig			

2099	23_GR_DK2_0_2019	Conopeum seurati	UNM	viel		
2101	23_GR_DK2_0_2019	Crassikorophium bonellii	LFD		1	
2100	23_GR_DK2_0_2019	Crassikorophium bonellii	B		9	0.00096
2102	23_GR_DK2_0_2019	Crepidula fornicata	BLFD		3	0.00113
2103	23_GR_DK2_0_2019	Echinocardium cordatum	LFD		1	
2104	23_GR_DK2_0_2019	Ensis leei	B		1	4.781
2105	23_GR_DK2_0_2019	Ensis leei juv.	BLFD		13	0.03968
2107	23_GR_DK2_0_2019	Eteone longa	UNM		1	
2106	23_GR_DK2_0_2019	Eteone longa	B		9	0.00272
2108	23_GR_DK2_0_2019	Eumida bahusiensis	UNM		1	
2111	23_GR_DK2_0_2019	Eumida sanguinea	UNM		2	
2110	23_GR_DK2_0_2019	Eumida sanguinea	BLFD		15	0.03273
2109	23_GR_DK2_0_2019	Eumida sanguinea	B		82	
2112	23_GR_DK2_0_2019	Fimbriosthenelais zetlandica	UNM		3	
2113	23_GR_DK2_0_2019	Gattyana cirrhosa	BLFD		4	0.00519
2114	23_GR_DK2_0_2019	Harmothoe glabra	UNM		1	
2115	23_GR_DK2_0_2019	Lagis koreni	B		1	0.21584
2118	23_GR_DK2_0_2019	Lanice conchilega	UNM		1	
2117	23_GR_DK2_0_2019	Lanice conchilega	LFD		4	
2116	23_GR_DK2_0_2019	Lanice conchilega	BLFD		97	0.57579
2119	23_GR_DK2_0_2019	Liocarcinus navigator	B		6	0.00818
2120	23_GR_DK2_0_2019	Microprotopus maculatus	LFD		5	
2121	23_GR_DK2_0_2019	Moerella donacina	LFD		13	
2122	23_GR_DK2_0_2019	Moerella donacina	UNM		23	
2124	23_GR_DK2_0_2019	Myrianida sanmartini	UNM		1	
2123	23_GR_DK2_0_2019	Myrianida sanmartini	LFD		6	
2125	23_GR_DK2_0_2019	Mytilus edulis	LFD		2	
2126	23_GR_DK2_0_2019	Nephtys juv.	BLFD		4	0.00128
2127	23_GR_DK2_0_2019	Nereis juv.	BLFD		3	0.0009
2128	23_GR_DK2_0_2019	Nymphon brevirostre	UNM		1	
2129	23_GR_DK2_0_2019	Obelia bidentata	UNM	viel		
2130	23_GR_DK2_0_2019	Obelia bidentata	UNM	wenig		
2131	23_GR_DK2_0_2019	Parvipalpus capillaceus	B		7	0.0016

2132	23_GR_DK2_0_2019	Parvipalpus capillaceus	LFD		7		
2133	23_GR_DK2_0_2019	Phyllodoce mucosa	B		13	0.0069	
2134	23_GR_DK2_0_2019	Polycirrus sp.	B		2		0.01824
2135	23_GR_DK2_0_2019	Polydora cf. websteri	UNM		3		
2136	23_GR_DK2_0_2019	Polydora ciliata	LFD		1		
2137	23_GR_DK2_0_2019	Polydora ciliata	UNM		32		
2138	23_GR_DK2_0_2019	Polydora cornuta	LFD		1		
2139	23_GR_DK2_0_2019	Polydora cornuta	UNM		59		
2140	23_GR_DK2_0_2019	Pseudopolydora pulchra	LFD		2		
2143	23_GR_DK2_0_2019	Pygospio elegans	UNM		3		
2142	23_GR_DK2_0_2019	Pygospio elegans	LFD		5		
2141	23_GR_DK2_0_2019	Pygospio elegans	B		464	0.03363	
2144	23_GR_DK2_0_2019	Scolecopsis foliosa	B		1		0.07316
2145	23_GR_DK2_0_2019	Scoloplos armiger agg.	BLFD		27	0.09396	
2146	23_GR_DK2_0_2019	Spio martinensis	UNM		14		
2147	23_GR_DK2_0_2019	Spiophanes bombyx	LFD		1		
2148	23_GR_DK2_0_2019	Spiophanes bombyx	UNM		1		
2149	23_GR_DK2_0_2019	Spisula subtruncata	LFD		1		
2151	23_GR_DK2_0_2019	Stenothoe monoculoides	LFD		2		
2150	23_GR_DK2_0_2019	Stenothoe monoculoides	B		16	0.00066	
2152	23_GR_DK2_0_2019	Streblospio benedicti	B		113	0.00851	
2153	23_GR_DK2_0_2019	Tharyx killariensis	LFD		1		
2154	23_GR_DK2_0_2019	Tubificoides benedii	UNM		1		
2155	23_GR_DK2_0_2019	Tubificoides pseudogaster agg.	UNM		5		
2156	23_GR_NA2_U_2019	Balanus crenatus	UNM		2		
2157	23_GR_NA2_U_2019	Bathyporeia elegans	BLFD		2	0.00035	
2158	23_GR_NA2_U_2019	Bathyporeia pelagica	B		1		
2159	23_GR_NA2_U_2019	Bathyporeia pelagica	BLFD		2	0.0005	
2160	23_GR_NA2_U_2019	Conopeum reticulum	UNM	wenig			
2161	23_GR_NA2_U_2019	Electra monostachys	UNM	wenig			
2162	23_GR_NA2_U_2019	Gastrosaccus spinifer	BLFD		1	0.00015	
2163	23_GR_NA2_U_2019	Haustorius arenarius	BLFD		1	0.0005	
2164	23_GR_NA2_U_2019	Hydractinia echinata	UNM	wenig			

2165	23_GR_NA2_U_2019	<i>Mytilus edulis</i>	BLFD		69	0.00162
2166	23_GR_NA2_U_2019	<i>Ophelia</i> sp.	BLFD		1	0.00014
2167	23_GR_NA2_U_2019	Scyphozoa indet.	UNM	wenig		
2168	23_GR_NA2_U_2019	<i>Sertularia cupressina</i>	UNM	wenig		
2169	23_GR_NA2_U_2019	<i>Triticella flava</i>	UNM	mittel		
2170	23_GR_NDS02_U_2020	<i>Abludomelita obtusata</i>	B		4	0.0011
2171	23_GR_NDS02_U_2020	<i>Abra alba</i>	B		15	0.1633
2172	23_GR_NDS02_U_2020	Alcyonidiidae gen. sp.	UNM	wenig		
2173	23_GR_NDS02_U_2020	<i>Aonides paucibranchiata</i>	B		1	
2174	23_GR_NDS02_U_2020	Callianassidae gen. sp.	UNM		1	
2175	23_GR_NDS02_U_2020	<i>Chaetozone chambersae</i> /sp.	B		1	0.0002
2176	23_GR_NDS02_U_2020	<i>Chaetozone chambersae</i> /sp.	UNM		1	
2177	23_GR_NDS02_U_2020	<i>Conopeum reticulum</i>	UNM	wenig		
2178	23_GR_NDS02_U_2020	<i>Cylista troglodytes</i> agg.	B		6	1.8757
2179	23_GR_NDS02_U_2020	<i>Echinocardium cordatum</i>	B		1	0.1169
2180	23_GR_NDS02_U_2020	<i>Echinocardium cordatum</i>	UNM		1	
2181	23_GR_NDS02_U_2020	<i>Electra pilosa</i>	UNM	wenig		
2182	23_GR_NDS02_U_2020	<i>Ensis leei</i>	B		2	0.8271
2183	23_GR_NDS02_U_2020	<i>Eumida bahusiensis</i>	B		2	0.0002
2184	23_GR_NDS02_U_2020	<i>Eumida</i> sp.	B		3	1.00E-04
2186	23_GR_NDS02_U_2020	<i>Fabulina fabula</i>	UNM		1	
2185	23_GR_NDS02_U_2020	<i>Fabulina fabula</i>	B		5	0.0165
2187	23_GR_NDS02_U_2020	<i>Gattyana cirrhosa</i>	B		1	0.0007
2188	23_GR_NDS02_U_2020	<i>Glycera tridactyla</i>	B		2	0.0024
2189	23_GR_NDS02_U_2020	<i>Hypophorella expansa</i>	UNM	wenig		
2190	23_GR_NDS02_U_2020	<i>Kurtiella bidentata</i>	B		33	0.0033
2191	23_GR_NDS02_U_2020	<i>Lagis koreni</i>	UNM		1	
2192	23_GR_NDS02_U_2020	<i>Lanice conchilega</i>	B		1	0.0141
2193	23_GR_NDS02_U_2020	Lineidae gen. sp.	B		1	0.0023
2194	23_GR_NDS02_U_2020	Lineidae gen. sp.	UNM		1	
2195	23_GR_NDS02_U_2020	<i>Liocarcinus</i> sp.	UNM		1	
2196	23_GR_NDS02_U_2020	<i>Loxosomella</i> sp.	UNM	wenig		
2198	23_GR_NDS02_U_2020	<i>Magelona filiformis</i>	UNM		1	

2197	23_GR_NDS02_U_2020	Magelona filiformis	B		4	0.0021
2199	23_GR_NDS02_U_2020	Magelona johnstoni	B		1	
2200	23_GR_NDS02_U_2020	Malmgrenia bicki	B		2	0.0022
2201	23_GR_NDS02_U_2020	Mediomastus fragilis	B		4	0.0004
2202	23_GR_NDS02_U_2020	Myrianida sanmartini	B		3	0.0002
2203	23_GR_NDS02_U_2020	Myrianida sp.	B		2	
2204	23_GR_NDS02_U_2020	Nemertea indet.	B		1	5.00E-04
2205	23_GR_NDS02_U_2020	Nemertea indet.	UNM		2	
2206	23_GR_NDS02_U_2020	Nephtys sp.	B		2	0.0004
2207	23_GR_NDS02_U_2020	Obelia bidentata	UNM	wenig		
2208	23_GR_NDS02_U_2020	Obelia longissima	UNM	wenig		
2209	23_GR_NDS02_U_2020	Ophiura albida	B		1	0.0004
2210	23_GR_NDS02_U_2020	Ophiura albida	UNM		1	
2211	23_GR_NDS02_U_2020	Ophiura ophiura	UNM		1	
2212	23_GR_NDS02_U_2020	Owenia fusiformis agg.	UNM		1	
2213	23_GR_NDS02_U_2020	Pagurus bernhardus	B		1	0.0686
2214	23_GR_NDS02_U_2020	Pariambus typicus	B		1	0.0002
2215	23_GR_NDS02_U_2020	Pariambus typicus	UNM		1	
2217	23_GR_NDS02_U_2020	Phoronis pallida	UNM		1	
2216	23_GR_NDS02_U_2020	Phoronis pallida	B		3	
2218	23_GR_NDS02_U_2020	Poecilochaetus serpens	B		4	0.0022
2219	23_GR_NDS02_U_2020	Pseudopolydora pulchra	UNM		1	
2220	23_GR_NDS02_U_2020	Scoloplos armiger agg.	B		46	0.0269
2221	23_GR_NDS02_U_2020	Spathipora sp.	UNM	wenig		
2222	23_GR_NDS02_U_2020	Spio decorata	B		2	0.0004
2223	23_GR_NDS02_U_2020	Spisula subtruncata	B		13	0.0088
2225	23_GR_NDS02_U_2020	Tellimya ferruginosa	UNM		1	
2224	23_GR_NDS02_U_2020	Tellimya ferruginosa	B		5	0.0043
2226	23_GR_NDS02_U_2020	Terebellidae gen. sp.	B		4	0.0002
2227	23_GR_NDS02_U_2020	Tubificinae gen. sp.	B		5	1.00E-04
2229	23_GR_NDS02_U_2020	Tubulanus polymorphus	UNM		1	
2228	23_GR_NDS02_U_2020	Tubulanus polymorphus	B		3	0.0029
2231	23_GR_NDS02_U_2020	Urothoe poseidonis	UNM		1	

2230	23_GR_NDS02_U_2020	Urothoe poseidonis	B		4	0.0004
2232	23_GR_NDS02_U_2020	Venerupis corrugata	UNM		1	
2233	23_GR_NDS13_U_2021	Alitta succinea	B		3	0.0023
2234	23_GR_NDS13_U_2021	Ampharete sp.	B		1	
2235	23_GR_NDS13_U_2021	Amphipholis squamata	B		2	0.0004
2236	23_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
2237	23_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
2238	23_GR_NDS13_U_2021	Asciacea indet.	B		2	0.0003
2239	23_GR_NDS13_U_2021	Bodotria scorpioides	B		1	0.0001
2240	23_GR_NDS13_U_2021	Capitella capitata agg.	B		3	0.001
2241	23_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
2242	23_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
2243	23_GR_NDS13_U_2021	Cylista troglodytes agg.	B		78	6.3389
2244	23_GR_NDS13_U_2021	Dyopedos monacanthus	B		2	0.0007
2245	23_GR_NDS13_U_2021	Ensis leei	B		2	1.0873
2246	23_GR_NDS13_U_2021	Eteone longa	B		1	0.0002
2247	23_GR_NDS13_U_2021	Eteone longa	UNM		1	
2248	23_GR_NDS13_U_2021	Eumida bahusiensis	B		27	0.0039
2249	23_GR_NDS13_U_2021	Eunereis longissima	B		2	0.0107
2250	23_GR_NDS13_U_2021	Gattyana cirrhosa	B		5	0.0102
2251	23_GR_NDS13_U_2021	Glycera tridactyla	B		4	0.0052
2252	23_GR_NDS13_U_2021	Lanice conchilega	B		146	6.512184
2253	23_GR_NDS13_U_2021	Macropodia sp.	B		1	0.0006
2254	23_GR_NDS13_U_2021	Malmgrenia bicki	B		32	0.0282
2255	23_GR_NDS13_U_2021	Mediomastus fragilis	B		5	0.0016
2256	23_GR_NDS13_U_2021	Mesopodopsis slabberi	B		1	0.0007
2257	23_GR_NDS13_U_2021	Microphthalmus sp.	B		1	
2258	23_GR_NDS13_U_2021	Microprotopus maculatus	B		5	5.00E-04
2259	23_GR_NDS13_U_2021	Monocorophium acherusicum	B		1	0.0004
2260	23_GR_NDS13_U_2021	Myrianida sanmartini	B		1	0.0002
2261	23_GR_NDS13_U_2021	Mytilus edulis agg.	B		1	
2262	23_GR_NDS13_U_2021	Nephtys caeca	B		8	0.0218
2263	23_GR_NDS13_U_2021	Polydora cornuta	B		3	

2264	23_GR_NDS13_U_2021	Pygospio elegans	B		8	0.0011
2265	23_GR_NDS13_U_2021	Scoloplos armiger agg.	B		27	0.0521
2266	23_GR_NDS13_U_2021	Streblospio shrubsolii	B		1	
2267	23_GR_NDS13_U_2021	Terebellidae gen. sp.	B		2	0.0002
2268	23_GR_NDS13_U_2021	Tharyx killariensis	B		9	0.0018
2269	23_GR_NDS13_U_2021	Tharyx sp.	B		13	0.0017
2270	23_GR_NDS13_U_2021	Tubificinae gen. sp.	B		4	0.0003
2271	23_GR_NDS13_U_2021	Tubificoides benedii	B		12	0.0018
2272	23_GR_NDS13_U_2021	Veneridae gen. sp.	B		3	0.0017
2273	23_GR_SA2_U_2019	Capitella capitata agg.	BLFD		3	0.00133
2274	23_GR_SA2_U_2019	Ensis leei	BLFD		3	0.59745
2275	23_GR_SA2_U_2019	Nephtys cirrosa	B		1	
2276	23_GR_SA2_U_2019	Nephtys cirrosa	BLFD		1	0.00879
2277	23_GR_SA2_U_2019	Obelia dichotoma	UNM	wenig		
2278	23_T0_B_IV_2019	Bathyporeia pelagica	BLFD		2	0.00039
2279	23_T0_B_IV_2019	Bathyporeia sarsi	BLFD		1	0.00041
2280	23_T0_B_IV_2019	Capitella cf. capitata agg.	BLFD		1	0.00078
2281	23_T0_B_IV_2019	Conopeum reticulum	UNM	wenig		
2282	23_T0_B_IV_2019	Euceilota maculata	UNM	wenig		
2283	23_T0_B_IV_2019	Gastrosaccus spinifer	BLFD		1	0.00036
2284	23_T0_B_IV_2019	Hydractinia echinata	UNM	wenig		
2285	23_T0_B_IV_2019	Magelona johnstoni	BLFD		1	0.0003
2286	23_T0_B_IV_2019	Magelona mirabilis	BLFD		3	0.00689
2287	23_T0_B_IV_2019	Nephtys cirrosa	BLFD		2	
2288	23_T0_B_IV_2019	Nephtys hombergii	BLFD		2	0.01796
2289	23_T0_B_IV_2019	Obelia bidentata	UNM	wenig		
2290	23_T0_B_IV_2019	Scoloplos armiger agg.	BLFD		7	0.16224
2291	23_T0_B_IV_2019	Spio martinensis	BLFD		13	0.00173
2292	230_T12_B2_K_2021	Bathyporeia sarsi	B		1	0.0008
2293	230_T12_B2_K_2021	Eteone longa	B		1	0.0003
2294	230_T12_B2_K_2021	Magelona mirabilis	B		1	0.0029
2295	230_T12_B2_K_2021	Mesopodopsis slabberi	B		1	0.0003
2296	230_T12_B2_K_2021	Nephtys cirrosa	B		2	0.03

2297	230_T12_B2_K_2021	Scoloplos armiger agg.	B		1	0.0188
2298	230_T12_B2_K_2021	Spio martinensis	B		1	1.00E-04
2299	231_T12_B2_K_2021	Bathyporeia pelagica	B		5	0.0018
2300	231_T12_B2_K_2021	Bathyporeia sarsi	B		3	0.0018
2301	231_T12_B2_K_2021	Nemertea indet.	B		1	0.0003
2302	231_T12_B2_K_2021	Nephtys cirrosa	B		1	0.0091
2303	231_T12_B2_K_2021	Paguroidea indet.	B		1	0.0002
2304	231_T12_B2_K_2021	Scoloplos armiger agg.	B		1	0.0024
2305	231_T12_B2_K_2021	Spio martinensis	B		2	0.0003
2306	232_T12_B2_K_2021	Bathyporeia guilliamsoniana	B		1	0.0013
2307	232_T12_B2_K_2021	Bathyporeia pelagica	B		9	0.0029
2308	232_T12_B2_K_2021	Bathyporeia sarsi	B		4	0.0003
2309	232_T12_B2_K_2021	Conopeum reticulum	UNM	wenig		
2310	232_T12_B2_K_2021	Crangon crangon	B		1	0.1417
2311	232_T12_B2_K_2021	Gastrosaccus spinifer	B		2	0.0002
2312	232_T12_B2_K_2021	Nephtys caeca	B		1	0.2147
2313	232_T12_B2_K_2021	Scoloplos armiger agg.	B		1	0.0045
2314	232_T12_B2_K_2021	Sertularia sp.	UNM	wenig		
2315	233_T12_B2_K_2021	Bathyporeia pelagica	B		8	0.0018
2316	233_T12_B2_K_2021	Bathyporeia sarsi	B		1	0.0006
2317	233_T12_B2_K_2021	Campanulariidae gen. sp.	UNM	wenig		
2318	233_T12_B2_K_2021	Conopeum reticulum	UNM	wenig		
2319	233_T12_B2_K_2021	Einhornia crustulenta	UNM	wenig		
2320	233_T12_B2_K_2021	Gastrosaccus spinifer	B		5	0.0006
2321	233_T12_B2_K_2021	Nephtys cirrosa	B		2	0.0125
2322	233_T12_B2_K_2021	Scoloplos armiger agg.	B		2	0.0252
2323	233_T12_B2_K_2021	Sertularia sp.	UNM	wenig		
2324	234_T12_B2_K_2021	Bathyporeia pelagica	B		41	0.0127
2325	234_T12_B2_K_2021	Bathyporeia sarsi	B		9	0.0031
2326	234_T12_B2_K_2021	Capitella capitata agg.	B		1	0.0004
2327	234_T12_B2_K_2021	Scoloplos sp.	B		1	1.00E-04
2328	234_T12_B2_K_2021	Spio martinensis	B		1	
2329	235_T12_B2_K_2021	Bathyporeia pelagica	B		97	0.0301

2330	235_T12_B2_K_2021	Bathyporeia sarsi	B		28	0.0076	
2331	235_T12_B2_K_2021	Conopeum reticulum	UNM	wenig			
2332	235_T12_B2_K_2021	Gastrosaccus spinifer	B		12	0.0017	
2333	235_T12_B2_K_2021	Nephtys cirrosa	B		1	0.0059	
2334	235_T12_B2_K_2021	Obelia longissima	UNM	wenig			
2335	237_T12_B2_K_2021	Bathyporeia pelagica	B		17	0.0055	
2336	237_T12_B2_K_2021	Bathyporeia sarsi	B		14	0.0036	
2337	237_T12_B2_K_2021	Conopeum reticulum	UNM	wenig			
2338	237_T12_B2_K_2021	Nephtys cirrosa	B		4	0.0318	
2339	237_T12_B2_K_2021	Spio martinensis	B		4	5.00E-04	
2340	238_T12_B2_K_2021	Conopeum reticulum	UNM	wenig			
2341	238_T12_B2_K_2021	Magelona mirabilis	B		1	0.0027	
2342	238_T12_B2_K_2021	Nephtys caeca	B		1	0.3275	
2343	238_T12_B2_K_2021	Nephtys cirrosa	B		1	0.0116	
2344	238_T12_B2_K_2021	Scoloplos armiger agg.	B		2	0.0304	
2345	238_T12_B2_K_2021	Spio martinensis	B		7	0.0003	
2346	239_T12_B2_K_2021	Alcyonidiidae gen. sp.	UNM	wenig			
2347	239_T12_B2_K_2021	Balanus crenatus	B		1	1.00E-04	
2348	239_T12_B2_K_2021	Bathyporeia sarsi	B		1	0.0004	
2349	239_T12_B2_K_2021	Conopeum seurati	UNM	wenig			
2350	239_T12_B2_K_2021	Crepidula fornicata	B		1	0.0006	
2351	239_T12_B2_K_2021	Magelona mirabilis	B		2	0.0094	
2352	239_T12_B2_K_2021	Monocorophium acherusicum	B		1		
2353	239_T12_B2_K_2021	Monocorophium acherusicum	UNM		1		
2354	239_T12_B2_K_2021	Nephtys cirrosa	B		1	0.0102	
2355	239_T12_B2_K_2021	Pagurus bernhardus	B		1	0.318	
2356	239_T12_B2_K_2021	Scoloplos armiger agg.	B		4	0.1034	
2357	239_T12_B2_K_2021	Spio martinensis	B		1	0.0001	
2359	24_GR_DK2_0_2019	Abra alba	LFD		2		
2358	24_GR_DK2_0_2019	Abra alba	BLFD		15	0.01282	
2360	24_GR_DK2_0_2019	Actinaria gen. sp.	B		15		2.909
2361	24_GR_DK2_0_2019	Alcyonidioides mytili	UNM	viel			
2362	24_GR_DK2_0_2019	Ampharete sp.	UNM		6		

2363	24_GR_DK2_0_2019	Aricidea minuta	UNM	3		
2364	24_GR_DK2_0_2019	Austrominius modestus	LFD	1		
2365	24_GR_DK2_0_2019	Balanus crenatus	LFD	7		
2366	24_GR_DK2_0_2019	Bodotria scorpioides	BLFD	11	0.00181	
2368	24_GR_DK2_0_2019	Capitella capitata agg.	BLFD	3	0.0045	
2369	24_GR_DK2_0_2019	Capitella capitata agg.	LFD	4		
2370	24_GR_DK2_0_2019	Capitella capitata agg.	UNM	4		
2367	24_GR_DK2_0_2019	Capitella capitata agg.	B	70		
2371	24_GR_DK2_0_2019	Cerastoderma edule	LFD	1		
2372	24_GR_DK2_0_2019	Cheirocratus sundevallii	LFD	2		
2373	24_GR_DK2_0_2019	Corbula gibba	LFD	1		
2374	24_GR_DK2_0_2019	Crangon crangon	BLFD	1	0.17285	
2376	24_GR_DK2_0_2019	Crassikorophium bonellii	LFD	2		
2375	24_GR_DK2_0_2019	Crassikorophium bonellii	BLFD	6	0.00042	
2377	24_GR_DK2_0_2019	Crepidula fornicata	BLFD	5	0.00287	
2378	24_GR_DK2_0_2019	Ensis leei	B	3		0.535
2380	24_GR_DK2_0_2019	Ensis leei juv.	LFD	1		
2379	24_GR_DK2_0_2019	Ensis leei juv.	BLFD	6	0.0131	
2381	24_GR_DK2_0_2019	Eteone longa	LFD	3		
2384	24_GR_DK2_0_2019	Eumida sanguinea	LFD	2		
2385	24_GR_DK2_0_2019	Eumida sanguinea	UNM	2		
2383	24_GR_DK2_0_2019	Eumida sanguinea	BLFD	7	0.01768	
2382	24_GR_DK2_0_2019	Eumida sanguinea	B	15		
2386	24_GR_DK2_0_2019	Eunereis longissima	LFD	1		
2387	24_GR_DK2_0_2019	Fimbriosthenelais zetlandica	LFD	1		
2388	24_GR_DK2_0_2019	Fimbriosthenelais zetlandica	UNM	1		
2389	24_GR_DK2_0_2019	Gattyana cirrhosa	BLFD	1	0.01332	
2390	24_GR_DK2_0_2019	Gattyana cirrhosa	LFD	3		
2391	24_GR_DK2_0_2019	Harmothoe glabra	LFD	1		
2393	24_GR_DK2_0_2019	Lanice conchilega	LFD	7		
2392	24_GR_DK2_0_2019	Lanice conchilega	BLFD	32	0.26516	
2394	24_GR_DK2_0_2019	Laomedea flexuosa	UNM			viel
2395	24_GR_DK2_0_2019	Liocarcinus navigator	BLFD	10	0.03081	

2396	24_GR_DK2_0_2019	Lumbricillus lineatus	LFD		1	
2397	24_GR_DK2_0_2019	Macomangulus tenuis	LFD		2	
2398	24_GR_DK2_0_2019	Malacoceros tetracerus	UNM		1	
2399	24_GR_DK2_0_2019	Mediomastus fragilis	LFD		1	
2400	24_GR_DK2_0_2019	Myrianida sanmartini	UNM		3	
2401	24_GR_DK2_0_2019	Myrianida sp.	UNM		1	
2402	24_GR_DK2_0_2019	Nephtys hombergii	BLFD		8	0.10941
2403	24_GR_DK2_0_2019	Nephtys juv.	BLFD		2	0.00088
2404	24_GR_DK2_0_2019	Nereis juv.	BLFD		7	-0.03336
2405	24_GR_DK2_0_2019	Nymphon brevirostre	LFD		1	
2406	24_GR_DK2_0_2019	Obelia bidentata	UNM	viel		
2407	24_GR_DK2_0_2019	Pagurus bernhardus	BLFD		6	0.02102
2408	24_GR_DK2_0_2019	Parvipalpus capillaceus	LFD		1	
2409	24_GR_DK2_0_2019	Phaxas pellucidus	LFD		2	
2411	24_GR_DK2_0_2019	Phyllodoce mucosa	LFD		1	
2410	24_GR_DK2_0_2019	Phyllodoce mucosa	BLFD		96	0.00756
2412	24_GR_DK2_0_2019	Polycirrus sp.	UNM		1	
2414	24_GR_DK2_0_2019	Polydora ciliata	LFD		9	
2415	24_GR_DK2_0_2019	Polydora ciliata	UNM		12	
2413	24_GR_DK2_0_2019	Polydora ciliata	B		27	0.00121776
2418	24_GR_DK2_0_2019	Polydora cornuta	UNM		8	
2417	24_GR_DK2_0_2019	Polydora cornuta	LFD		17	
2416	24_GR_DK2_0_2019	Polydora cornuta	B		22	0.00099224
2420	24_GR_DK2_0_2019	Pseudopolydora pulchra	LFD		1	
2419	24_GR_DK2_0_2019	Pseudopolydora pulchra	BLFD		2	0.00103
2422	24_GR_DK2_0_2019	Pygospio elegans	BLFD		3	0.01949
2424	24_GR_DK2_0_2019	Pygospio elegans	UNM		7	
2423	24_GR_DK2_0_2019	Pygospio elegans	LFD		12	
2421	24_GR_DK2_0_2019	Pygospio elegans	B		232	
2426	24_GR_DK2_0_2019	Scoloplos armiger agg.	BLFD		24	0.265
2425	24_GR_DK2_0_2019	Scoloplos armiger agg.	B		31	
2427	24_GR_DK2_0_2019	Spio martinensis	LFD		8	
2428	24_GR_DK2_0_2019	Spio martinensis	UNM		9	

2429	24_GR_DK2_0_2019	<i>Spiophanes bombyx</i>	LFD		1	
2430	24_GR_DK2_0_2019	<i>Stenothoe monoculoides</i>	LFD		5	
2433	24_GR_DK2_0_2019	<i>Streblospio benedicti</i>	LFD		1	
2432	24_GR_DK2_0_2019	<i>Streblospio benedicti</i>	BLFD		17	0.02309
2431	24_GR_DK2_0_2019	<i>Streblospio benedicti</i>	B		332	
2435	24_GR_DK2_0_2019	<i>Tharyx killariensis</i>	UNM		4	
2434	24_GR_DK2_0_2019	<i>Tharyx killariensis</i>	LFD		5	
2436	24_GR_DK2_0_2019	<i>Tubificoides benedii</i>	UNM		2	
2437	24_GR_DK2_0_2019	<i>Tubificoides cf. pseudogaster</i> agg.	UNM		10	
2438	24_GR_NA2_U_2019	<i>Balanus crenatus</i>	UNM		4	
2439	24_GR_NA2_U_2019	<i>Bathyporeia pelagica</i>	BLFD		2	0.00058
2440	24_GR_NA2_U_2019	<i>Conopeum reticulum</i>	UNM	wenig		
2441	24_GR_NA2_U_2019	<i>Crepidula fornicata</i>	LFD		1	
2442	24_GR_NA2_U_2019	<i>Euceilota maculata</i>	UNM	wenig		
2443	24_GR_NA2_U_2019	<i>Gastrosaccus spinifer</i>	BLFD		1	0.00025
2444	24_GR_NA2_U_2019	<i>Haustorius arenarius</i>	BLFD		5	0.00805
2445	24_GR_NA2_U_2019	<i>Hydractinia echinata</i>	UNM	wenig		
2446	24_GR_NA2_U_2019	<i>Magallana gigas</i>	LFD		1	
2447	24_GR_NA2_U_2019	<i>Mytilus edulis</i>	BLFD		226	0.00655
2448	24_GR_NA2_U_2019	<i>Nephtys cirrosa</i>	BLFD		1	0.00119
2449	24_GR_NA2_U_2019	<i>Obelia bidentata</i>	UNM	wenig		
2450	24_GR_NA2_U_2019	<i>Obelia dichotoma</i>	UNM	wenig		
2452	24_GR_NA2_U_2019	<i>Ophelia sp.</i>	LFD		1	
2453	24_GR_NA2_U_2019	<i>Ophelia sp.</i>	UNM		1	
2451	24_GR_NA2_U_2019	<i>Ophelia sp.</i>	BLFD		8	0.00747
2454	24_GR_NA2_U_2019	<i>Scolelepis squamata</i>	BLFD		1	0.00036
2455	24_GR_NA2_U_2019	<i>Scyphozoa indet.</i>	UNM	mittel		
2456	24_GR_NA2_U_2019	<i>Sertularia cupressina</i>	UNM	mittel		
2457	24_GR_NA2_U_2019	<i>Triticella flava</i>	UNM	wenig		
2458	24_GR_NDS02_U_2020	<i>Abludomelita obtusata</i>	LFD		1	
2459	24_GR_NDS02_U_2020	<i>Abra alba</i> juv.	BLFD		1	0.00078
2461	24_GR_NDS02_U_2020	<i>Aonides paucibranchiata</i>	LFD		3	
2460	24_GR_NDS02_U_2020	<i>Aonides paucibranchiata</i>	B		43	0.00524

2462	24_GR_NDS02_U_2020	Aora typica	LFD		1	
2463	24_GR_NDS02_U_2020	Branchiostoma lanceolatum	BLFD		1	0.00852
2464	24_GR_NDS02_U_2020	Capitella capitata agg.	LFD		1	
2465	24_GR_NDS02_U_2020	Ensis ensis	BLFD		1	0.01689
2466	24_GR_NDS02_U_2020	Eteone longa	LFD		1	
2467	24_GR_NDS02_U_2020	Eumida sanguinea	B		6	0.00133
2468	24_GR_NDS02_U_2020	Gammaropsis nitida	LFD		2	
2469	24_GR_NDS02_U_2020	Gattyana cirrhosa	BLFD		1	0.00218
2470	24_GR_NDS02_U_2020	Goniadella bobretzkii	LFD		4	
2472	24_GR_NDS02_U_2020	Lanice conchilega	LFD		2	
2471	24_GR_NDS02_U_2020	Lanice conchilega	BLFD		6	0.2664
2473	24_GR_NDS02_U_2020	Macomangulus tenuis	BLFD		2	0.37572
2474	24_GR_NDS02_U_2020	Megaluropus agilis	LFD		3	
2476	24_GR_NDS02_U_2020	Myrianida sanmartini	LFD		1	
2475	24_GR_NDS02_U_2020	Myrianida sanmartini	B		2	6.00E-05
2477	24_GR_NDS02_U_2020	Nemertea indet.	UNM		1	
2478	24_GR_NDS02_U_2020	Nephtys cirrosa	BLFD		6	0.03813
2479	24_GR_NDS02_U_2020	Nereis juv.	LFD		2	
2480	24_GR_NDS02_U_2020	Obelia bidentata	UNM	viel		
2481	24_GR_NDS02_U_2020	Ophelia sp.	BLFD		2	0.03556
2482	24_GR_NDS02_U_2020	Ophelia sp.	LFD		2	
2483	24_GR_NDS02_U_2020	Parvipalpus capillaceus	LFD		1	
2484	24_GR_NDS02_U_2020	Pisione remota	LFD		1	
2485	24_GR_NDS02_U_2020	Priambus typicus	LFD		4	
2486	24_GR_NDS02_U_2020	Processa nouveli holthuisi	BLFD		1	0.104
2487	24_GR_NDS02_U_2020	Protodorvillea kefersteini	LFD		1	
2488	24_GR_NDS02_U_2020	Spio cf. filicornis	LFD		1	
2489	24_GR_NDS02_U_2020	Spio decorata	LFD		1	
2490	24_GR_NDS02_U_2020	Spisula solida	BLFD		1	0.05211
2491	24_GR_NDS02_U_2020	Spisula subtruncata	B		9	0.13585
2492	24_GR_NDS02_U_2020	Stenothoe sp.	LFD		2	
2493	24_GR_NDS13_U_2021	Abra alba	B		1	0.0077
2494	24_GR_NDS13_U_2021	Alcyonidium parasiticum	UNM	wenig		

2495	24_GR_NDS13_U_2021	Alitta succinea	B		14	0.0139
2496	24_GR_NDS13_U_2021	Alitta virens	UNM		1	
2497	24_GR_NDS13_U_2021	Amphipholis squamata	B		5	0.0026
2498	24_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
2499	24_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
2501	24_GR_NDS13_U_2021	Asterias rubens	UNM		1	
2500	24_GR_NDS13_U_2021	Asterias rubens	B		4	0.001
2502	24_GR_NDS13_U_2021	Bodotria scorpioides	B		2	0.0007
2503	24_GR_NDS13_U_2021	Capitella capitata agg.	B		2	0.0011
2504	24_GR_NDS13_U_2021	Caprella linearis	B		1	0.0002
2505	24_GR_NDS13_U_2021	Carcinus maenas	B		3	5.996
2506	24_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
2507	24_GR_NDS13_U_2021	Cylista troglodytes agg.	B		79	4.5791
2508	24_GR_NDS13_U_2021	Einhornia crustulenta	UNM	wenig		
2509	24_GR_NDS13_U_2021	Ensis leei	B		1	0.2873
2510	24_GR_NDS13_U_2021	Eumida bahusiensis	B		66	0.028
2511	24_GR_NDS13_U_2021	Eumida sp.	B		5	1.00E-04
2513	24_GR_NDS13_U_2021	Eunereis longissima	UNM		1	
2512	24_GR_NDS13_U_2021	Eunereis longissima	B		15	0.3228
2514	24_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
2515	24_GR_NDS13_U_2021	Gattyana cirrhosa	B		12	0.0472
2516	24_GR_NDS13_U_2021	Glycera tridactyla	B		4	0.0047
2517	24_GR_NDS13_U_2021	Harmothoe sp.	B		1	0.0056
2518	24_GR_NDS13_U_2021	Heteromastus filiformis	B		5	0.0125
2519	24_GR_NDS13_U_2021	Hypereteone sp.	UNM		1	
2520	24_GR_NDS13_U_2021	Kurtiella bidentata	B		8	0.0011
2521	24_GR_NDS13_U_2021	Lanice conchilega	B		203	6.83298
2522	24_GR_NDS13_U_2021	Leptoplanoidea indet.	UNM		1	
2523	24_GR_NDS13_U_2021	Macropodia rostrata	UNM		1	
2524	24_GR_NDS13_U_2021	Macropodia sp.	B		1	
2525	24_GR_NDS13_U_2021	Malmgrenia bicki	B		22	0.0281
2526	24_GR_NDS13_U_2021	Mediomastus fragilis	B		6	0.0016
2527	24_GR_NDS13_U_2021	Microtopopus maculatus	B		19	0.0006

2528	24_GR_NDS13_U_2021	Molgula sp.	B		9	0.0041
2529	24_GR_NDS13_U_2021	Monocorophium acherusicum	B		4	0.0002
2530	24_GR_NDS13_U_2021	Myrianida sanmartini	B		7	0.0002
2531	24_GR_NDS13_U_2021	Myrianida sp.	B		2	1.00E-04
2532	24_GR_NDS13_U_2021	Mysta picta	UNM		1	
2533	24_GR_NDS13_U_2021	Mytilus edulis agg.	B		3	0.0002
2534	24_GR_NDS13_U_2021	Nephtys caeca	B		2	0.0038
2535	24_GR_NDS13_U_2021	Nephtys cirrosa	B		1	0.0003
2536	24_GR_NDS13_U_2021	Nymphon brevirostre	B		1	0.0014
2537	24_GR_NDS13_U_2021	Nymphon brevirostre	UNM		1	
2538	24_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
2539	24_GR_NDS13_U_2021	Pariambus typicus	B		2	0.0002
2540	24_GR_NDS13_U_2021	Phyllodoce mucosa	UNM		1	
2541	24_GR_NDS13_U_2021	Polydora cornuta	B		1	0.0002
2542	24_GR_NDS13_U_2021	Polynoinae gen. sp.	B		5	0.0007
2543	24_GR_NDS13_U_2021	Scoloplos armiger agg.	B		17	0.0314
2544	24_GR_NDS13_U_2021	Sertularia cupressina	UNM	wenig		
2545	24_GR_NDS13_U_2021	Terebellidae gen. sp.	B		4	1.00E-04
2546	24_GR_NDS13_U_2021	Tharyx killariensis	B		3	1.00E-04
2547	24_GR_NDS13_U_2021	Tharyx sp.	B		7	0.0007
2548	24_GR_NDS13_U_2021	Tubificinae gen. sp.	B		26	0.0021
2549	24_GR_NDS13_U_2021	Tubificoides benedii	B		11	0.0013
2550	24_GR_SA2_U_2019	Bathyporeia pelagica	B		1	0.00021
2551	24_GR_SA2_U_2019	Capitella capitata agg.	BLFD		1	0.0002
2552	24_GR_SA2_U_2019	Crangon crangon	BLFD		1	0.00079
2553	24_GR_SA2_U_2019	Ensis leei	BLFD		5	0.87821
2554	24_GR_SA2_U_2019	Liocarcinus pusillus	BLFD		1	0.00036
2555	24_GR_SA2_U_2019	Obelia dichotoma	UNM	wenig		
2556	24_GR_SA2_U_2019	Pontocrates altamarinus	BLFD		1	0.00023
2557	24_TO_B_K_2019	Bathyporeia pelagica	LFD		2	
2558	24_TO_B_K_2019	Bathyporeia sarsi	B		24	
2559	24_TO_B_K_2019	Bathyporeia sarsi	BLFD		24	0.01191
2560	24_TO_B_K_2019	Bathyporeia sarsi	LFD		25	

2561	24_T0_B_K_2019	Conopeum seurati	UNM	wenig		
2562	24_T0_B_K_2019	Eteone longa	B		2	
2563	24_T0_B_K_2019	Eteone longa	BLFD		3	0.00194
2564	24_T0_B_K_2019	Eteone longa	LFD		4	
2565	24_T0_B_K_2019	Hydrallmania falcata	UNM	wenig		
2566	24_T0_B_K_2019	Macomangulus tenuis	BLFD		1	0.00025
2567	24_T0_B_K_2019	Magelona mirabilis	BLFD		2	0.00205
2568	24_T0_B_K_2019	Nemertea indet.	LFD		1	
2569	24_T0_B_K_2019	Pontocrates altamarinus	LFD		1	
2570	24_T0_B_K_2019	Scoloplos armiger agg.	BLFD		14	0.19008
2571	24_T0_B_K_2019	Sertularia cupressina	UNM	wenig		
2572	24_T0_B_K_2019	Spio martinensis	BLFD		18	0.00221
2573	241_T12_B2_IV_2021	Alcyonidiidae gen. sp.	UNM	wenig		
2574	241_T12_B2_IV_2021	Alitta succinea	UNM		1	
2575	241_T12_B2_IV_2021	Asterias rubens	UNM		1	
2576	241_T12_B2_IV_2021	Balanus crenatus	B		12	0.01
2577	241_T12_B2_IV_2021	Bathyporeia pelagica	B		3	0.0007
2578	241_T12_B2_IV_2021	Bathyporeia sarsi	B		2	0.0004
2579	241_T12_B2_IV_2021	Conopeum reticulum	UNM	wenig		
2580	241_T12_B2_IV_2021	Eteone longa	B		1	0.0007
2581	241_T12_B2_IV_2021	Eulalia viridis agg.	B		1	1.00E-04
2582	241_T12_B2_IV_2021	Eulalia viridis agg.	UNM		1	
2583	241_T12_B2_IV_2021	Harmothoe imbricata	UNM		1	
2584	241_T12_B2_IV_2021	Magelona johnstoni	B		1	0.0004
2585	241_T12_B2_IV_2021	Monocorophium acherusicum	B		3	1.00E-04
2586	241_T12_B2_IV_2021	Mytilus edulis agg.	B		3	1.00E-04
2587	241_T12_B2_IV_2021	Nephtys caeca	B		2	0.04
2588	241_T12_B2_IV_2021	Nephtys cirrosa	B		3	0.0261
2589	241_T12_B2_IV_2021	Nymphon brevirostre	B		1	
2590	241_T12_B2_IV_2021	Pagurus bernhardus	B		1	0.6054
2591	241_T12_B2_IV_2021	Polydora ciliata	B		76	0.0041
2593	241_T12_B2_IV_2021	Polydora cornuta	UNM		1	
2592	241_T12_B2_IV_2021	Polydora cornuta	B		18	0.0012

2594	241_T12_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0058
2595	241_T12_B2_IV_2021	Spio martinensis	B		1	0.0004
2596	242_T12_B2_IV_2021	Crangon crangon	B		1	0.0912
2597	242_T12_B2_IV_2021	Electra pilosa	UNM	wenig		
2598	242_T12_B2_IV_2021	Eteone longa	B		1	0.0002
2599	242_T12_B2_IV_2021	Macomangulus tenuis	B		1	0.0057
2600	242_T12_B2_IV_2021	Magelona mirabilis	B		1	0.0032
2601	242_T12_B2_IV_2021	Nephtys cirrosa	B		4	0.037
2602	242_T12_B2_IV_2021	Nephtys hombergii	B		1	0.0054
2603	242_T12_B2_IV_2021	Schistomysis kervillei	B		1	0.0009
2604	242_T12_B2_IV_2021	Scoloplos armiger agg.	B		2	0.0595
2605	242_T12_B2_IV_2021	Spio martinensis	B		3	1.00E-04
2606	243_T12_B2_IV_2021	Bathyporeia pelagica	B		13	0.0045
2607	243_T12_B2_IV_2021	Bathyporeia sarsi	B		3	0.0015
2608	243_T12_B2_IV_2021	Electra pilosa	UNM	wenig		
2609	243_T12_B2_IV_2021	Ensis sp.	B		1	0.0022
2610	243_T12_B2_IV_2021	Nephtys caeca	B		1	0.0032
2611	243_T12_B2_IV_2021	Nephtys cirrosa	B		2	0.0098
2612	243_T12_B2_IV_2021	Spio martinensis	B		2	0.001
2613	244_T12_B2_IV_2021	Bathyporeia pelagica	B		1	0.0003
2614	244_T12_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
2615	244_T12_B2_IV_2021	Conopeum reticulum	UNM	wenig		
2616	244_T12_B2_IV_2021	Electra pilosa	UNM	wenig		
2617	244_T12_B2_IV_2021	Ensis sp.	B		1	0.004
2618	244_T12_B2_IV_2021	Jassa sp.	B		1	
2619	244_T12_B2_IV_2021	Nephtys cirrosa	B		2	0.0182
2620	244_T12_B2_IV_2021	Paraonis fulgens	B		1	0.0001
2621	244_T12_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0354
2622	244_T12_B2_IV_2021	Spio martinensis	B		1	1.00E-04
2623	245_T12_B2_IV_2021	Alcyonidiidae gen. sp.	UNM	wenig		
2624	245_T12_B2_IV_2021	Balanus crenatus	B		9	0.0406
2625	245_T12_B2_IV_2021	Bathyporeia pelagica	B		3	0.0003
2626	245_T12_B2_IV_2021	Bathyporeia sarsi	B		4	0.0006

2627	245_T12_B2_IV_2021	Campanulariidae gen. sp.	UNM	wenig		
2628	245_T12_B2_IV_2021	Crangon crangon	B		1	0.0012
2629	245_T12_B2_IV_2021	Crepidula fornicata	B		1	1.00E-04
2630	245_T12_B2_IV_2021	Crepidula fornicata	UNM		1	
2631	245_T12_B2_IV_2021	Electra pilosa	UNM	wenig		
2632	245_T12_B2_IV_2021	Hydractinia echinata	UNM	wenig		
2633	245_T12_B2_IV_2021	Liocarcinus navigator	B		1	0.0491
2634	245_T12_B2_IV_2021	Liocarcinus navigator	UNM		1	
2635	245_T12_B2_IV_2021	Nephtys caeca	B		1	0.1653
2636	245_T12_B2_IV_2021	Nephtys cirrosa	B		2	0.0229
2637	245_T12_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0164
2638	245_T12_B2_IV_2021	Spio martinensis	B		2	0.0003
2639	246_T12_B2_IV_2021	Bathyporeia guilliamsoniana	B		2	6.00E-04
2640	246_T12_B2_IV_2021	Bathyporeia pelagica	B		131	0.0435
2641	246_T12_B2_IV_2021	Bathyporeia sarsi	B		6	0.0015
2642	246_T12_B2_IV_2021	Crangon crangon	UNM		1	
2643	246_T12_B2_IV_2021	Electra pilosa	UNM	wenig		
2644	246_T12_B2_IV_2021	Gastrosaccus spinifer	B		2	0.0004
2645	246_T12_B2_IV_2021	Nephtys cirrosa	B		4	0.056
2646	246_T12_B2_IV_2021	Obelia bidentata	UNM	wenig		
2647	246_T12_B2_IV_2021	Spio martinensis	B		1	1.00E-04
2648	246_T12_B2_IV_2021	Veneridae gen. sp.	UNM		1	
2649	247_T12_B2_IV_2021	Bathyporeia pelagica	B		151	0.0441
2650	247_T12_B2_IV_2021	Bathyporeia sarsi	B		6	0.0018
2651	247_T12_B2_IV_2021	Brachyura indet.	B		1	
2652	247_T12_B2_IV_2021	Conopeum reticulum	UNM	wenig		
2653	247_T12_B2_IV_2021	Crangon crangon	B		1	0.03
2655	247_T12_B2_IV_2021	Gastrosaccus spinifer	UNM		1	
2654	247_T12_B2_IV_2021	Gastrosaccus spinifer	B		4	0.0009
2656	247_T12_B2_IV_2021	Nephtys cirrosa	B		1	0.0027
2657	248_T12_B2_IV_2021	Bathyporeia pelagica	B		1	0.0002
2658	248_T12_B2_IV_2021	Bathyporeia sarsi	B		1	0.0006
2659	248_T12_B2_IV_2021	Brachyura indet.	B		4	0.0006

2660	248_T12_B2_IV_2021	Nephtys cirrosa	B		2	0.0193
2661	249_T12_B2_IV_2021	Alcyonidiidae gen. sp.	UNM	wenig		
2662	249_T12_B2_IV_2021	Bathyporeia sarsi	B		1	1.00E-04
2663	249_T12_B2_IV_2021	Cerastoderma sp.	B		1	0.0002
2664	249_T12_B2_IV_2021	Crangon sp.	B		1	0.0003
2665	249_T12_B2_IV_2021	Electra pilosa	UNM	wenig		
2666	249_T12_B2_IV_2021	Limecola balthica	B		1	0.0019
2667	249_T12_B2_IV_2021	Nephtys cirrosa	B		1	0.0082
2668	249_T12_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0071
2669	249_T12_B2_IV_2021	Spio martinensis	B		2	0.0001
2670	25_GR_DK2_0_2019	Abra alba	B		19	
2671	25_GR_DK2_0_2019	Abra alba	BLFD		23	0.02155
2672	25_GR_DK2_0_2019	Actinaria gen. sp.	B		44	0.62612
2673	25_GR_DK2_0_2019	Ampharete sp.	B		3	0.01318
2674	25_GR_DK2_0_2019	Asterias rubens	LFD		1	
2675	25_GR_DK2_0_2019	Balanus crenatus	UNM		1	
2676	25_GR_DK2_0_2019	Bodotria scorpioides	B		7	0.00157
2678	25_GR_DK2_0_2019	Capitella capitata agg.	UNM		4	
2677	25_GR_DK2_0_2019	Capitella capitata agg.	B		51	0.00242
2679	25_GR_DK2_0_2019	Cheirocratus sundevallii	B		1	0.00071
2680	25_GR_DK2_0_2019	Conopeum seurati	UNM	viel		
2681	25_GR_DK2_0_2019	Crangon crangon	BLFD		1	0.01412
2682	25_GR_DK2_0_2019	Crassikorophium bonellii	B		10	0.00093
2683	25_GR_DK2_0_2019	Crepidula fornicata	UNM		2	
2684	25_GR_DK2_0_2019	Ensis leei juv.	BLFD		10	0.06476
2685	25_GR_DK2_0_2019	Ensis magnus	BLFD		2	1.00669
2687	25_GR_DK2_0_2019	Eumida sanguinea	UNM		4	
2686	25_GR_DK2_0_2019	Eumida sanguinea	B		47	0.01912
2689	25_GR_DK2_0_2019	Gattyana cirrhosa	UNM		1	
2688	25_GR_DK2_0_2019	Gattyana cirrhosa	B		2	0.01208
2691	25_GR_DK2_0_2019	Harmothoe glabra	UNM		1	
2690	25_GR_DK2_0_2019	Harmothoe glabra	B		2	0.00184
2693	25_GR_DK2_0_2019	Lanice conchilega	BLFD		46	0.4342

2692	25_GR_DK2_0_2019	Lanice conchilega	B		60	
2694	25_GR_DK2_0_2019	Liocarcinus navigator	B		3	0.01694
2695	25_GR_DK2_0_2019	Moerella donacina	BLFD		7	0.00117
2696	25_GR_DK2_0_2019	Monopyleporus rubroniveus	UNM		1	
2697	25_GR_DK2_0_2019	Myrianida sanmartini	UNM		2	
2698	25_GR_DK2_0_2019	Mytilus edulis	UNM		1	
2699	25_GR_DK2_0_2019	Nephtys cirrosa	BLFD		2	0.02413
2700	25_GR_DK2_0_2019	Nephtys hombergii	BLFD		5	0.08229
2702	25_GR_DK2_0_2019	Nephtys juv.	LFD		2	
2701	25_GR_DK2_0_2019	Nephtys juv.	BLFD		4	
2703	25_GR_DK2_0_2019	Nephtys kersivalensis	BLFD		2	0.04277
2704	25_GR_DK2_0_2019	Nereis juv.	BLFD		5	0.00873
2705	25_GR_DK2_0_2019	Obelia bidentata	UNM	viel		
2706	25_GR_DK2_0_2019	Obelia geniculata	UNM	wenig		
2707	25_GR_DK2_0_2019	Parvipalpus capillaceus	B		9	
2708	25_GR_DK2_0_2019	Phyllodoce mucosa	B		15	0.0081
2709	25_GR_DK2_0_2019	Polydora ciliata	UNM		4	
2710	25_GR_DK2_0_2019	Polydora cornuta	UNM		20	
2712	25_GR_DK2_0_2019	Pygospio elegans	UNM		1	
2711	25_GR_DK2_0_2019	Pygospio elegans	B		172	0.01606
2713	25_GR_DK2_0_2019	Scoloplos armiger agg.	BLFD		27	0.14289
2714	25_GR_DK2_0_2019	Spio martinensis	UNM		20	
2715	25_GR_DK2_0_2019	Spisula subtruncata	UNM		2	
2716	25_GR_DK2_0_2019	Stenothoe monoculoides	B		21	0.00083
2718	25_GR_DK2_0_2019	Streblospio benedicti	UNM		1	
2717	25_GR_DK2_0_2019	Streblospio benedicti	B		131	0.00791
2720	25_GR_DK2_0_2019	Tubificoides pseudogaster agg.	UNM		5	
2719	25_GR_DK2_0_2019	Tubificoides pseudogaster agg.	B		14	0.0011
2721	25_GR_NA2_U_2019	Alcyonidioides cf. mytili	UNM	wenig		
2722	25_GR_NA2_U_2019	Balanus crenatus	UNM		1	
2723	25_GR_NA2_U_2019	Bathyporeia elegans	B		5	
2724	25_GR_NA2_U_2019	Bathyporeia elegans	BLFD		98	0.02199
2725	25_GR_NA2_U_2019	Bathyporeia guilliamsoniana	BLFD		1	0.00092

2726	25_GR_NA2_U_2019	Bathyporeia pelagica	B		5	
2727	25_GR_NA2_U_2019	Bathyporeia pelagica	BLFD		142	0.03433
2728	25_GR_NA2_U_2019	Bathyporeia sarsi	BLFD		6	0.00165
2729	25_GR_NA2_U_2019	Cliona cf. lobata	UNM	mittel		
2730	25_GR_NA2_U_2019	Conopeum reticulum	UNM	viel		
2731	25_GR_NA2_U_2019	Einhornia crustulenta	UNM	wenig		
2732	25_GR_NA2_U_2019	Electra monostachys	UNM	mittel		
2733	25_GR_NA2_U_2019	Eucheilota maculata	UNM	wenig		
2734	25_GR_NA2_U_2019	Eudendrium sp.	UNM	wenig		
2735	25_GR_NA2_U_2019	Gastrosaccus spinifer	B		1	
2736	25_GR_NA2_U_2019	Gastrosaccus spinifer	BLFD		50	0.04306
2737	25_GR_NA2_U_2019	Harpacticoida indet.	UNM		2	
2738	25_GR_NA2_U_2019	Haustorius arenarius	BLFD		1	5.00E-05
2739	25_GR_NA2_U_2019	Hyperoplus lanceolatus	LFD		1	
2740	25_GR_NA2_U_2019	Mytilus edulis	BLFD		12	0.00045
2741	25_GR_NA2_U_2019	Nephtys cirrosa	BLFD		1	0.00346
2742	25_GR_NA2_U_2019	Obelia bidentata	UNM	wenig		
2743	25_GR_NA2_U_2019	Obelia dichotoma	UNM	wenig		
2744	25_GR_NA2_U_2019	Scyphozoa indet.	UNM	viel		
2745	25_GR_NA2_U_2019	Sertularia cupressina	UNM	mittel		
2746	25_GR_NA2_U_2019	Triticella flava	UNM	wenig		
2747	25_GR_NDS02_U_2020	Aonides paucibranchiata	B		15	0.0025
2748	25_GR_NDS02_U_2020	Aoridae gen. sp.	UNM		1	
2749	25_GR_NDS02_U_2020	Clytia hemisphaerica	UNM	wenig		
2750	25_GR_NDS02_U_2020	Conopeum reticulum	UNM	wenig		
2751	25_GR_NDS02_U_2020	Eumida sp.	B		3	5.00E-04
2752	25_GR_NDS02_U_2020	Goniadella bobretzkii	B		3	0.0007
2753	25_GR_NDS02_U_2020	Idotea linearis	UNM		1	
2754	25_GR_NDS02_U_2020	Myrianida sp.	UNM		1	
2755	25_GR_NDS02_U_2020	Nephtys cirrosa	B		5	0.0382
2756	25_GR_NDS02_U_2020	Nephtys sp.	B		2	0.0008
2757	25_GR_NDS02_U_2020	Nereididae gen. sp.	B		1	0.0013
2758	25_GR_NDS02_U_2020	Obelia bidentata	UNM	wenig		

2759	25_GR_NDS02_U_2020	Ophelia sp.	B		2	0.0227	
2760	25_GR_NDS02_U_2020	Pisone remota	B		1		
2761	25_GR_NDS02_U_2020	Protodorvillea kefersteini	B		2	0.0002	
2762	25_GR_NDS02_U_2020	Scoloplos armiger agg.	B		11	0.0589	
2763	25_GR_NDS02_U_2020	Spathipora sp.	UNM	wenig			
2764	25_GR_NDS02_U_2020	Spio decorata	B		1	5.00E-04	
2765	25_GR_NDS02_U_2020	Spio symphyta	B		1		
2766	25_GR_NDS02_U_2020	Spisula elliptica	B		1		
2767	25_GR_NDS02_U_2020	Spisula subtruncata	UNM		1		
2768	25_GR_NDS02_U_2020	Tubulanus polymorphus	B		1	0.0006	
2769	25_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig			
2770	25_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig			
2771	25_GR_NDS13_U_2021	Lanice conchilega	B		1	0.0442	
2772	25_GR_SA2_U_2019	Capitella capitata agg.	BLFD		5	0.00166	
2773	25_GR_SA2_U_2019	Ensis leei	BLFD		2	0.65053	
2774	25_GR_SA2_U_2019	Mytilus edulis	BLFD		1	0.00039	
2775	25_GR_SA2_U_2019	Nephtys cirrosa	BLFD		1	0.01355	
2776	25_GR_SA2_U_2019	Obelia dichotoma	UNM	wenig			
2777	25_GR_SA2_U_2019	Pagurus bernhardus	BLFD		1	0.0391	
2778	251_T12_B2_IV_2021	Bathyporeia pelagica	B		10	0.0029	
2779	251_T12_B2_IV_2021	Conopeum reticulum	UNM	wenig			
2780	251_T12_B2_IV_2021	Crangon crangon	B		2	0.0917	
2781	251_T12_B2_IV_2021	Crangon sp.	B		2	0.0007	
2782	251_T12_B2_IV_2021	Electra pilosa	UNM	wenig			
2783	251_T12_B2_IV_2021	Gastrosaccus spinifer	B		1	0.0003	
2784	251_T12_B2_IV_2021	Nephtys cirrosa	B		2	0.0161	
2785	251_T12_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0107	
2786	251_T12_B2_IV_2021	Scoloplos sp.	B		1	0.0002	
2787	251_T12_B2_IV_2021	Sertularia sp.	UNM	wenig			
2788	26_GR_DK2_0_2019	Actinaria gen. sp.	B		2		1.10981
2789	26_GR_DK2_0_2019	Alcyonidioides mytili	UNM	mittel			
2791	26_GR_DK2_0_2019	Aricidea minuta	UNM		1		
2790	26_GR_DK2_0_2019	Aricidea minuta	LFD		2		

2792	26_GR_DK2_0_2019	Capitella capitata agg.	UNM		3		
2793	26_GR_DK2_0_2019	Capitella minima	UNM		1		
2794	26_GR_DK2_0_2019	Cerastoderma edule	BLFD		1	9.00E-05	
2795	26_GR_DK2_0_2019	Conopeum seurati	UNM	mittel			
2796	26_GR_DK2_0_2019	Electra crustulenta	UNM	mittel			
2797	26_GR_DK2_0_2019	Ensis leei juv.	BLFD		2	0.00043	
2799	26_GR_DK2_0_2019	Eumida sanguinea	LFD		1		
2798	26_GR_DK2_0_2019	Eumida sanguinea	BLFD		3	0.00201	
2800	26_GR_DK2_0_2019	Kurtiella bidentata	BLFD		3	0.00064	
2801	26_GR_DK2_0_2019	Lanice conchilega	BLFD		5		0.0225
2802	26_GR_DK2_0_2019	Myrianida sanmartini	LFD		1		
2803	26_GR_DK2_0_2019	Nephtys hombergii	BLFD		1	0.04137	
2804	26_GR_DK2_0_2019	Nephtys juv.	BLFD		4	0.00272	
2805	26_GR_DK2_0_2019	Obelia bidentata	UNM	wenig			
2806	26_GR_DK2_0_2019	Polydora ciliata	LFD		4		
2808	26_GR_DK2_0_2019	Polydora cornuta	UNM		1		
2807	26_GR_DK2_0_2019	Polydora cornuta	LFD		12		
2809	26_GR_DK2_0_2019	Pygospio elegans	LFD		5		
2810	26_GR_DK2_0_2019	Scoloplos armiger agg.	BLFD		15	0.08645	
2811	26_GR_DK2_0_2019	Spio martinensis	LFD		3		
2812	26_GR_DK2_0_2019	Spisula subtruncata	BLFD		1	0.0002	
2813	26_GR_DK2_0_2019	Stenothoe monoculoides	LFD		1		
2815	26_GR_DK2_0_2019	Streblospio benedicti	BLFD		12	0.00168	
2814	26_GR_DK2_0_2019	Streblospio benedicti	B		22		
2816	26_GR_DK2_0_2019	Tharyx killariensis	LFD		2		
2817	26_GR_DK2_0_2019	Tubificoides benedii	UNM		1		
2818	26_GR_DK2_0_2019	Tubificoides pseudogaster agg.	UNM		6		
2819	26_GR_NDS02_U_2020	Abludomelita obtusata	LFD		4		
2820	26_GR_NDS02_U_2020	Abra alba	BLFD		4	0.03039	
2821	26_GR_NDS02_U_2020	Actinaria gen. sp.	B		2		0.895
2823	26_GR_NDS02_U_2020	Aonides paucibranchiata	UNM		1		
2822	26_GR_NDS02_U_2020	Aonides paucibranchiata	B		3	6.00E-05	
2824	26_GR_NDS02_U_2020	Bodotria scorpioides	LFD		2		

2825	26_GR_NDS02_U_2020	Circomphalus casina	BLFD		1	0.1673	
2826	26_GR_NDS02_U_2020	Crangon crangon	LFD		1		
2827	26_GR_NDS02_U_2020	Crepidula fornicata	LFD		1		
2828	26_GR_NDS02_U_2020	Ensis leei	BLFD		2		21.35
2829	26_GR_NDS02_U_2020	Eualus cranchii	LFD		1		
2831	26_GR_NDS02_U_2020	Eumida sanguinea	UNM		1		
2830	26_GR_NDS02_U_2020	Eumida sanguinea	B		8	0.00167	
2832	26_GR_NDS02_U_2020	Gattyana cirrhosa	BLFD		1	0.00171	
2833	26_GR_NDS02_U_2020	Lagis koreni	BLFD		1	0.00171	
2834	26_GR_NDS02_U_2020	Lanice conchilega	BLFD		10		
2835	26_GR_NDS02_U_2020	Laomedea flexuosa	UNM	viel			
2836	26_GR_NDS02_U_2020	Liocarcinus marmoreus	LFD		1		
2837	26_GR_NDS02_U_2020	Loimia sp.	LFD		1		
2838	26_GR_NDS02_U_2020	Malmgrenia bicki	BLFD		1	0.00252	
2839	26_GR_NDS02_U_2020	Myrianida sanmartini	LFD		2		
2840	26_GR_NDS02_U_2020	Nephtys caeca	BLFD		1	0.17121	
2841	26_GR_NDS02_U_2020	Nephtys cirrosa	BLFD		6	0.05777	
2842	26_GR_NDS02_U_2020	Nephtys juv.	BLFD		2	0.00131	
2843	26_GR_NDS02_U_2020	Ophiura ophiura	BLFD		1	0.16994	
2844	26_GR_NDS02_U_2020	Owenia fusiformis agg.	BLFD		1	0.00172	
2845	26_GR_NDS02_U_2020	Poecilochaetus serpens	LFD		1		
2846	26_GR_NDS02_U_2020	Protodorvillea kefersteini	LFD		1		
2847	26_GR_NDS02_U_2020	Pseudopolydora pulchra	B		2	0.00153	
2849	26_GR_NDS02_U_2020	Scoloplos armiger agg.	LFD		1		
2848	26_GR_NDS02_U_2020	Scoloplos armiger agg.	BLFD		28	0.19385	
2850	26_GR_NDS02_U_2020	Spio cf. filicornis	UNM		1		
2851	26_GR_NDS02_U_2020	Spisula subtruncata	B		20	0.0897	
2852	26_GR_NDS02_U_2020	Stenothoe marina	LFD		1		
2853	26_GR_NDS13_U_2021	Abra alba	B		1	0.0194	
2854	26_GR_NDS13_U_2021	Aequorea sp.	UNM	wenig			
2855	26_GR_NDS13_U_2021	Alitta succinea	B		4		
2856	26_GR_NDS13_U_2021	Amphipholis squamata	B		2	0.0011	
2857	26_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig			

2858	26_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
2859	26_GR_NDS13_U_2021	Asterias rubens	B		2	0.0013
2860	26_GR_NDS13_U_2021	Capitellidae gen. sp.	B		1	0.0007
2861	26_GR_NDS13_U_2021	Carcinus maenas	B		1	0.0004
2862	26_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
2863	26_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
2864	26_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
2865	26_GR_NDS13_U_2021	Cylista troglodytes agg.	B		54	4.3414
2866	26_GR_NDS13_U_2021	Electra pilosa	UNM	wenig		
2867	26_GR_NDS13_U_2021	Ensis leei	B		4	3.341
2868	26_GR_NDS13_U_2021	Eumida bahusiensis	B		99	0.0306
2869	26_GR_NDS13_U_2021	Eunereis longissima	B		8	0.3675
2870	26_GR_NDS13_U_2021	Gattyana cirrhosa	B		7	0.0132
2871	26_GR_NDS13_U_2021	Glycera tridactyla	B		3	0.0271
2872	26_GR_NDS13_U_2021	Heteromastus filiformis	B		1	0.0039
2873	26_GR_NDS13_U_2021	Kurtiella bidentata	B		1	0.0003
2874	26_GR_NDS13_U_2021	Lanice conchilega	B		502	16.113286
2875	26_GR_NDS13_U_2021	Malmgrenia bicki	B		108	0.12015
2876	26_GR_NDS13_U_2021	Mediomastus fragilis	B		2	0.0007
2877	26_GR_NDS13_U_2021	Microprotopus maculatus	B		45	0.00163636
2878	26_GR_NDS13_U_2021	Molgula sp.	B		4	0.0042
2879	26_GR_NDS13_U_2021	Monocorophium acherusicum	B		6	0.0007
2880	26_GR_NDS13_U_2021	Nephtys caeca	B		2	0.0032
2881	26_GR_NDS13_U_2021	Nephtys hombergii	B		1	0.0353
2882	26_GR_NDS13_U_2021	Nephtys sp.	B		2	5.00E-04
2883	26_GR_NDS13_U_2021	Nereididae gen. sp.	B		1	
2884	26_GR_NDS13_U_2021	Pariambus typicus	B		17	0.00136
2885	26_GR_NDS13_U_2021	Polynoinae gen. sp.	B		14	4.00E-04
2886	26_GR_NDS13_U_2021	Pygospio elegans	B		2	0.0002
2887	26_GR_NDS13_U_2021	Scoloplos armiger agg.	B		6	0.0028
2888	26_GR_NDS13_U_2021	Terebellidae gen. sp.	B		2	1.00E-04
2889	26_GR_NDS13_U_2021	Tharyx sp.	B		2	5.00E-04
2890	26_GR_NDS13_U_2021	Tubificinae gen. sp.	B		12	5.00E-04

2891	26_GR_NDS13_U_2021	Tubificoides benedii	B		5	0.0009
2892	26_GR_NDS13_U_2021	Veneridae gen. sp.	B		2	5.00E-04
2893	26_TO_B_K_2019	Alcyonidioides cf. mytili	UNM	wenig		
2894	26_TO_B_K_2019	Bathyporeia pelagica	B		1	0.01027
2895	26_TO_B_K_2019	Bathyporeia pelagica	BLFD		39	
2896	26_TO_B_K_2019	Bathyporeia sarsi	B		1	0.02404
2897	26_TO_B_K_2019	Bathyporeia sarsi	BLFD		88	
2898	26_TO_B_K_2019	Conopeum reticulum	UNM	wenig		
2899	26_TO_B_K_2019	Cumopsis goodsir	LFD		1	
2900	26_TO_B_K_2019	Einhornia crustulenta	UNM	wenig		
2901	26_TO_B_K_2019	Electra monostachys	UNM	wenig		
2902	26_TO_B_K_2019	Eteone longa	BLFD		3	0.00273
2903	26_TO_B_K_2019	Euceilota maculata	UNM	wenig		
2904	26_TO_B_K_2019	Gastrosaccus spinifer	BLFD		1	0.001
2905	26_TO_B_K_2019	Gastrosaccus spinifer	LFD		1	
2906	26_TO_B_K_2019	Hydractinia echinata	UNM	wenig		
2907	26_TO_B_K_2019	Macomangulus tenuis	BLFD		1	0.00012
2908	26_TO_B_K_2019	Mytilus edulis	BLFD		1	0.00012
2909	26_TO_B_K_2019	Nemertea indet.	UNM		2	
2910	26_TO_B_K_2019	Nephtys cirrosa	B		1	
2911	26_TO_B_K_2019	Nephtys cirrosa	BLFD		1	0.00272
2912	26_TO_B_K_2019	Nephtys hombergii	BLFD		2	0.01274
2913	26_TO_B_K_2019	Scoloplos armiger agg.	B		1	
2914	26_TO_B_K_2019	Scoloplos armiger agg.	BLFD		2	0.00204
2915	26_TO_B_K_2019	Spio martinensis	BLFD		7	0.00111
2916	27_GR_NDS13_U_2021	Abludomelita obtusata	B		1	0.0002
2917	27_GR_NDS13_U_2021	Alitta succinea	B		1	1.00E-04
2918	27_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
2919	27_GR_NDS13_U_2021	Austrominius modestus	B		1	0.0002
2920	27_GR_NDS13_U_2021	Austrominius modestus	UNM		1	
2921	27_GR_NDS13_U_2021	Capitella capitata agg.	B		4	0.0003
2922	27_GR_NDS13_U_2021	Carcinus maenas	B		1	1.0065
2923	27_GR_NDS13_U_2021	Cephalothrix sp.	B		2	

2924	27_GR_NDS13_U_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
2925	27_GR_NDS13_U_2021	<i>Conopeum reticulum</i>	UNM	wenig		
2926	27_GR_NDS13_U_2021	<i>Conopeum seurati</i>	UNM	wenig		
2927	27_GR_NDS13_U_2021	<i>Corambe obscura</i> agg.	B		5	
2928	27_GR_NDS13_U_2021	<i>Crangon crangon</i>	B		1	0.1335
2929	27_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		39	3.8768
2930	27_GR_NDS13_U_2021	<i>Dyopedos monacanthus</i>	B		3	5.00E-04
2931	27_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		5	0.0008
2932	27_GR_NDS13_U_2021	<i>Eumida</i> sp.	B		2	0.0001
2933	27_GR_NDS13_U_2021	<i>Eunereis longissima</i>	B		2	0.0679
2934	27_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		3	0.004
2935	27_GR_NDS13_U_2021	<i>Heteromastus filiformis</i>	B		2	5.00E-04
2936	27_GR_NDS13_U_2021	<i>Lanice conchilega</i>	B		6	0.0522
2937	27_GR_NDS13_U_2021	<i>Macropodia</i> sp.	B		1	0.0003
2938	27_GR_NDS13_U_2021	<i>Malmgrenia bicki</i>	B		3	0.0014
2939	27_GR_NDS13_U_2021	<i>Mediomastus fragilis</i>	B		2	0.0004
2940	27_GR_NDS13_U_2021	<i>Microphthalmus</i> sp.	B		1	
2941	27_GR_NDS13_U_2021	<i>Microprotopus maculatus</i>	B		3	0.0001
2942	27_GR_NDS13_U_2021	<i>Molgula</i> sp.	B		1	0.0003
2943	27_GR_NDS13_U_2021	<i>Monocorophium acherusicum</i>	B		1	1.00E-04
2944	27_GR_NDS13_U_2021	<i>Myrianida sanmartini</i>	B		4	0.0002
2945	27_GR_NDS13_U_2021	<i>Myrianida</i> sp.	B		2	1.00E-04
2946	27_GR_NDS13_U_2021	<i>Mytilus edulis</i> agg.	B		3	
2947	27_GR_NDS13_U_2021	<i>Obelia longissima</i>	UNM	wenig		
2948	27_GR_NDS13_U_2021	<i>Pariambus typicus</i>	B		2	0.0002
2949	27_GR_NDS13_U_2021	<i>Polydora cornuta</i>	B		1	
2950	27_GR_NDS13_U_2021	<i>Pygospio elegans</i>	B		17	0.0027
2951	27_GR_NDS13_U_2021	<i>Scoloplos armiger</i> agg.	B		6	0.0103
2952	27_GR_NDS13_U_2021	<i>Spio martinensis</i>	B		1	
2953	27_GR_NDS13_U_2021	<i>Terebellidae</i> gen. sp.	B		10	0.0004
2954	27_GR_NDS13_U_2021	<i>Tharyx killariensis</i>	B		1	1.00E-04
2955	27_GR_NDS13_U_2021	<i>Tharyx robustus</i>	UNM		1	
2956	27_GR_NDS13_U_2021	<i>Tharyx</i> sp.	B		11	0.0015

2957	27_GR_NDS13_U_2021	Tubificinae gen. sp.	B		17	0.0011
2958	27_GR_NDS13_U_2021	Tubificoides benedii	B		5	0.0012
2959	27_GR_NDS13_U_2021	Veneridae gen. sp.	B		2	0.0028
2960	27_TO_B_K_2019	Bathyporeia sarsi	BLFD		18	0.00489
2961	27_TO_B_K_2019	Eteone longa	BLFD		4	0.01031
2962	27_TO_B_K_2019	Laomedea flexuosa	UNM	wenig		
2963	27_TO_B_K_2019	Magelona mirabilis	BLFD		1	0.00482
2964	27_TO_B_K_2019	Nemertea indet.	LFD		1	
2965	27_TO_B_K_2019	Nephtys cirrosa	BLFD		3	0.01683
2966	27_TO_B_K_2019	Scoloplos armiger agg.	BLFD		6	0.10922
2967	27_TO_B_K_2019	Spio martinensis	BLFD		4	0.00077
2968	28_TO_B_I_2019	Bathyporeia pelagica	BLFD		1	0.00087
2969	28_TO_B_I_2019	Bathyporeia sarsi	BLFD		1	0.00017
2970	28_TO_B_I_2019	Capitella cf. capitata agg.	BLFD		2	0.00028
2971	28_TO_B_I_2019	Didemnidae gen. sp.	UNM	wenig		
2972	28_TO_B_I_2019	Eteone longa	BLFD		1	
2973	28_TO_B_I_2019	Magelona mirabilis	BLFD		2	0.00213
2974	28_TO_B_I_2019	Nephtys cirrosa	BLFD		6	0.05704
2975	28_TO_B_I_2019	Nephtys hombergii	B		1	
2976	28_TO_B_I_2019	Nephtys hombergii	BLFD		1	0.0106
2977	28_TO_B_I_2019	Nototropis falcatus	LFD		1	
2978	28_TO_B_I_2019	Obelia longissima	UNM	wenig		
2979	28_TO_B_I_2019	Scoloplos armiger agg.	BLFD		2	0.01053
2980	28_TO_B_I_2019	Spio martinensis	BLFD		24	0.00243
2981	29_TO_B_I_2019	Aspidelectra melolontha	UNM	mittel		
2982	29_TO_B_I_2019	Bathyporeia pelagica	BLFD		1	0.0002
2983	29_TO_B_I_2019	Bathyporeia sarsi	BLFD		9	0.00235
2985	29_TO_B_I_2019	Capitella cf. capitata agg.	LFD		1	0.00153
2984	29_TO_B_I_2019	Capitella cf. capitata agg.	BLFD		3	
2986	29_TO_B_I_2019	Cerastoderma edule	BLFD		1	0.00016
2987	29_TO_B_I_2019	Crangon crangon	BLFD		1	0.0002
2988	29_TO_B_I_2019	Eteone longa	BLFD		1	
2989	29_TO_B_I_2019	Macomangulus tenuis	BLFD		1	0.02266

2990	29_T0_B_I_2019	Magelona johnstoni	BLFD		2	0.00081
2991	29_T0_B_I_2019	Magelona mirabilis	BLFD		5	0.0034
2992	29_T0_B_I_2019	Nephtys cirrosa	B		1	
2993	29_T0_B_I_2019	Nephtys cirrosa	BLFD		3	0.04672
2994	29_T0_B_I_2019	Scoloplos armiger agg.	BLFD		7	0.11543
2995	29_T0_B_I_2019	Spio martinensis	BLFD		30	0.00292
2996	29_T0_B_I_2019	Urothoe poseidonis	BLFD		2	0.00087
2997	29_T0_B_I_2019	Urothoe poseidonis	LFD		2	
2998	29_T1_C_K_2021	Clytia hemisphaerica	UNM	wenig		
2999	29_T1_C_K_2021	Harmothoe sp.	UNM		1	
3000	29_T1_C_K_2021	Mesopodopsis slabberi	B		3	0.0006
3001	29_T1_C_K_2021	Nephtys cirrosa	B		7	0.0318
3002	29_T1_C_K_2021	Spio martinensis	B		1	1.00E-04
3003	29_T1_C_K_2021	Terebellidae gen. sp.	B		1	0.0003
3004	3_T0_A_I_2019	Bathyporeia guilliamsoniana	LFD		1	
3005	3_T0_A_I_2019	Bathyporeia pelagica	BLFD		1	0.00028
3006	3_T0_A_I_2019	Bathyporeia sarsi	BLFD		3	0.00057
3007	3_T0_A_I_2019	Bodotria scorpioides	BLFD		1	1.00E-04
3008	3_T0_A_I_2019	Calycella syringa	UNM	wenig		
3009	3_T0_A_I_2019	Capitella capitata agg.	LFD		1	
3010	3_T0_A_I_2019	cf. Laomedea neglecta	UNM	wenig		
3011	3_T0_A_I_2019	Conopeum reticulum	UNM	wenig		
3012	3_T0_A_I_2019	Eteone longa	BLFD		2	0.00077
3013	3_T0_A_I_2019	Euceilota maculata	UNM	wenig		
3014	3_T0_A_I_2019	Liocarcinus holsatus	UNM		2	
3015	3_T0_A_I_2019	Macomangulus tenuis	BLFD		3	0.02396
3016	3_T0_A_I_2019	Magelona mirabilis	BLFD		3	0.00296
3017	3_T0_A_I_2019	Nemertea indet.	UNM		1	
3019	3_T0_A_I_2019	Scoloplos armiger agg.	LFD		1	
3018	3_T0_A_I_2019	Scoloplos armiger agg.	BLFD		2	0.07688
3020	3_T0_A_I_2019	Spio martinensis	BLFD		6	0.00085
3021	3_T0_A_I_2019	Spiophanes bombyx	LFD		1	
3022	3_T0_C_K_2021	Clytia hemisphaerica	UNM	wenig		

3023	3_T0_C_K_2021	Crangon crangon	B		2	0.0508
3024	3_T0_C_K_2021	Glycera tridactyla	B		1	0.0008
3025	3_T0_C_K_2021	Magelona sp.	UNM		1	
3026	3_T0_C_K_2021	Nephtys hombergii	B		2	0.0475
3027	3_T0_C_K_2021	Pygospio elegans	B		1	1.00E-04
3028	3_T0_C_K_2021	Retusa obtusa	B		3	0.0007
3029	3_T0_C_K_2021	Scoloplos armiger agg.	B		2	0.0009
3030	3_T0_C_K_2021	Spio martinensis	B		22	0.0033
3031	30_T0_B_I_2019	Balanus crenatus	UNM		17	
3032	30_T0_B_I_2019	Bathyporeia guilliamsoniana	UNM		1	
3033	30_T0_B_I_2019	Bathyporeia pelagica	BLFD		11	0.00306
3035	30_T0_B_I_2019	Bathyporeia sarsi	LFD		1	
3034	30_T0_B_I_2019	Bathyporeia sarsi	BLFD		31	0.0105
3036	30_T0_B_I_2019	Einhornia crustulenta	UNM	wenig		
3037	30_T0_B_I_2019	Laomedea neglecta	UNM	wenig		
3038	30_T0_B_I_2019	Magelona mirabilis	LFD		1	
3039	30_T0_B_I_2019	Nephtys cirrosa	B		1	0.02581
3040	30_T0_B_I_2019	Nephtys cirrosa	BLFD		1	
3041	30_T0_B_I_2019	Scoloplos armiger agg.	BLFD		3	0.0859
3042	30_T0_B_I_2019	Spio martinensis	BLFD		2	0.00043
3043	30_T1_C_K_2021	Bathyporeia pelagica	B		1	0.0006
3044	30_T1_C_K_2021	Clytia hemisphaerica	UNM	wenig		
3045	30_T1_C_K_2021	Einhornia crustulenta	UNM	wenig		
3046	30_T1_C_K_2021	Magelona johnstoni	B		1	5.00E-04
3047	30_T1_C_K_2021	Nephtys cirrosa	B		8	0.0404
3048	30_T1_C_K_2021	Scoloplos armiger agg.	B		2	0.0043
3049	31_GR_DK3_0_2019	Bathyporeia guilliamsoniana	LFD		1	
3050	31_GR_DK3_0_2019	Bathyporeia pelagica	BLFD		6	0.01162
3051	31_GR_DK3_0_2019	Bathyporeia sarsi	B		1	
3052	31_GR_DK3_0_2019	Bathyporeia sarsi	BLFD		8	0.00931
3053	31_GR_DK3_0_2019	Crangon crangon	LFD		1	
3054	31_GR_DK3_0_2019	Cumopsis fagei	LFD		1	
3055	31_GR_DK3_0_2019	Limecola balthica	BLFD		1	5.00E-05

3056	31_GR_DK3_0_2019	Macomangulus tenuis	BLFD		3	0.0158
3057	31_GR_DK3_0_2019	Magelona mirabilis	UNM		2	
3058	31_GR_DK3_0_2019	Mytilus edulis	LFD		2	
3059	31_GR_DK3_0_2019	Nephtys caeca	B		1	0.04916
3060	31_GR_DK3_0_2019	Nephtys cirrosa	B		1	
3061	31_GR_DK3_0_2019	Nephtys cirrosa	BLFD		5	0.01537
3062	31_GR_DK3_0_2019	Pontocrates altamarinus	LFD		1	
3063	31_GR_DK3_0_2019	Pygospio elegans	LFD		1	
3064	31_GR_DK3_0_2019	Scoloplos armiger agg.	BLFD		8	0.18338
3065	31_GR_DK3_0_2019	Spio martinensis	LFD		2	
3066	31_GR_DK3_0_2019	Urothoe poseidonis	BLFD		1	0.00047
3067	31_GR_NA3_U_2019	Anthoathecata gen. sp.	UNM	wenig		
3068	31_GR_NA3_U_2019	Balanus crenatus	UNM		11	
3069	31_GR_NA3_U_2019	Bathyporeia elegans	BLFD		3	0.00095
3070	31_GR_NA3_U_2019	Bathyporeia pelagica	BLFD		4	0.00152
3071	31_GR_NA3_U_2019	Calycella syringa	UNM	wenig		
3072	31_GR_NA3_U_2019	Conopeum reticulum	UNM	mittel		
3073	31_GR_NA3_U_2019	Electra monostachys	UNM	mittel		
3074	31_GR_NA3_U_2019	Eucheilota maculata	UNM	mittel		
3075	31_GR_NA3_U_2019	Gastrosaccus spinifer	BLFD		8	0.01276
3076	31_GR_NA3_U_2019	Myrianida sanmartini	LFD		1	
3077	31_GR_NA3_U_2019	Mytilus edulis	BLFD		48	0.00127
3078	31_GR_NA3_U_2019	Nemertea indet.	UNM		1	
3079	31_GR_NA3_U_2019	Obelia bidentata	UNM	viel		
3080	31_GR_NA3_U_2019	Obelia dichotoma	UNM	wenig		
3081	31_GR_NA3_U_2019	Ophelia sp.	BLFD		5	0.00269
3082	31_GR_NA3_U_2019	Scoloplos armiger agg.	BLFD		1	0.00934
3083	31_GR_NA3_U_2019	Scyphozoa indet.	UNM	wenig		
3084	31_GR_NA3_U_2019	Spio goniocephala	LFD		1	
3085	31_GR_NA3_U_2019	Syngnathus rostellatus	LFD		1	
3086	31_GR_NDS03_U_2020	Bathyporeia elegans	LFD		6	
3087	31_GR_NDS03_U_2020	Bathyporeia guilliamsoniana	LFD		1	
3088	31_GR_NDS03_U_2020	Diogenes pugilator	LFD		1	

3089	31_GR_NDS03_U_2020	Laomedea flexuosa	UNM	wenig		
3090	31_GR_NDS03_U_2020	Magelona johnstoni	B		34	0.03294
3091	31_GR_NDS03_U_2020	Malmgrenia bicki	BLFD		1	0.00167
3092	31_GR_NDS03_U_2020	Nephtys cirrosa	BLFD		4	0.07362
3093	31_GR_NDS03_U_2020	Ophelia sp.	BLFD		1	0.00176
3094	31_GR_NDS03_U_2020	Pontocrates altamarinus	LFD		1	
3095	31_GR_NDS03_U_2020	Sigalion mathildae	B		1	0.137
3096	31_GR_NDS03_U_2020	Urothoe poseidonis	B		1	
3097	31_GR_NDS03_U_2020	Urothoe poseidonis	BLFD		4	0.00844
3098	31_GR_SA3_U_2019	Aspidelectra melolontha	UNM	wenig		
3099	31_GR_SA3_U_2019	Bathyporeia elegans	BLFD		1	0.00039
3100	31_GR_SA3_U_2019	Bathyporeia pelagica	BLFD		7	0.00194
3101	31_GR_SA3_U_2019	Bathyporeia sarsi	B		4	
3102	31_GR_SA3_U_2019	Bathyporeia sarsi	BLFD		19	0.0065
3103	31_GR_SA3_U_2019	Conopeum reticulum	UNM	mittel		
3104	31_GR_SA3_U_2019	Electra monostachys	UNM	wenig		
3105	31_GR_SA3_U_2019	Eteone longa	BLFD		1	0.00081
3106	31_GR_SA3_U_2019	Euceilota maculata	UNM	mittel		
3107	31_GR_SA3_U_2019	Harpacticoida indet.	UNM		1	
3108	31_GR_SA3_U_2019	Hydractinia echinata	UNM	wenig		
3109	31_GR_SA3_U_2019	Mytilus edulis	BLFD		1	0.00035
3110	31_GR_SA3_U_2019	Obelia bidentata	UNM	mittel		
3111	31_GR_SA3_U_2019	Obelia dichotoma	UNM	mittel		
3112	31_GR_SA3_U_2019	Pontocrates altamarinus	BLFD		1	0.00038
3113	31_GR_SA3_U_2019	Scruparia ambigua	UNM	wenig		
3114	31_GR_SA3_U_2019	Scyphozoa indet.	UNM	wenig		
3115	31_T1_C_K_2021	Bathyporeia pelagica	B		1	1.00E-04
3116	31_T1_C_K_2021	Clytia hemisphaerica	UNM	wenig		
3117	31_T1_C_K_2021	Conopeum seurati	UNM	wenig		
3118	31_T1_C_K_2021	Crangon crangon	B		1	0.0118
3119	31_T1_C_K_2021	Jassa sp.	B		9	0.0004
3120	31_T1_C_K_2021	Mesopodopsis slabberi	B		1	0.0003
3121	31_T1_C_K_2021	Nephtys cirrosa	B		4	0.0184

3122	31_T1_C_K_2021	Obelia longissima	UNM	wenig		
3123	31_T1_C_K_2021	Scoloplos armiger agg.	B		1	0.0081
3124	31_T1_C_K_2021	Spio martinensis	B		2	0.0003
3125	32_GR_DK3_0_2019	Aricidea minuta	BLFD		1	0.00041
3126	32_GR_DK3_0_2019	Aricidea minuta	LFD		1	
3127	32_GR_DK3_0_2019	Bathyporeia guilliamsoniana	LFD		1	
3128	32_GR_DK3_0_2019	Bathyporeia pelagica	LFD		2	
3129	32_GR_DK3_0_2019	Bathyporeia sarsi	LFD		6	
3130	32_GR_DK3_0_2019	Capitella minima	BLFD		1	0.00024
3131	32_GR_DK3_0_2019	Cumopsis fagei	LFD		1	
3132	32_GR_DK3_0_2019	Macomangulus tenuis	BLFD		4	0.13238
3133	32_GR_DK3_0_2019	Mya arenaria	BLFD		1	0.00131
3134	32_GR_DK3_0_2019	Mytilus edulis	LFD		9	
3135	32_GR_DK3_0_2019	Nephtys kersivalensis	BLFD		2	0.0041
3136	32_GR_DK3_0_2019	Scoloplos armiger agg.	B		7	
3137	32_GR_DK3_0_2019	Scoloplos armiger agg.	BLFD		18	0.30096
3138	32_GR_DK3_0_2019	Spisula subtruncata	LFD		1	
3139	32_GR_NA3_U_2019	Bathyporeia elegans	B		1	
3140	32_GR_NA3_U_2019	Bathyporeia elegans	BLFD		13	0.00314
3141	32_GR_NA3_U_2019	Bathyporeia guilliamsoniana	BLFD		4	0.00375
3142	32_GR_NA3_U_2019	Bathyporeia pelagica	B		2	
3143	32_GR_NA3_U_2019	Bathyporeia pelagica	BLFD		26	0.72936
3144	32_GR_NA3_U_2019	Bathyporeia sarsi	BLFD		2	0.00089
3145	32_GR_NA3_U_2019	Conopeum reticulum	UNM	wenig		
3146	32_GR_NA3_U_2019	Electra monostachys	UNM	wenig		
3147	32_GR_NA3_U_2019	Gastrosaccus spinifer	BLFD		1	0.00196
3149	32_GR_NA3_U_2019	Goniadella bobretzkii	LFD		1	
3148	32_GR_NA3_U_2019	Goniadella bobretzkii	BLFD		3	0.00052
3150	32_GR_NA3_U_2019	Haustorius arenarius	B		1	
3151	32_GR_NA3_U_2019	Haustorius arenarius	BLFD		9	0.00295
3152	32_GR_NA3_U_2019	Macomangulus tenuis	BLFD		2	0.03553
3153	32_GR_NA3_U_2019	Mytilus edulis	BLFD		99	0.00323
3154	32_GR_NA3_U_2019	Nemertea indet.	UNM		1	

3155	32_GR_NA3_U_2019	Nephtys cirrosa	B		1	0.00828
3156	32_GR_NA3_U_2019	Nephtys cirrosa	BLFD		2	
3157	32_GR_NA3_U_2019	Obelia bidentata	UNM	wenig		
3158	32_GR_NA3_U_2019	Ophelia sp.	BLFD		20	0.07885
3159	32_GR_NA3_U_2019	Scyphozoa indet.	UNM	wenig		
3160	32_GR_NA3_U_2019	Spiophanes bombyx	BLFD		1	0.00042
3161	32_GR_NDS03_U_2020	Bathyporeia elegans	B		4	0.0008
3162	32_GR_NDS03_U_2020	Clytia hemisphaerica	UNM	wenig		
3163	32_GR_NDS03_U_2020	Electra pilosa	UNM	wenig		
3164	32_GR_NDS03_U_2020	Magelona johnstoni	B		13	0.0111
3165	32_GR_NDS03_U_2020	Nephtys cirrosa	B		2	0.0064
3166	32_GR_NDS03_U_2020	Nephtys hombergii	B		1	0.0119
3167	32_GR_NDS03_U_2020	Ototyphlonemertes (Duplex) corre	B		1	5.00E-04
3168	32_GR_NDS03_U_2020	Paguroidea indet.	B		1	
3169	32_GR_NDS03_U_2020	Pontocrates altamarinus	B		1	0.0002
3170	32_GR_SA3_U_2019	Aspidelectra melolontha	UNM	mittel		
3171	32_GR_SA3_U_2019	Bathyporeia elegans	BLFD		1	0.00032
3172	32_GR_SA3_U_2019	Bathyporeia pelagica	B		1	
3173	32_GR_SA3_U_2019	Bathyporeia pelagica	BLFD		9	0.00294
3174	32_GR_SA3_U_2019	Bathyporeia sarsi	B		2	
3175	32_GR_SA3_U_2019	Bathyporeia sarsi	BLFD		10	0.0037
3176	32_GR_SA3_U_2019	Conopeum reticulum	UNM	wenig		
3177	32_GR_SA3_U_2019	Crangon crangon	BLFD		1	0.00323
3178	32_GR_SA3_U_2019	Nephtys cirrosa	BLFD		1	0.00191
3179	32_GR_SA3_U_2019	Obelia bidentata	UNM	wenig		
3180	32_GR_SA3_U_2019	Scoloplos armiger agg.	BLFD		8	0.05016
3181	32_T1_C_K_2021	Alcyonidiidae gen. sp.	UNM	wenig		
3182	32_T1_C_K_2021	Clytia hemisphaerica	UNM	wenig		
3183	32_T1_C_K_2021	Conopeum reticulum	UNM	wenig		
3184	32_T1_C_K_2021	Glycera tridactyla	B		1	0.0007
3185	32_T1_C_K_2021	Limecola balthica	B		1	0.0016
3186	32_T1_C_K_2021	Magelona johnstoni	B		4	0.0007
3187	32_T1_C_K_2021	Nephtys cirrosa	B		1	0.0057

3188	32_T1_C_K_2021	Obelia longissima	UNM	wenig		
3189	32_T1_C_K_2021	Scoloplos armiger agg.	B		4	0.0057
3190	32_T1_C_K_2021	Sertularia cupressina	UNM	wenig		
3191	32_T1_C_K_2021	Spio martinensis	B		17	0.0031
3192	33_GR_DK3_0_2019	Aricidea minuta	LFD		1	
3194	33_GR_DK3_0_2019	Bathyporeia guilliamsoniana	UNM		2	
3193	33_GR_DK3_0_2019	Bathyporeia guilliamsoniana	B		3	0.01301
3195	33_GR_DK3_0_2019	Bathyporeia pelagica	B		3	0.00555
3196	33_GR_DK3_0_2019	Bathyporeia pelagica	UNM		5	
3199	33_GR_DK3_0_2019	Bathyporeia sarsi	UNM		1	
3197	33_GR_DK3_0_2019	Bathyporeia sarsi	B		7	
3198	33_GR_DK3_0_2019	Bathyporeia sarsi	BLFD		10	0.01251
3200	33_GR_DK3_0_2019	Capitella capitata agg.	LFD		1	
3201	33_GR_DK3_0_2019	Gammarus locusta	BLFD		1	0.00403
3202	33_GR_DK3_0_2019	Macomangulus tenuis	BLFD		2	0.00099
3203	33_GR_DK3_0_2019	Mytilus edulis	BLFD		2	0.00051
3204	33_GR_DK3_0_2019	Nephtys caeca	BLFD		1	0.11147
3205	33_GR_DK3_0_2019	Nephtys cirrosa	BLFD		2	0.03257
3206	33_GR_DK3_0_2019	Nephtys hombergii	BLFD		1	0.00974
3207	33_GR_DK3_0_2019	Nephtys juv.	LFD		1	
3208	33_GR_DK3_0_2019	Scoloplos armiger agg.	BLFD		8	0.33513
3209	33_GR_DK3_0_2019	Urothoe poseidonis	BLFD		1	0.00101
3210	33_GR_DK3_0_2019	Urothoe poseidonis	UNM		1	
3211	33_GR_NA3_U_2019	Anoplodactylus petiolatus	LFD		1	
3212	33_GR_NA3_U_2019	Aspidelectra melolontha	UNM	wenig		
3213	33_GR_NA3_U_2019	Balanus crenatus	UNM		14	
3214	33_GR_NA3_U_2019	Bathyporeia elegans	BLFD		6	0.00179
3215	33_GR_NA3_U_2019	Bathyporeia pelagica	BLFD		20	0.00679
3216	33_GR_NA3_U_2019	Calycella syringa	UNM	wenig		
3217	33_GR_NA3_U_2019	Conopeum reticulum	UNM	viel		
3218	33_GR_NA3_U_2019	Electra monostachys	UNM	mittel		
3219	33_GR_NA3_U_2019	Electra pilosa	UNM	wenig		
3220	33_GR_NA3_U_2019	Euceilota maculata	UNM	viel		

3221	33_GR_NA3_U_2019	Eumida sanguinea	LFD		1	
3222	33_GR_NA3_U_2019	Gastrosaccus spinifer	BLFD		11	0.01362
3223	33_GR_NA3_U_2019	Goniadella bobretzkii	LFD		1	
3224	33_GR_NA3_U_2019	Haustorius arenarius	BLFD		1	0.00016
3225	33_GR_NA3_U_2019	Hydractinia echinata	UNM	wenig		
3226	33_GR_NA3_U_2019	Hydrallmania falcata	UNM	wenig		
3227	33_GR_NA3_U_2019	Lanice conchilega	LFD		1	
3228	33_GR_NA3_U_2019	Macomangulus tenuis	UNM		1	0.00053
3229	33_GR_NA3_U_2019	Mytilus edulis	BLFD		80	0.00233
3230	33_GR_NA3_U_2019	Nephtys caeca	BLFD		1	0.17945
3231	33_GR_NA3_U_2019	Nephtys cirrosa	B		1	
3232	33_GR_NA3_U_2019	Nephtys cirrosa	BLFD		3	0.01934
3233	33_GR_NA3_U_2019	Obelia bidentata	UNM	viel		
3234	33_GR_NA3_U_2019	Ophelia sp.	BLFD		6	0.0032
3235	33_GR_NA3_U_2019	Scoloplos armiger agg.	BLFD		2	0.01054
3236	33_GR_NA3_U_2019	Scyphozoa indet.	UNM	mittel		
3237	33_GR_NDS03_U_2020	Echinocardium cordatum	B		2	0.5631
3238	33_GR_NDS03_U_2020	Magelona johnstoni	B		40	0.042
3239	33_GR_NDS03_U_2020	Nemertea indet.	B		1	0.0009
3240	33_GR_NDS03_U_2020	Neomysis integer	UNM		1	
3241	33_GR_NDS03_U_2020	Nephtys cirrosa	B		2	0.0316
3242	33_GR_NDS03_U_2020	Nephtys hombergii	B		1	0.0296
3243	33_GR_NDS03_U_2020	Obelia longissima	UNM	wenig		
3244	33_GR_NDS03_U_2020	Paguroidea indet.	B		1	5.00E-04
3245	33_GR_NDS03_U_2020	Pontocrates altamarinus	B		2	1.00E-04
3246	33_GR_NDS03_U_2020	Tellimya ferruginosa	B		1	0.0023
3247	33_GR_NDS03_U_2020	Urothoe poseidonis	B		4	0.0008
3248	33_GR_SA3_U_2019	Aspidelectra melolontha	UNM	mittel		
3249	33_GR_SA3_U_2019	Bathyporeia pelagica	BLFD		12	0.00466
3250	33_GR_SA3_U_2019	Bathyporeia sarsi	BLFD		3	0.00094
3251	33_GR_SA3_U_2019	Electra monostachys	UNM	wenig		
3252	33_GR_SA3_U_2019	Limecola balthica	BLFD		1	0.18042
3253	33_GR_SA3_U_2019	Magelona mirabilis	BLFD		1	0.00086

3254	33_GR_SA3_U_2019	Nephtys cirrosa	BLFD		1	0.01322
3255	33_GR_SA3_U_2019	Obelia bidentata	UNM	wenig		
3256	33_GR_SA3_U_2019	Obelia longissima	UNM	wenig		
3257	33_GR_SA3_U_2019	Pygospio elegans	BLFD		1	0.00027
3258	33_GR_SA3_U_2019	Scoloplos armiger agg.	BLFD		4	0.04197
3259	33_T1_C_K_2021	Aequorea sp.	UNM	wenig		
3260	33_T1_C_K_2021	Amphiuridae gen. sp.	B		1	0.0002
3261	33_T1_C_K_2021	Capitella capitata agg.	B		1	
3262	33_T1_C_K_2021	Clytia hemisphaerica	UNM	wenig		
3263	33_T1_C_K_2021	Conopeum reticulum	UNM	wenig		
3264	33_T1_C_K_2021	Electra monostachys	UNM	wenig		
3265	33_T1_C_K_2021	Nephtys caeca	B		1	0.0022
3266	33_T1_C_K_2021	Nephtys hombergii	B		3	0.0478
3267	33_T1_C_K_2021	Obelia longissima	UNM	wenig		
3268	33_T1_C_K_2021	Scoloplos armiger agg.	B		15	0.0145
3269	33_T1_C_K_2021	Spio martinensis	B		25	0.0023
3270	34_GR_DK3_0_2019	Bathyporeia guilliamsoniana	BLFD		3	0.00148
3271	34_GR_DK3_0_2019	Bathyporeia pelagica	BLFD		7	0.00915
3272	34_GR_DK3_0_2019	Bathyporeia sarsi	B		3	
3273	34_GR_DK3_0_2019	Bathyporeia sarsi	BLFD		13	0.00628
3274	34_GR_DK3_0_2019	Capitella capitata agg.	UNM		1	
3275	34_GR_DK3_0_2019	Conopeum seurati	NA	wenig		
3276	34_GR_DK3_0_2019	Crangon crangon	BLFD		1	0.01846
3277	34_GR_DK3_0_2019	Crassicorophium bonellii	UNM		1	
3278	34_GR_DK3_0_2019	Gammarus locusta	BLFD		1	0.00228
3279	34_GR_DK3_0_2019	Limecola balthica	BLFD		1	0.04167
3280	34_GR_DK3_0_2019	Macomangulus tenuis	BLFD		1	0.00523
3281	34_GR_DK3_0_2019	Nephtys caeca	BLFD		1	0.13253
3282	34_GR_DK3_0_2019	Nephtys cirrosa	BLFD		6	0.02995
3283	34_GR_DK3_0_2019	Pontocrates altamarinus	BLFD		2	0.00083
3284	34_GR_DK3_0_2019	Scoloplos armiger agg.	BLFD		13	0.2537
3285	34_GR_DK3_0_2019	Spio martinensis	UNM		1	
3286	34_GR_NA3_U_2019	Aspidelectra melolontha	UNM	viel		

3287	34_GR_NA3_U_2019	Austrominius modestus	UNM		1	
3288	34_GR_NA3_U_2019	Balanus crenatus	UNM		21	
3289	34_GR_NA3_U_2019	Bathyporeia elegans	BLFD		16	0.00387
3290	34_GR_NA3_U_2019	Bathyporeia pelagica	B		1	
3291	34_GR_NA3_U_2019	Bathyporeia pelagica	BLFD		42	0.01341
3292	34_GR_NA3_U_2019	Bathyporeia sarsi	BLFD		2	0.00063
3293	34_GR_NA3_U_2019	Calycella syringa	UNM	wenig		
3294	34_GR_NA3_U_2019	Campanulariidae indet.	UNM	wenig		
3295	34_GR_NA3_U_2019	Conopeum reticulum	UNM	viel		
3296	34_GR_NA3_U_2019	Electra monostachys	UNM	wenig		
3297	34_GR_NA3_U_2019	Eucheilota maculata	UNM	wenig		
3298	34_GR_NA3_U_2019	Gastrosaccus spinifer	BLFD		2	0.00269
3299	34_GR_NA3_U_2019	Goniadella bobretzkii	LFD		1	
3300	34_GR_NA3_U_2019	Harpacticoida indet.	UNM		7	
3301	34_GR_NA3_U_2019	Haustorius arenarius	LFD		1	
3302	34_GR_NA3_U_2019	Mytilus edulis	BLFD		172	0.00425
3303	34_GR_NA3_U_2019	Nematoda indet.	UNM		3	
3304	34_GR_NA3_U_2019	Nemertea indet.	UNM		2	
3305	34_GR_NA3_U_2019	Nephtys cirrosa	BLFD		1	0.04527
3306	34_GR_NA3_U_2019	Obelia bidentata	UNM	viel		
3307	34_GR_NA3_U_2019	Obeliinae indet.	UNM	wenig		
3309	34_GR_NA3_U_2019	Ophelia sp.	LFD		2	
3308	34_GR_NA3_U_2019	Ophelia sp.	BLFD		47	0.02609
3310	34_GR_NA3_U_2019	Scoloplos armiger agg.	BLFD		1	0.00039
3311	34_GR_NA3_U_2019	Scyphozoa indet.	UNM	wenig		
3312	34_GR_NA3_U_2019	Spio goniocephala	LFD		1	
3313	34_GR_NA3_U_2019	Spiophanes bombyx	LFD		1	
3314	34_GR_NA3_U_2019	Triticella flava	UNM	wenig		
3315	34_GR_NDS03_U_2020	Bathyporeia elegans	B		6	0.0004
3316	34_GR_NDS03_U_2020	Brachyura indet.	B		1	0.0002
3317	34_GR_NDS03_U_2020	Echinocardium cordatum	B		1	0.3798
3318	34_GR_NDS03_U_2020	Hypophorella expansa	UNM	wenig		
3319	34_GR_NDS03_U_2020	Magelona johnstoni	B		19	0.0197

3320	34_GR_NDS03_U_2020	Magelona mirabilis	B		1	0.001
3321	34_GR_NDS03_U_2020	Nephtys cirrosa	B		4	0.0506
3322	34_GR_NDS03_U_2020	Obelia bidentata	UNM	wenig		
3323	34_GR_NDS03_U_2020	Ototyphlonemertes (Duplex) corre	B		2	0.0006
3324	34_GR_NDS03_U_2020	Paguroidea indet.	B		2	0.0007
3325	34_GR_NDS03_U_2020	Urothoe poseidonis	B		7	0.0011
3326	34_GR_SA3_U_2019	Aspidelectra melolontha	UNM	mittel		
3327	34_GR_SA3_U_2019	Balanus crenatus	UNM		30	
3328	34_GR_SA3_U_2019	Bathyporeia pelagica	B		1	
3329	34_GR_SA3_U_2019	Bathyporeia pelagica	BLFD		15	0.00436
3330	34_GR_SA3_U_2019	Bathyporeia sarsi	B		1	
3331	34_GR_SA3_U_2019	Bathyporeia sarsi	BLFD		17	0.00522
3332	34_GR_SA3_U_2019	Conopeum reticulum	UNM	wenig		
3333	34_GR_SA3_U_2019	Electra monostachys	UNM	wenig		
3334	34_GR_SA3_U_2019	Eteone longa	BLFD		1	0.00013
3335	34_GR_SA3_U_2019	Euceilota maculata	UNM	mittel		
3336	34_GR_SA3_U_2019	Hydractinia echinata	UNM	wenig		
3337	34_GR_SA3_U_2019	Magelona mirabilis	BLFD		1	0.0019
3338	34_GR_SA3_U_2019	Myrianida sanmartini	BLFD		1	3.00E-05
3339	34_GR_SA3_U_2019	Nephtys cirrosa	BLFD		1	0.00353
3340	34_GR_SA3_U_2019	Obelia bidentata	UNM	wenig		
3341	34_GR_SA3_U_2019	Obelia dichotoma	UNM	wenig		
3342	34_GR_SA3_U_2019	Scoloplos armiger agg.	BLFD		2	0.00526
3343	34_GR_SA3_U_2019	Scyphozoa indet.	UNM	mittel		
3344	34_T1_B_K_2019	Bathyporeia sarsi	LFD		1	
3345	34_T1_B_K_2019	Bodotria scorpioides	LFD		1	
3346	34_T1_B_K_2019	Bougainvilliidae gen. sp.	UNM	wenig		
3347	34_T1_B_K_2019	Capitella minima	LFD		4	
3348	34_T1_B_K_2019	Ectopleura larynx	UNM	wenig		
3349	34_T1_B_K_2019	Nephtys cirrosa	BLFD		1	0.00367
3350	34_T1_B_K_2019	Nephtys hombergii	BLFD		4	0.05977
3351	34_T1_B_K_2019	Scoloplos armiger agg.	BLFD		1	0.04165
3352	34_T1_B_K_2019	Sertularia cupressina	UNM	wenig		

3353	34_T1_B_K_2019	<i>Spio martinensis</i>	BLFD		10	0.00352	
3354	34_T1_B_K_2019	<i>Spio sp.</i>	UNM		1		
3355	35_GR_DK3_0_2019	<i>Ammodytes sp.</i>	UNM		1		
3356	35_GR_DK3_0_2019	<i>Bathyporeia pelagica</i>	LFD		4		
3357	35_GR_DK3_0_2019	<i>Bathyporeia sarsi</i>	LFD		3		
3358	35_GR_DK3_0_2019	<i>Limecola balthica</i>	BLFD		1		0.2165
3359	35_GR_DK3_0_2019	<i>Macomangulus tenuis</i>	BLFD		1		0.00485
3360	35_GR_DK3_0_2019	<i>Magelona johnstoni</i>	LFD		1		
3361	35_GR_DK3_0_2019	<i>Mytilus edulis</i>	BLFD		8		0.00322
3362	35_GR_DK3_0_2019	<i>Nephtys kersivalensis</i>	BLFD		4	0.04529	
3363	35_GR_DK3_0_2019	<i>Pygospio elegans</i>	LFD		1		
3364	35_GR_DK3_0_2019	<i>Scoloplos armiger agg.</i>	B		12		
3365	35_GR_DK3_0_2019	<i>Scoloplos armiger agg.</i>	BLFD		12	0.28774	
3366	35_GR_DK3_0_2019	<i>Spio martinensis</i>	LFD		1		
3367	35_GR_DK3_0_2019	<i>Tubificoides cf. pseudogaster agg.</i>	UNM		1		
3368	35_GR_DK3_0_2019	<i>Turbellaria</i>	UNM		1		
3369	35_GR_NA3_U_2019	<i>Abra alba</i>	LFD		3		
3370	35_GR_NA3_U_2019	<i>Alcyonidioides cf. mytili</i>	UNM	viel			
3371	35_GR_NA3_U_2019	<i>Amphipholis squamata</i>	LFD		2		
3373	35_GR_NA3_U_2019	<i>Anoplodactylus petiolatus</i>	LFD		2		
3372	35_GR_NA3_U_2019	<i>Anoplodactylus petiolatus</i>	BLFD		113	0.00608	
3374	35_GR_NA3_U_2019	<i>Aricidea minuta</i>	LFD		2		
3375	35_GR_NA3_U_2019	<i>Balanus crenatus</i>	UNM		3		
3376	35_GR_NA3_U_2019	<i>Bathyporeia pelagica</i>	LFD		1		
3377	35_GR_NA3_U_2019	<i>Bodotria scorpioides</i>	BLFD		2	0.00015	
3378	35_GR_NA3_U_2019	<i>Calycella syringa</i>	UNM	mittel			
3379	35_GR_NA3_U_2019	<i>Capitella capitata agg.</i>	BLFD		9	0.00034	
3381	35_GR_NA3_U_2019	<i>Caprella septentrionalis</i>	LFD		3		
3380	35_GR_NA3_U_2019	<i>Caprella septentrionalis</i>	BLFD		26	0.00211	
3382	35_GR_NA3_U_2019	<i>Conopeum reticulum</i>	UNM	viel			
3384	35_GR_NA3_U_2019	<i>Cylista troglodytes</i>	UNM		1		
3383	35_GR_NA3_U_2019	<i>Cylista troglodytes</i>	B		2	0.13642	
3385	35_GR_NA3_U_2019	<i>Einhornia crustulenta</i>	UNM	wenig			

3386	35_GR_NA3_U_2019	<i>Electra monostachys</i>	UNM	wenig		
3387	35_GR_NA3_U_2019	<i>Electra pilosa</i>	UNM	viel		
3388	35_GR_NA3_U_2019	<i>Eteone longa</i>	BLFD		1	7.00E-05
3389	35_GR_NA3_U_2019	<i>Eucheilota maculata</i>	UNM	mittel		
3391	35_GR_NA3_U_2019	<i>Eumida bahusiensis</i>	LFD		1	
3390	35_GR_NA3_U_2019	<i>Eumida bahusiensis</i>	BLFD		16	0.0031
3393	35_GR_NA3_U_2019	<i>Eunereis longissima</i>	LFD		1	
3392	35_GR_NA3_U_2019	<i>Eunereis longissima</i>	BLFD		16	0.01955
3394	35_GR_NA3_U_2019	<i>Gammarus cf. crinicornis</i>	LFD		1	
3395	35_GR_NA3_U_2019	<i>Gattyana cirrhosa</i>	LFD		2	
3396	35_GR_NA3_U_2019	<i>Heteromastus filiformis</i>	LFD		1	
3397	35_GR_NA3_U_2019	<i>Hydractinia echinata</i>	UNM	mittel		
3399	35_GR_NA3_U_2019	<i>Lanice conchilega</i>	LFD		1	
3398	35_GR_NA3_U_2019	<i>Lanice conchilega</i>	BLFD		47	0.17279
3400	35_GR_NA3_U_2019	<i>Liocarcinus navigator</i>	LFD		1	
3401	35_GR_NA3_U_2019	<i>Liocarcinus pusillus</i>	LFD		1	
3402	35_GR_NA3_U_2019	<i>Malacoceros tetracerus</i>	LFD		1	
3403	35_GR_NA3_U_2019	<i>Microprotopus maculatus</i>	BLFD		1	
3404	35_GR_NA3_U_2019	<i>Monocorophium cf. sextonae</i>	LFD		2	
3405	35_GR_NA3_U_2019	<i>Mya arenaria</i>	LFD		2	
3407	35_GR_NA3_U_2019	<i>Myrianida sanmartini</i>	LFD		3	
3406	35_GR_NA3_U_2019	<i>Myrianida sanmartini</i>	BLFD		15	0.00025
3408	35_GR_NA3_U_2019	<i>Mytilus edulis</i>	LFD		6	
3409	35_GR_NA3_U_2019	Nematoda indet.	UNM		13	
3410	35_GR_NA3_U_2019	<i>Nephtys caeca</i>	BLFD		1	0.09077
3411	35_GR_NA3_U_2019	<i>Nephtys cirrosa</i>	B		1	0.00024
3412	35_GR_NA3_U_2019	<i>Notomastus latericeus</i>	LFD		1	
3413	35_GR_NA3_U_2019	<i>Nymphon brevirostre</i>	BLFD		5	0.00147
3414	35_GR_NA3_U_2019	<i>Obelia bidentata</i>	UNM	viel		
3415	35_GR_NA3_U_2019	<i>Pariambus typicus</i>	LFD		1	
3417	35_GR_NA3_U_2019	<i>Phoxocephalus holbolli</i>	LFD		2	
3416	35_GR_NA3_U_2019	<i>Phoxocephalus holbolli</i>	BLFD		7	0.00113
3418	35_GR_NA3_U_2019	<i>Phyllodoce mucosa</i>	BLFD		5	0.00189

3419	35_GR_NA3_U_2019	Proceraea cornuta	LFD		1	
3421	35_GR_NA3_U_2019	Pygospio elegans	LFD		3	
3420	35_GR_NA3_U_2019	Pygospio elegans	BLFD		51	0.00173
3422	35_GR_NA3_U_2019	Scoloplos armiger agg.	BLFD		41	0.06318
3423	35_GR_NA3_U_2019	Sertularia cupressina	UNM	mittel		
3424	35_GR_NA3_U_2019	Spio cf. symphyta	LFD		1	
3425	35_GR_NA3_U_2019	Spio martinensis	BLFD		10	0.00054
3426	35_GR_NA3_U_2019	Spiophanes bombyx	BLFD		2	0.00036
3427	35_GR_NA3_U_2019	Tubificoides benedii	LFD		6	
3429	35_GR_NA3_U_2019	Venerupis corrugata	LFD		2	
3428	35_GR_NA3_U_2019	Venerupis corrugata	BLFD		6	0.000583
3430	35_GR_NDS03_U_2020	Bathyporeia elegans	B		2	1.00E-04
3431	35_GR_NDS03_U_2020	Electra pilosa	UNM	wenig		
3432	35_GR_NDS03_U_2020	Magelona johnstoni	B		12	0.0129
3433	35_GR_NDS03_U_2020	Nephtys cirrosa	B		6	0.0618
3434	35_GR_NDS03_U_2020	Obelia bidentata	UNM	wenig		
3435	35_GR_NDS03_U_2020	Ototyphlonemertes (Duplex) corre	B		1	0.0007
3436	35_GR_NDS03_U_2020	Paguroidea indet.	B		1	
3437	35_GR_NDS03_U_2020	Pontocrates altamarinus	B		3	5.00E-04
3438	35_GR_NDS03_U_2020	Spiophanes bombyx	B		1	0.0002
3439	35_GR_SA3_U_2019	Balanus crenatus	UNM		8	
3440	35_GR_SA3_U_2019	Bathyporeia pelagica	B		1	
3441	35_GR_SA3_U_2019	Bathyporeia pelagica	BLFD		2	0.00069
3442	35_GR_SA3_U_2019	Bathyporeia sarsi	BLFD		6	0.00157
3443	35_GR_SA3_U_2019	Ensis leei	BLFD		1	1.39217
3444	35_GR_SA3_U_2019	Euceilota maculata	UNM	wenig		
3445	35_GR_SA3_U_2019	Obelia dichotoma	UNM	wenig		
3446	35_GR_SA3_U_2019	Pontocrates altamarinus	BLFD		2	0.00042
3447	35_T1_B_K_2019	Bathyporeia sarsi	BLFD		1	0.00026
3448	35_T1_B_K_2019	Bodotria scorpioides	BLFD		1	0.00021
3449	35_T1_B_K_2019	Eteone longa	BLFD		2	0.00091
3450	35_T1_B_K_2019	Hydrallmania falcata	UNM	wenig		
3451	35_T1_B_K_2019	Magelona johnstoni	BLFD		3	0.00536

3452	35_T1_B_K_2019	Magelona mirabilis	BLFD		5	0.00832
3453	35_T1_B_K_2019	Nephtys cirrosa	BLFD		2	0.01769
3454	35_T1_B_K_2019	Nephtys hombergii	BLFD		3	0.02878
3455	35_T1_B_K_2019	Scoloplos armiger agg.	BLFD		9	0.08658
3456	35_T1_B_K_2019	Sertularia cupressina	UNM	wenig		
3457	35_T1_B_K_2019	Spio martinensis	BLFD		20	0.0026
3458	35_T1_B_K_2019	Syngnathus rostellatus	LFD		1	
3459	35_T1_C_IV_2021	Alitta succinea	B		1	0.0138
3460	35_T1_C_IV_2021	Eumida bahusiensis	B		1	0.0003
3461	35_T1_C_IV_2021	Eumida bahusiensis	UNM		1	
3462	35_T1_C_IV_2021	Microphthalmus similis	B		1	0.0002
3463	35_T1_C_IV_2021	Microprotopus maculatus	B		18	0.0002
3464	35_T1_C_IV_2021	Mytilus edulis agg.	B		1	
3465	35_T1_C_IV_2021	Nephtys cirrosa	B		1	0.0011
3466	35_T1_C_IV_2021	Pariambus typicus	B		2	
3467	35_T1_C_IV_2021	Scoloplos armiger agg.	B		1	0.0018
3468	35_T1_C_IV_2021	Spio martinensis	B		1	0.0002
3469	35_T1_C_IV_2021	Terebellidae gen. sp.	UNM		1	
3470	36_GR_DK3_0_2019	Aricidea minuta	UNM		1	
3471	36_GR_DK3_0_2019	Bathyporeia elegans	LFD		1	
3472	36_GR_DK3_0_2019	Bathyporeia guilliamsoniana	LFD		1	
3473	36_GR_DK3_0_2019	Capitella minima	UNM		1	
3474	36_GR_DK3_0_2019	Cerastoderma edule	LFD		1	
3475	36_GR_DK3_0_2019	Limecola balthica	BLFD		2	0.00372
3476	36_GR_DK3_0_2019	Mytilus edulis	BLFD		4	0.00027
3478	36_GR_DK3_0_2019	Nephtys cirrosa	BLFD		2	
3477	36_GR_DK3_0_2019	Nephtys cirrosa	B	wenig		
3479	36_GR_DK3_0_2019	Obelia bidentata	NA	wenig		
3480	36_GR_DK3_0_2019	Scoloplos armiger agg.	BLFD		13	1.06422
3482	36_GR_NDS03_U_2020	Bathyporeia elegans	UNM		1	
3481	36_GR_NDS03_U_2020	Bathyporeia elegans	B		8	0.0014
3483	36_GR_NDS03_U_2020	Clytia hemisphaerica	UNM	wenig		
3484	36_GR_NDS03_U_2020	Macomangulus tenuis	B		1	0.0255

3486	36_GR_NDS03_U_2020	Magelona johnstoni	UNM		1	
3485	36_GR_NDS03_U_2020	Magelona johnstoni	B		37	0.0335
3487	36_GR_NDS03_U_2020	Nephtys cirrosa	B		5	0.0409
3488	36_GR_NDS03_U_2020	Nephtys hombergii	B		1	0.0136
3489	36_GR_NDS03_U_2020	Nephtys hombergii	UNM		1	
3490	36_GR_NDS03_U_2020	Nephtys sp.	UNM		1	
3491	36_GR_NDS03_U_2020	Obelia bidentata	UNM	wenig		
3492	36_GR_NDS03_U_2020	Obelia longissima	UNM	wenig		
3493	36_GR_NDS03_U_2020	Ototyphlonemertes (Duplex) corre	B		1	0.0041
3494	36_GR_NDS03_U_2020	Ototyphlonemertes (Duplex) corre	UNM		1	
3495	36_GR_NDS03_U_2020	Pontocrates altamarinus	UNM		1	
3496	36_T1_B_K_2019	Capitella capitata agg.	LFD		1	
3497	36_T1_B_K_2019	Eteone longa	LFD		1	
3498	36_T1_B_K_2019	Limecola balthica	BLFD		2	0.01929
3499	36_T1_B_K_2019	Nemertea indet.	UNM		1	
3500	36_T1_B_K_2019	Nephtys cirrosa	LFD		2	
3501	36_T1_B_K_2019	Scoloplos armiger agg.	BLFD		6	0.13545
3502	36_T1_B_K_2019	Spio martinensis	BLFD		15	0.00242
3503	36_T1_C_IV_2021	Alitta succinea	B		1	0.0048
3504	36_T1_C_IV_2021	Microprotopus maculatus	B		1	0.0002
3505	36_T1_C_IV_2021	Obelia bidentata	UNM	wenig		
3506	36_T1_C_IV_2021	Scoloplos armiger agg.	B		1	0.0004
3507	37_T1_C_IV_2021	Crangon sp.	B		1	0.0004
3508	37_T1_C_IV_2021	Neomysis integer	B		1	0.0003
3509	37_T1_C_IV_2021	Nephtys caeca	B		1	0.0122
3510	37_T1_C_IV_2021	Nephtys cirrosa	B		2	0.0131
3511	38_T1_C_IV_2021	Alitta succinea	B		1	0.0017
3512	38_T1_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
3513	38_T1_C_IV_2021	Nephtys cirrosa	B		3	0.0242
3514	38_T1_C_IV_2021	Obelia longissima	UNM	wenig		
3515	39_T1_C_IV_2021	Conopeum reticulum	UNM	wenig		
3516	39_T1_C_IV_2021	Microphthalmus similis	B		2	
3517	39_T1_C_IV_2021	Nephtys cirrosa	B		3	0.0166

3518	39_T1_C_IV_2021	Scoloplos armiger agg.	B		1	0.001
3519	4_T0_A_I_2019	Bathyporeia guilliamsoniana	LFD		1	
3520	4_T0_A_I_2019	Bathyporeia sarsi	BLFD		2	0.00083
3521	4_T0_A_I_2019	Capitella capitata agg.	BLFD		2	0.00231
3522	4_T0_A_I_2019	Capitella minima	BLFD		1	
3523	4_T0_A_I_2019	Cerastoderma edule	BLFD		1	1.00E-05
3524	4_T0_A_I_2019	cf. Echinogammarus marinus	UNM		1	
3525	4_T0_A_I_2019	Echinogammarus marinus	LFD		1	
3526	4_T0_A_I_2019	Eteone longa	BLFD		3	0.00186
3527	4_T0_A_I_2019	Limecola balthica	BLFD		1	0.01232
3528	4_T0_A_I_2019	Macomangulus tenuis	BLFD		2	0.00223
3529	4_T0_A_I_2019	Nephtys hombergii	BLFD		1	0.00442
3530	4_T0_A_I_2019	Nephtys kersivalensis	BLFD		4	
3531	4_T0_A_I_2019	Nototropis falcatus	LFD		1	
3532	4_T0_A_I_2019	Pygospio elegans	BLFD		8	0.00053
3533	4_T0_A_I_2019	Scoloplos armiger agg.	BLFD		9	0.15887
3534	4_T0_A_I_2019	Sertularia cupressina	UNM	wenig		
3535	4_T0_A_I_2019	Urothoe poseidonis	LFD		1	
3536	4_T0_C_IV_2021	Amphiuridae gen. sp.	B		1	0.0008
3537	4_T0_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
3538	4_T0_C_IV_2021	Electra pilosa	UNM	wenig		
3539	4_T0_C_IV_2021	Magelona johnstoni	B		1	0.0004
3540	4_T0_C_IV_2021	Neomysis integer	B		1	5.00E-04
3541	4_T0_C_IV_2021	Nephtys hombergii	B		2	0.0333
3542	4_T0_C_IV_2021	Nephtys sp.	UNM		1	
3543	4_T0_C_IV_2021	Obelia longissima	UNM	wenig		
3544	4_T0_C_IV_2021	Scoloplos armiger agg.	B		1	0.0027
3545	4_T0_C_IV_2021	Spio martinensis	B		13	0.0017
3546	41_GR_DK4_0_2019	Cerastoderma edule	LFD		1	
3547	41_GR_DK4_0_2019	Lagis koreni	LFD		1	
3548	41_GR_DK4_0_2019	Laomedea flexuosa	UNM	wenig		
3549	41_GR_DK4_0_2019	Nephtys hombergii	BLFD		2	0.01549
3550	41_GR_DK4_0_2019	Polydora ciliata	LFD		2	

3551	41_GR_DK4_0_2019	Polydora cornuta	LFD		4	
3552	41_GR_DK4_0_2019	Scoloplos armiger agg.	BLFD		3	0.02448
3553	41_GR_DK4_0_2019	Spio martinensis	BLFD		1	0.00013
3554	41_GR_DK4_0_2019	Spionidae gen. sp.	LFD		1	
3555	41_GR_DK4_0_2019	Spiophanes bombyx	LFD		2	
3556	41_GR_NDS04_U_2020	Anthoathecata indet.	UNM	wenig		
3557	41_GR_NDS04_U_2020	Aonides paucibranchiata	B		1	
3558	41_GR_NDS04_U_2020	Capitellidae gen. sp.	B		1	0.0001
3559	41_GR_NDS04_U_2020	Electra pilosa	UNM	wenig		
3560	41_GR_NDS04_U_2020	Gastrosaccus spinifer	B		1	0.0031
3561	41_GR_NDS04_U_2020	Goniadella bobretzkii	B		5	1.00E-04
3562	41_GR_NDS04_U_2020	Goodallia triangularis	B		3	0.0004
3563	41_GR_NDS04_U_2020	Nephtys cirrosa	B		5	0.0699
3564	41_GR_NDS04_U_2020	Obelia bidentata	UNM	wenig		
3565	41_GR_NDS04_U_2020	Obelia longissima	UNM	wenig		
3566	41_GR_NDS04_U_2020	Ophelia sp.	B		10	0.0984
3567	41_GR_NDS04_U_2020	Paguroidea indet.	B		1	0.0002
3568	41_GR_NDS04_U_2020	Paraonis fulgens	B		1	
3569	41_GR_NDS04_U_2020	Spio goniocephala	B		4	0.002
3570	41_GR_NDS04_U_2020	Spiophanes bombyx	B		1	0.0006
3572	41_GR_NDS04_U_2020	Spisula solida	UNM		1	
3571	41_GR_NDS04_U_2020	Spisula solida	B		2	0.0033
3574	41_T1_B_IV_2019	Bathyporeia sarsi	LFD		1	
3573	41_T1_B_IV_2019	Bathyporeia sarsi	BLFD		6	0.0097
3575	41_T1_B_IV_2019	Eteone longa	LFD		1	
3576	41_T1_B_IV_2019	Gastrosaccus sanctus	LFD		1	
3577	41_T1_B_IV_2019	Microphthalmus similis	LFD		2	
3578	41_T1_B_IV_2019	Microphthalmus sp.	LFD		2	
3579	41_T1_B_IV_2019	Nemertea indet.	LFD		2	
3580	41_T1_B_IV_2019	Nephtys assimilis	UNM		1	
3581	41_T1_B_IV_2019	Nephtys sp.	B		1	0.00652
3582	41_T1_B_IV_2019	Scoloplos armiger agg.	BLFD		7	0.01899
3583	41_T1_B_IV_2019	Spio martinensis	BLFD		5	0.00077

3584	41_T1_B_IV_2019	Vaunthompsonia cristata	LFD		1	
3585	41_T1_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
3586	41_T1_C_IV_2021	Crangon sp.	B		1	0.0006
3587	41_T1_C_IV_2021	Mesopodopsis slabberi	B		2	0.0008
3588	42_GR_DK4_0_2019	Cerastoderma edule	BLFD		3	0.00132
3589	42_GR_DK4_0_2019	Macomangulus tenuis	LFD		1	
3590	42_GR_DK4_0_2019	Mysidacea, spec indet	LFD		1	
3591	42_GR_DK4_0_2019	Nephtys cirrosa	B		2	0.00577
3592	42_GR_DK4_0_2019	Nephtys hombergii	BLFD		1	0.0081
3593	42_GR_DK4_0_2019	Scoloplos armiger agg.	BLFD		1	0.00061
3594	42_GR_DK4_0_2019	Spio martinensis	BLFD		1	0.00088
3595	42_GR_DK4_0_2019	Spisula subtruncata	BLFD		2	0.0045
3596	42_GR_NDS04_U_2020	Aonides paucibranchiata	B		1	1.00E-04
3598	42_GR_NDS04_U_2020	Asciacea indet.	UNM		1	
3597	42_GR_NDS04_U_2020	Asciacea indet.	B		142	0.00143
3599	42_GR_NDS04_U_2020	Capitellidae gen. sp.	B		1	0.0027
3600	42_GR_NDS04_U_2020	Ensis leei	B		1	0.4251
3601	42_GR_NDS04_U_2020	Gastrosaccus spinifer	UNM		1	
3602	42_GR_NDS04_U_2020	Macomangulus tenuis	UNM		1	
3603	42_GR_NDS04_U_2020	Nephtys caeca	UNM		1	
3604	42_GR_NDS04_U_2020	Nephtys cirrosa	B		3	0.0371
3605	42_GR_NDS04_U_2020	Notomastus sp. nov.	UNM		1	
3606	42_GR_NDS04_U_2020	Ophelia sp.	B		1	0.0025
3607	42_GR_NDS04_U_2020	Paguroidea indet.	UNM		1	
3608	42_GR_NDS04_U_2020	Paraonis fulgens	B		2	5.00E-04
3609	42_GR_NDS04_U_2020	Spio goniocephala	B		3	0.001
3610	42_GR_NDS04_U_2020	Spisula elliptica	B		1	0.0019
3611	42_GR_NDS04_U_2020	Thia scutellata	UNM		1	
3612	42_T1_B_IV_2019	Aequorea sp.	UNM	wenig		
3613	42_T1_B_IV_2019	Anthoathecata indet.	UNM	wenig		
3614	42_T1_B_IV_2019	Bathyporeia elegans	B		15	0.005
3615	42_T1_B_IV_2019	Bathyporeia guilliamsoniana	B		2	0.0012
3617	42_T1_B_IV_2019	Bathyporeia sarsi	UNM		1	

3616	42_T1_B_IV_2019	Bathyporeia sarsi	B		20	0.0054
3619	42_T1_B_IV_2019	Microphthalmus similis	UNM		1	
3618	42_T1_B_IV_2019	Microphthalmus similis	B		8	0.0002
3620	42_T1_B_IV_2019	Scoloplos armiger agg.	B		1	0.0003
3621	42_T1_B_IV_2019	Spio martinensis	B		4	0.0004
3622	42_T1_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
3623	42_T1_C_IV_2021	Conopeum reticulum	UNM	wenig		
3624	42_T1_C_IV_2021	Electra pilosa	UNM	wenig		
3625	42_T1_C_IV_2021	Gastrosaccus spinifer	UNM		1	
3626	42_T1_C_IV_2021	Mesopodopsis slabberi	B		2	1.00E-04
3627	42_T1_C_IV_2021	Nephtys cirrosa	B		5	0.048
3628	42_T1_C_IV_2021	Obelia longissima	UNM	wenig		
3629	43_GR_DK4_0_2019	Ectopleura larynx	UNM	wenig		
3630	43_GR_DK4_0_2019	Lagis koreni	BLFD		1	0.0071
3631	43_GR_DK4_0_2019	Laomedea sp.	UNM	wenig		
3632	43_GR_DK4_0_2019	Limecola balthica	BLFD		2	0.06154
3633	43_GR_DK4_0_2019	Magelona mirabilis	UNM		1	
3634	43_GR_DK4_0_2019	Nemertea indet.	UNM		1	
3635	43_GR_DK4_0_2019	Nephtys caeca	BLFD		1	0.26038
3636	43_GR_DK4_0_2019	Nephtys caeca	LFD		1	
3637	43_GR_DK4_0_2019	Nephtys cirrosa	BLFD		4	0.01745
3638	43_GR_DK4_0_2019	Phaxas pellucidus	LFD		1	
3639	43_GR_DK4_0_2019	Polychaeta - gen. sp. indet.	UNM		1	
3640	43_GR_DK4_0_2019	Scoloplos armiger agg.	BLFD		5	0.02433
3641	43_GR_DK4_0_2019	Spio martinensis	BLFD		14	0.00173
3642	43_GR_DK4_0_2019	Spisula subtruncata	BLFD		5	0.00285
3643	43_GR_NDS04_U_2020	Abludomelita obtusata	UNM		1	
3644	43_GR_NDS04_U_2020	Aonides paucibranchiata	B		1	0.0008
3645	43_GR_NDS04_U_2020	Aonides paucibranchiata	UNM		1	
3646	43_GR_NDS04_U_2020	Ascidiacea indet.	B		535	0.00749
3647	43_GR_NDS04_U_2020	Aurelia aurita	UNM	wenig		
3648	43_GR_NDS04_U_2020	Echinocardium cordatum	B		1	0.0397
3649	43_GR_NDS04_U_2020	Gastrosaccus spinifer	B		3	0.005

3650	43_GR_NDS04_U_2020	Goodallia triangularis	UNM		1	
3651	43_GR_NDS04_U_2020	Lanice conchilega	B		1	0.005
3652	43_GR_NDS04_U_2020	Mytilus edulis agg.	B		1	
3653	43_GR_NDS04_U_2020	Nephtys longosetosa	B		2	0.0085
3654	43_GR_NDS04_U_2020	Obelia bidentata	UNM	wenig		
3655	43_GR_NDS04_U_2020	Ophelia sp.	B		5	0.0178
3656	43_GR_NDS04_U_2020	Spio goniocephala	B		3	0.0011
3657	43_GR_NDS04_U_2020	Spio symphyta	UNM		1	
3658	43_GR_NDS04_U_2020	Spisula elliptica	UNM		1	
3659	43_GR_NDS04_U_2020	Terebellidae gen. sp.	UNM		1	
3660	43_T1_B_IV_2019	Bathyporeia elegans	B		12	0.0046
3661	43_T1_B_IV_2019	Bathyporeia guilliamsoniana	B		1	5.00E-04
3662	43_T1_B_IV_2019	Bathyporeia sarsi	B		13	0.0039
3663	43_T1_B_IV_2019	Crangon sp.	UNM		1	
3664	43_T1_B_IV_2019	Eteone longa	B		1	1.00E-04
3665	43_T1_B_IV_2019	Gastrosaccus spinifer	B		1	0.0025
3666	43_T1_B_IV_2019	Magelona mirabilis	B		1	0.0003
3667	43_T1_B_IV_2019	Microphthalmus similis	B		2	
3668	43_T1_B_IV_2019	Nephtys cirrosa	B		3	0.004
3669	43_T1_B_IV_2019	Schistomysis kervillei	B		1	1.00E-04
3670	43_T1_B_IV_2019	Scoloplos armiger agg.	B		3	0.02
3671	43_T1_B_IV_2019	Spio martinensis	B		1	0.0002
3672	43_T1_C_IV_2021	Bathyporeia sarsi	B		1	0.0007
3673	43_T1_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
3674	43_T1_C_IV_2021	Magelona mirabilis	B		1	0.0065
3675	43_T1_C_IV_2021	Nephtys cirrosa	B		2	0.0053
3676	43_T1_C_IV_2021	Spio martinensis	B		1	
3677	44_GR_DK4_0_2019	Capitella minima	LFD		1	
3678	44_GR_DK4_0_2019	Conopeum reticulum	UNM	wenig		
3679	44_GR_DK4_0_2019	Eteone longa	LFD		1	
3680	44_GR_DK4_0_2019	Limecola balthica	BLFD		1	0.14954
3681	44_GR_DK4_0_2019	Nephtys cirrosa	B		4	
3682	44_GR_DK4_0_2019	Nephtys cirrosa	BLFD		6	0.0307

3683	44_GR_DK4_0_2019	Nephtys hombergii	B		1	
3684	44_GR_DK4_0_2019	Nephtys hombergii	BLFD		2	0.02683
3685	44_GR_DK4_0_2019	Paraonis fulgens	LFD		1	
3686	44_GR_DK4_0_2019	Polychaeta - gen. sp. indet.	LFD		1	
3687	44_GR_DK4_0_2019	Polydora sp.	LFD		1	
3688	44_GR_DK4_0_2019	Scoloplos armiger agg.	B		3	0.01136
3689	44_GR_DK4_0_2019	Spio martinensis	B		6	
3690	44_GR_DK4_0_2019	Spio martinensis	BLFD		7	0.00191
3691	44_GR_DK4_0_2019	Spisula subtruncata	BLFD		1	0.00244
3692	44_GR_DK4_0_2019	Streptosyllis websteri	LFD		1	
3693	44_GR_NDS04_U_2020	Aonides paucibranchiata	B		1	
3694	44_GR_NDS04_U_2020	Ascidacea indet.	B		127	0.001778
3695	44_GR_NDS04_U_2020	Bathyporeia guilliamsoniana	UNM		1	
3696	44_GR_NDS04_U_2020	Clytia hemisphaerica	UNM	wenig		
3697	44_GR_NDS04_U_2020	Ensis leei	B		2	0.4756
3698	44_GR_NDS04_U_2020	Gastrosaccus spinifer	B		2	0.0048
3699	44_GR_NDS04_U_2020	Nephtys longosetosa	B		1	0.1726
3700	44_GR_NDS04_U_2020	Notomastus sp. nov.	UNM		1	
3701	44_GR_NDS04_U_2020	Ophelia sp.	B		11	0.0699
3702	44_GR_NDS04_U_2020	Paraonis fulgens	B		1	1.00E-04
3703	44_GR_NDS04_U_2020	Scoloplos armiger agg.	B		1	0.0041
3704	44_GR_NDS04_U_2020	Spathipora sp.	UNM	wenig		
3705	44_GR_NDS04_U_2020	Spio goniocephala	B		7	0.002
3706	44_GR_NDS04_U_2020	Spiophanes bombyx	B		2	0.0014
3707	44_GR_NDS04_U_2020	Spisula elliptica	B		1	0.0029
3708	44_T1_C_IV_2021	Conopeum seurati	UNM	wenig		
3709	44_T1_C_IV_2021	Crangon sp.	B		1	0.0001
3710	44_T1_C_IV_2021	Heteromastus filiformis	UNM		1	
3711	44_T1_C_IV_2021	Magelona johnstoni	UNM		1	
3712	44_T1_C_IV_2021	Magelona mirabilis	B		1	0.0067
3713	44_T1_C_IV_2021	Nephtys cirrosa	B		2	0.008
3714	44_T1_C_IV_2021	Spio martinensis	B		1	0.0002
3715	45_GR_DK4_0_2019	Aricidea minuta	LFD		2	

3716	45_GR_DK4_0_2019	Capitella minima	LFD		2	
3717	45_GR_DK4_0_2019	Eteone longa	BLFD		6	0.004
3718	45_GR_DK4_0_2019	Exogone sp.	LFD		2	
3719	45_GR_DK4_0_2019	Macomangulus tenuis	LFD		1	
3720	45_GR_DK4_0_2019	Nemertea indet.	LFD		2	
3721	45_GR_DK4_0_2019	Nephtys cirrosa	B		1	
3722	45_GR_DK4_0_2019	Nephtys cirrosa	BLFD		6	0.01746
3723	45_GR_DK4_0_2019	Nephtys hombergii	BLFD		1	0.00944
3724	45_GR_DK4_0_2019	Obelia bidentata	UNM	wenig		
3725	45_GR_DK4_0_2019	Phaxas pellucidus	LFD		1	
3726	45_GR_DK4_0_2019	Polydora ciliata	LFD		1	
3728	45_GR_DK4_0_2019	Scoloplos armiger agg.	LFD		1	
3727	45_GR_DK4_0_2019	Scoloplos armiger agg.	BLFD		3	0.00117
3729	45_GR_DK4_0_2019	Spio martinensis	BLFD		20	0.00227
3730	45_GR_DK4_0_2019	Spiophanes bombyx	LFD		1	
3731	45_GR_DK4_0_2019	Urothoe poseidonis	LFD		1	
3732	45_GR_NDS04_U_2020	Ascidiacea indet.	B		220	0.16808
3733	45_GR_NDS04_U_2020	Bathyporeia elegans	B		1	
3734	45_GR_NDS04_U_2020	Dosinia exoleta	UNM		1	
3735	45_GR_NDS04_U_2020	Electra pilosa	UNM	wenig		
3736	45_GR_NDS04_U_2020	Ensis leei	B		2	0.3419
3737	45_GR_NDS04_U_2020	Gastrosaccus spinifer	B		2	0.0033
3738	45_GR_NDS04_U_2020	Nephtys cirrosa	B		2	0.0107
3739	45_GR_NDS04_U_2020	Nephtys longosetosa	B		2	0.0178
3740	45_GR_NDS04_U_2020	Ophelia sp.	B		6	0.0441
3741	45_GR_NDS04_U_2020	Paraonis fulgens	UNM		1	
3742	45_GR_NDS04_U_2020	Scoloplos armiger agg.	B		2	0.0055
3743	45_GR_NDS04_U_2020	Spio goniocephala	B		8	0.0027
3744	45_GR_NDS04_U_2020	Spiophanes bombyx	B		1	0.0004
3745	45_GR_NDS04_U_2020	Spisula elliptica	B		2	0.004
3746	45_T1_C_IV_2021	Bathyporeia pelagica	B		3	0.0009
3747	45_T1_C_IV_2021	Bathyporeia sarsi	B		1	1.00E-04
3748	45_T1_C_IV_2021	Nephtys cirrosa	B		1	0.0028

3749	45_T1_C_IV_2021	Petricolaria pholadiformis	UNM		1	
3750	45_T1_C_IV_2021	Spio martinensis	B		1	0.0002
3751	46_GR_DK4_0_2019	Bodotria scorpioides	LFD		1	
3752	46_GR_DK4_0_2019	Cerastoderma edule	LFD		1	
3753	46_GR_DK4_0_2019	Crassikorophium bonellii	LFD		1	
3754	46_GR_DK4_0_2019	Eumida sanguinea	LFD		4	
3755	46_GR_DK4_0_2019	Fabulina fabula	LFD		1	
3756	46_GR_DK4_0_2019	Gattyana cirrhosa	LFD		1	
3757	46_GR_DK4_0_2019	Harmothoe ljunghmani	LFD		1	
3758	46_GR_DK4_0_2019	Lanice conchilega	BLFD		9	0.59363
3759	46_GR_DK4_0_2019	Laomedea flexuosa	UNM	viel		
3760	46_GR_DK4_0_2019	Microprotopus maculatus	LFD		1	
3761	46_GR_DK4_0_2019	Moerella donacina	LFD		1	
3762	46_GR_DK4_0_2019	Mytilus edulis	LFD		1	
3763	46_GR_DK4_0_2019	Nephtys cirrosa	BLFD		2	0.00416
3764	46_GR_DK4_0_2019	Nephtys hombergii	B		1	
3765	46_GR_DK4_0_2019	Nephtys hombergii	BLFD		4	0.0499
3766	46_GR_DK4_0_2019	Obelia bidentata	UNM	viel		
3767	46_GR_DK4_0_2019	Scoloplos armiger agg.	BLFD		2	0.00111
3768	46_GR_DK4_0_2019	Spio martinensis	BLFD		4	0.00052
3769	46_GR_DK4_0_2019	Spisula subtruncata	LFD		2	
3770	46_GR_NDS04_U_2020	Ascidacea indet.	B		131	0.003406
3771	46_GR_NDS04_U_2020	Ensis leei	B		1	0.2314
3772	46_GR_NDS04_U_2020	Gastrosaccus spinifer	B		2	0.0025
3773	46_GR_NDS04_U_2020	Goodallia triangularis	B		1	1.00E-04
3774	46_GR_NDS04_U_2020	Macomangulus tenuis	B		1	0.035
3775	46_GR_NDS04_U_2020	Nephtys cirrosa	B		2	0.0381
3776	46_GR_NDS04_U_2020	Nephtys longosetosa	UNM		1	
3778	46_GR_NDS04_U_2020	Ophelia sp.	UNM		1	
3777	46_GR_NDS04_U_2020	Ophelia sp.	B		3	0.0024
3779	46_GR_NDS04_U_2020	Scoloplos armiger agg.	UNM		1	
3781	46_GR_NDS04_U_2020	Spio goniocephala	UNM		1	
3780	46_GR_NDS04_U_2020	Spio goniocephala	B		2	0.0003

3782	46_GR_NDS04_U_2020	Spiophanes bombyx	B		1	0.0008
3783	46_GR_NDS04_U_2020	Spiophanes bombyx	UNM		1	
3784	46_GR_NDS04_U_2020	Spisula elliptica	B		1	0.0025
3785	47_GR_NDS13_U_2021	Abludomelita obtusata	B		2	0.0007
3786	47_GR_NDS13_U_2021	Alitta succinea	B		6	0.014
3787	47_GR_NDS13_U_2021	Amphipholis squamata	B		5	0.0065
3788	47_GR_NDS13_U_2021	Anoplodactylus petiolatus	B		1	1.00E-04
3789	47_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
3790	47_GR_NDS13_U_2021	Ascidacea indet.	B		44	0.003
3791	47_GR_NDS13_U_2021	Barentsia sp.	UNM	wenig		
3792	47_GR_NDS13_U_2021	Bodotria scorpioides	B		5	0.0009
3793	47_GR_NDS13_U_2021	Capitella capitata agg.	B		1	
3794	47_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
3795	47_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
3796	47_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
3797	47_GR_NDS13_U_2021	Corambe obscura agg.	B		3	
3798	47_GR_NDS13_U_2021	Crepidula fornicata	B		1	0.0025
3799	47_GR_NDS13_U_2021	Cylista troglodytes agg.	B		9	0.7609
3800	47_GR_NDS13_U_2021	Electra monostachys	UNM	wenig		
3801	47_GR_NDS13_U_2021	Electra pilosa	UNM	wenig		
3802	47_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
3803	47_GR_NDS13_U_2021	Glycera tridactyla	B		4	0.0055
3804	47_GR_NDS13_U_2021	Heteromastus filiformis	B		4	0.0103
3805	47_GR_NDS13_U_2021	Leptoplanoidea indet.	B		2	0.0002
3806	47_GR_NDS13_U_2021	Mediomastus fragilis	B		8	0.0023
3807	47_GR_NDS13_U_2021	Microprotopus maculatus	B		8	
3808	47_GR_NDS13_U_2021	Myrianida prolifera	B		3	
3809	47_GR_NDS13_U_2021	Myrianida sanmartini	B		28	0.0007
3810	47_GR_NDS13_U_2021	Myrianida sp.	B		9	
3811	47_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
3812	47_GR_NDS13_U_2021	Phyllodoce mucosa	B		1	0.0003
3813	47_GR_NDS13_U_2021	Polydora cornuta	B		2	0.0001
3814	47_GR_NDS13_U_2021	Pygospio elegans	B		5	0.0011

3815	47_GR_NDS13_U_2021	Scoloplos armiger agg.	B		3	0.0017
3816	47_GR_NDS13_U_2021	Terebellidae gen. sp.	B		1	1.00E-04
3817	47_GR_NDS13_U_2021	Tharyx killariensis	B		7	0.0013
3818	47_GR_NDS13_U_2021	Tharyx sp.	B		17	0.003
3819	47_GR_NDS13_U_2021	Tubificinae gen. sp.	B		19	0.0011
3820	47_GR_NDS13_U_2021	Tubificoides benedii	B		3	0.0008
3821	48_GR_NDS13_U_2021	Alitta succinea	B		3	0.001
3822	48_GR_NDS13_U_2021	Alitta virens	B		1	0.1436
3823	48_GR_NDS13_U_2021	Ampharete sp.	B		1	
3824	48_GR_NDS13_U_2021	Amphipholis squamata	B		2	0.0012
3825	48_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
3826	48_GR_NDS13_U_2021	Anthozoa indet.	B		7	0.0043
3827	48_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
3828	48_GR_NDS13_U_2021	Asterias rubens	B		5	0.002
3829	48_GR_NDS13_U_2021	Bodotria scorpioides	B		1	1.00E-04
3830	48_GR_NDS13_U_2021	Capitella capitata agg.	B		2	
3831	48_GR_NDS13_U_2021	Carcinus maenas	B		1	0.6825
3832	48_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
3833	48_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
3834	48_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
3835	48_GR_NDS13_U_2021	Crangon sp.	B		1	0.0003
3836	48_GR_NDS13_U_2021	Cylista troglodytes agg.	B		47	3.3788
3837	48_GR_NDS13_U_2021	Dyopedos monacanthus	B		1	1.00E-04
3838	48_GR_NDS13_U_2021	Electra pilosa	UNM	wenig		
3839	48_GR_NDS13_U_2021	Ensis leei	B		1	0.145
3840	48_GR_NDS13_U_2021	Eumida bahusiensis	B		43	0.0161
3842	48_GR_NDS13_U_2021	Eumida sp.	UNM		1	
3841	48_GR_NDS13_U_2021	Eumida sp.	B		18	1.00E-04
3843	48_GR_NDS13_U_2021	Eunereis longissima	B		4	0.0892
3844	48_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
3845	48_GR_NDS13_U_2021	Gattyana cirrhosa	B		6	0.0184
3846	48_GR_NDS13_U_2021	Glycera tridactyla	B		3	0.0024
3847	48_GR_NDS13_U_2021	Heteromastus filiformis	B		1	

3848	48_GR_NDS13_U_2021	Hypophorella expansa	UNM	wenig		
3849	48_GR_NDS13_U_2021	Kurtiella bidentata	B		7	0.0007
3850	48_GR_NDS13_U_2021	Lanice conchilega	B		45	1.5936
3851	48_GR_NDS13_U_2021	Macropodia sp.	B		1	0.0007
3852	48_GR_NDS13_U_2021	Malmgrenia bicki	B		29	0.0233
3853	48_GR_NDS13_U_2021	Mediomastus fragilis	B		2	0.0004
3854	48_GR_NDS13_U_2021	Microphthalmus similis	B		2	
3855	48_GR_NDS13_U_2021	Microprotopus maculatus	B		6	0.0003
3856	48_GR_NDS13_U_2021	Molgula sp.	B		182	0.026572
3857	48_GR_NDS13_U_2021	Monocorophium acherusicum	B		8	
3858	48_GR_NDS13_U_2021	Myrianida prolifera	B		4	
3859	48_GR_NDS13_U_2021	Myrianida sanmartini	B		16	0.0003
3860	48_GR_NDS13_U_2021	Myrianida sp.	B		5	
3861	48_GR_NDS13_U_2021	Mytilus edulis agg.	B		4	0.0002
3862	48_GR_NDS13_U_2021	Nephtys caeca	B		6	0.0143
3863	48_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
3864	48_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		
3865	48_GR_NDS13_U_2021	Pariambus typicus	B		4	
3866	48_GR_NDS13_U_2021	Polydora cornuta	B		1	0.0002
3867	48_GR_NDS13_U_2021	Pygospio elegans	B		3	0.0003
3868	48_GR_NDS13_U_2021	Scoloplos armiger agg.	B		17	0.0173
3869	48_GR_NDS13_U_2021	Streblospio shrubsolii	B		1	
3870	48_GR_NDS13_U_2021	Terebellidae gen. sp.	B		8	0.0003
3871	48_GR_NDS13_U_2021	Tharyx sp.	B		18	0.0028
3872	48_GR_NDS13_U_2021	Tubificinae gen. sp.	B		8	0.0004
3873	48_GR_NDS13_U_2021	Tubificoides benedii	B		7	1.00E-04
3874	49_GR_NDS13_U_2021	Abra alba	B		1	0.0036
3875	49_GR_NDS13_U_2021	Alcyonidiidae gen. sp.	UNM	wenig		
3876	49_GR_NDS13_U_2021	Alcyonidium parasiticum	UNM	wenig		
3877	49_GR_NDS13_U_2021	Alitta succinea	B		12	0.0081
3878	49_GR_NDS13_U_2021	Ampharete sp.	B		1	
3879	49_GR_NDS13_U_2021	Amphipholis squamata	B		1	0.0003
3880	49_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		

3881	49_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
3882	49_GR_NDS13_U_2021	Asterias rubens	B		1	0.0071
3883	49_GR_NDS13_U_2021	Barentsia benedeni	UNM	wenig		
3884	49_GR_NDS13_U_2021	Bodotria scorpioides	B		1	0.0002
3885	49_GR_NDS13_U_2021	Capitella capitata agg.	B		1	
3886	49_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
3887	49_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
3888	49_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
3889	49_GR_NDS13_U_2021	Crangon crangon	B		2	0.0261
3890	49_GR_NDS13_U_2021	Cylista troglodytes agg.	B		42	5.6739
3891	49_GR_NDS13_U_2021	Dyopedos monacanthus	B		2	0.0003
3892	49_GR_NDS13_U_2021	Electra pilosa	UNM	wenig		
3893	49_GR_NDS13_U_2021	Ensis leei	B		2	0.0845
3894	49_GR_NDS13_U_2021	Eumida bahusiensis	B		7	0.0027
3895	49_GR_NDS13_U_2021	Eumida sp.	B		2	0.0003
3896	49_GR_NDS13_U_2021	Eunereis longissima	B		3	0.0517
3897	49_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
3898	49_GR_NDS13_U_2021	Gattyana cirrhosa	B		3	0.0336
3899	49_GR_NDS13_U_2021	Glycera tridactyla	B		6	0.0364
3900	49_GR_NDS13_U_2021	Heteromastus filiformis	B		1	0.003
3901	49_GR_NDS13_U_2021	Hypophorella expansa	UNM	wenig		
3902	49_GR_NDS13_U_2021	Lanice conchilega	B		18	0.3304
3903	49_GR_NDS13_U_2021	Limecola balthica	B		1	0.0167
3904	49_GR_NDS13_U_2021	Macropodia sp.	B		2	0.0007
3905	49_GR_NDS13_U_2021	Malmgrenia bicki	B		12	0.0184
3906	49_GR_NDS13_U_2021	Mediomastus fragilis	B		2	
3907	49_GR_NDS13_U_2021	Mesopodopsis slabberi	B		1	0.0008
3908	49_GR_NDS13_U_2021	Microprotopus maculatus	B		11	0.0002
3909	49_GR_NDS13_U_2021	Molgula sp.	B		80	0.0286
3910	49_GR_NDS13_U_2021	Monocorophium acherusicum	B		1	
3911	49_GR_NDS13_U_2021	Myrianida prolifera	B		2	
3912	49_GR_NDS13_U_2021	Myrianida sanmartini	B		3	
3913	49_GR_NDS13_U_2021	Nephtys caeca	B		1	0.001

3914	49_GR_NDS13_U_2021	Nephtys hombergii	B		1	5.00E-04
3915	49_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		
3916	49_GR_NDS13_U_2021	Polydora cornuta	B		8	0.0002
3917	49_GR_NDS13_U_2021	Pygospio elegans	B		10	0.0023
3918	49_GR_NDS13_U_2021	Scoloplos armiger agg.	B		26	0.0331
3919	49_GR_NDS13_U_2021	Streblospio benedicti	B		2	5.00E-04
3920	49_GR_NDS13_U_2021	Tharyx killariensis	B		25	0.0045
3921	49_GR_NDS13_U_2021	Tharyx sp.	B		30	0.004
3922	49_GR_NDS13_U_2021	Tubificinae gen. sp.	B		12	0.0003
3923	49_GR_NDS13_U_2021	Tubificoides benedii	B		6	0.0008
3924	5_T0_A_K_2019	Bathyporeia sarsi	BLFD		1	0.00026
3925	5_T0_A_K_2019	Capitella cf. minima	LFD		1	
3926	5_T0_A_K_2019	Ensis leei	BLFD		1	1.30915
3927	5_T0_A_K_2019	Fabulina fabula	BLFD		3	0.02129
3928	5_T0_A_K_2019	Magelona mirabilis	LFD		1	
3929	5_T0_A_K_2019	Membranipora membranacea	UNM	wenig		
3930	5_T0_A_K_2019	Nephtys caeca	LFD		1	
3932	5_T0_A_K_2019	Nephtys hombergii	LFD		1	
3931	5_T0_A_K_2019	Nephtys hombergii	BLFD		5	0.02646
3933	5_T0_A_K_2019	Nephtys kersivalensis	LFD		1	
3934	5_T0_A_K_2019	Pygospio elegans	LFD		1	
3935	5_T0_A_K_2019	Retusa obtusa	BLFD		3	0.00043
3936	5_T0_A_K_2019	Scoloplos armiger agg.	BLFD		1	0.00166
3937	5_T0_A_K_2019	Spio martinensis	BLFD		5	0.00037
3938	50_GR_NDS13_U_2021	Abludomelita obtusata	UNM		1	
3939	50_GR_NDS13_U_2021	Alcyonidiidae gen. sp.	UNM	wenig		
3940	50_GR_NDS13_U_2021	Alitta succinea	B		5	0.0034
3941	50_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
3942	50_GR_NDS13_U_2021	Anoplodactylus petiolatus	UNM		1	
3943	50_GR_NDS13_U_2021	Anthozoa indet.	B		2	0.0008
3944	50_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
3945	50_GR_NDS13_U_2021	Capitella capitata agg.	B		10	0.003
3946	50_GR_NDS13_U_2021	Caprella linearis	B		34	0.0019

3947	50_GR_NDS13_U_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
3948	50_GR_NDS13_U_2021	<i>Conopeum reticulum</i>	UNM	wenig		
3950	50_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	UNM		1	
3949	50_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		55	5.5958
3951	50_GR_NDS13_U_2021	<i>Dyopedos monacanthus</i>	UNM		1	
3952	50_GR_NDS13_U_2021	<i>Electra pilosa</i>	UNM	wenig		
3953	50_GR_NDS13_U_2021	<i>Ensis leei</i>	B		1	0.1306
3954	50_GR_NDS13_U_2021	<i>Ensis leei</i>	UNM		1	
3955	50_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		16	0.0048
3956	50_GR_NDS13_U_2021	<i>Eunereis longissima</i>	B		2	0.0599
3957	50_GR_NDS13_U_2021	<i>Farrella repens</i>	UNM	wenig		
3958	50_GR_NDS13_U_2021	<i>Gattyana cirrhosa</i>	B		3	0.0143
3959	50_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		3	0.0026
3960	50_GR_NDS13_U_2021	<i>Heteromastus filiformis</i>	B		2	0.0028
3961	50_GR_NDS13_U_2021	<i>Hippolyte varians</i>	B		1	0.0018
3962	50_GR_NDS13_U_2021	<i>Hippolyte varians</i>	UNM		1	
3963	50_GR_NDS13_U_2021	<i>Hypophorella expansa</i>	UNM	wenig		
3964	50_GR_NDS13_U_2021	<i>Kurtiella bidentata</i>	B		1	0.0001
3965	50_GR_NDS13_U_2021	<i>Kurtiella bidentata</i>	UNM		1	
3966	50_GR_NDS13_U_2021	<i>Lanice conchilega</i>	B		35	1.5882
3967	50_GR_NDS13_U_2021	<i>Macropodia</i> sp.	UNM		1	
3968	50_GR_NDS13_U_2021	<i>Malmgrenia bicki</i>	B		16	0.0137
3970	50_GR_NDS13_U_2021	<i>Microprotopus maculatus</i>	UNM		1	
3969	50_GR_NDS13_U_2021	<i>Microprotopus maculatus</i>	B		2	0.0002
3972	50_GR_NDS13_U_2021	<i>Molgula</i> sp.	UNM		1	
3971	50_GR_NDS13_U_2021	<i>Molgula</i> sp.	B		11	0.0035
3974	50_GR_NDS13_U_2021	<i>Monocorophium acherusicum</i>	UNM		1	
3973	50_GR_NDS13_U_2021	<i>Monocorophium acherusicum</i>	B		2	5.00E-04
3975	50_GR_NDS13_U_2021	<i>Myrianida sanmartini</i>	B		1	0.0002
3976	50_GR_NDS13_U_2021	<i>Myrianida</i> sp.	B		1	0.0002
3977	50_GR_NDS13_U_2021	<i>Nephtys caeca</i>	B		2	0.0046
3978	50_GR_NDS13_U_2021	<i>Nephtys hombergii</i>	B		1	0.0293
3979	50_GR_NDS13_U_2021	<i>Nereididae</i> gen. sp.	B		3	0.0102

3980	50_GR_NDS13_U_2021	Obelia longissima	UNM	wenig			
3981	50_GR_NDS13_U_2021	Polydora cornuta	B		2		
3982	50_GR_NDS13_U_2021	Polynoinae gen. sp.	UNM		1		
3983	50_GR_NDS13_U_2021	Pygospio elegans	B		2	0.0012	
3984	50_GR_NDS13_U_2021	Scoloplos armiger agg.	B		6	0.0062	
3985	50_GR_NDS13_U_2021	Sertularia cupressina	UNM	wenig			
3986	50_GR_NDS13_U_2021	Spio martinensis	B		1	5.00E-04	
3987	50_GR_NDS13_U_2021	Tharyx killariensis	B		9	0.0022	
3988	50_GR_NDS13_U_2021	Tharyx sp.	B		25	0.0049	
3989	50_GR_NDS13_U_2021	Tubificinae gen. sp.	B		1	1.00E-04	
3990	50_T1_A_IV_2019	Bathyporeia pelagica	UNM		2		
3991	50_T1_A_IV_2019	Bathyporeia sarsi	UNM		4		
3992	50_T1_A_IV_2019	Nephtys hombergii	BLFD		6	0.04103	
3993	50_T1_A_IV_2019	Schistomysis spiritus	LFD		1		
3995	51_GR_DK5_0_2019	Ensis leei	BLFD		2	0.70417	6.71211
3994	51_GR_DK5_0_2019	Ensis leei	B		6	0.16193	21.64898
3996	51_GR_DK5_0_2019	Macomangulus tenuis	LFD		1		
3997	51_GR_DK5_0_2019	Neomysis integer	LFD		1		
3998	51_GR_DK5_0_2019	Obelia bidentata	NA	wenig			
3999	51_GR_NDS05_U_2020	Abludomelita obtusata	LFD		1		
4000	51_GR_NDS05_U_2020	Abra alba	BLFD		3	0.00308	
4001	51_GR_NDS05_U_2020	Abra alba juv.	UNM		15		
4003	51_GR_NDS05_U_2020	Anoplodactylus petiolatus	UNM		1		
4002	51_GR_NDS05_U_2020	Anoplodactylus petiolatus	B		8	0.00092	
4004	51_GR_NDS05_U_2020	Aphelochaeta marioni	LFD		1		
4005	51_GR_NDS05_U_2020	Capitella minima	LFD		1		
4006	51_GR_NDS05_U_2020	Crangon crangon	LFD		2		
4007	51_GR_NDS05_U_2020	Ensis leei	B		5		16.657
4008	51_GR_NDS05_U_2020	Eunereis longissima	BLFD		1	0.125	
4009	51_GR_NDS05_U_2020	Glycera sp.	UNM		1		
4010	51_GR_NDS05_U_2020	Heteromastus filiformis	LFD		2		
4011	51_GR_NDS05_U_2020	Heteromastus filiformis	UNM		2		
4012	51_GR_NDS05_U_2020	Lagis koreni	BLFD		1		0.037

4014	51_GR_NDS05_U_2020	Lanice conchilega	BLFD		46	2.78614	
4013	51_GR_NDS05_U_2020	Lanice conchilega	B		107		
4015	51_GR_NDS05_U_2020	Limecola balthica	BLFD		3	0.01527	
4016	51_GR_NDS05_U_2020	Liocarcinus navigator	LFD		1	0.02923	
4017	51_GR_NDS05_U_2020	Malmgrenia bicki	LFD		3		
4018	51_GR_NDS05_U_2020	Malmgrenia bicki	UNM		8		
4019	51_GR_NDS05_U_2020	Malmgreniella arenicolae	LFD		1		
4020	51_GR_NDS05_U_2020	Mediomastus fragilis	BLFD		1	0.00014	
4021	51_GR_NDS05_U_2020	Mediomastus fragilis	LFD		1		
4022	51_GR_NDS05_U_2020	Molgula manhattensis agg.	B		13		13.221
4024	51_GR_NDS05_U_2020	Myrianida sanmartini	LFD		1		
4025	51_GR_NDS05_U_2020	Myrianida sanmartini	UNM		1		
4023	51_GR_NDS05_U_2020	Myrianida sanmartini	BLFD		2	1.00E-05	
4026	51_GR_NDS05_U_2020	Mytilus edulis	LFD		2		
4027	51_GR_NDS05_U_2020	Nephtys hombergii	BLFD		2	0.05119	
4028	51_GR_NDS05_U_2020	Nephtys juv.	BLFD		2	0.00085	
4029	51_GR_NDS05_U_2020	Nereis juv.	BLFD		1	0.00033	
4030	51_GR_NDS05_U_2020	Nereis zonata	BLFD		1	0.01716	
4031	51_GR_NDS05_U_2020	Obelia bidentata	UNM	viel			
4032	51_GR_NDS05_U_2020	Phyllodoce mucosa	BLFD		1	0.02041	
4033	51_GR_NDS05_U_2020	Polydora ciliata	LFD		2		
4034	51_GR_NDS05_U_2020	Polydora ciliata	UNM		2		
4035	51_GR_NDS05_U_2020	Polydora cornuta	LFD		1		
4036	51_GR_NDS05_U_2020	Polydora cornuta	UNM		4		
4037	51_GR_NDS05_U_2020	Pygospio elegans	LFD		1		
4038	51_GR_NDS05_U_2020	Scoloplos armiger agg.	BLFD		1	0.00048	
4039	51_GR_NDS05_U_2020	Scoloplos armiger agg.	LFD		2		
4040	51_GR_NDS05_U_2020	Spisula subtruncata	LFD		1		
4042	51_GR_NDS05_U_2020	Tharyx killariensis	LFD		2		
4043	51_GR_NDS05_U_2020	Tharyx killariensis	UNM		3		
4041	51_GR_NDS05_U_2020	Tharyx killariensis	B		4	0.00031	
4044	51_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig			
4045	51_GR_NDS13_U_2021	Crangon sp.	B		2	0.0006	

4046	51_GR_NDS13_U_2021	Cylista troglodytes agg.	B		2	0.1643	
4047	51_GR_NDS13_U_2021	Electra pilosa	UNM	wenig			
4049	51_GR_NDS13_U_2021	Microphthalmus similis	UNM		1		
4048	51_GR_NDS13_U_2021	Microphthalmus similis	B		4	0.0001	
4050	51_GR_NDS13_U_2021	Microprotopus maculatus	B		4	1.00E-04	
4051	51_GR_NDS13_U_2021	Mytilus edulis agg.	B		1	1.00E-04	
4052	51_GR_NDS13_U_2021	Obelia longissima	UNM	wenig			
4053	51_GR_NDS13_U_2021	Tharyx killariensis	B		1	1.00E-04	
4054	51_T1_A_IV_2019	Cerastoderma edule	LFD		1		
4055	51_T1_A_IV_2019	Crangon crangon	LFD		1		
4056	51_T1_A_IV_2019	Mytilus edulis	LFD		1		
4057	51_T1_A_IV_2019	Nephtys hombergii	BLFD		5	0.04288	
4058	51_T1_A_IV_2019	Sertularia cupressina	UNM	wenig			
4059	51_T1_A_IV_2019	Spio martinensis	LFD		2		
4060	51_T1_A_IV_2019	Spiophanes bombyx	LFD		1		
4061	52_GR_DK5_0_2019	Capitella capitata agg.	UNM		1		
4062	52_GR_DK5_0_2019	Capitella minima	UNM		2		
4063	52_GR_DK5_0_2019	Crangon crangon	BLFD		1	0.00233	
4064	52_GR_DK5_0_2019	Ensis leei	B		21		68.081
4065	52_GR_DK5_0_2019	Nephtys hombergii	BLFD		2	0.00758	
4066	52_GR_DK5_0_2019	Obelia bidentata	NA	wenig			
4067	52_GR_DK5_0_2019	Pagurus bernhardus	UNM		1		0.087
4068	52_GR_DK5_0_2019	Pygospio elegans	UNM		2		
4069	52_GR_DK5_0_2019	Spisula subtruncata	LFD		1		
4070	52_GR_NDS05_U_2020	Abra alba	B		9	0.1268	
4071	52_GR_NDS05_U_2020	Alcyonidium parasiticum	UNM	wenig			
4073	52_GR_NDS05_U_2020	Alitta succinea	UNM		1		
4072	52_GR_NDS05_U_2020	Alitta succinea	B		7	0.0025	
4074	52_GR_NDS05_U_2020	Anoplodactylus petiolatus	UNM		1		
4075	52_GR_NDS05_U_2020	Asterias rubens	B		3	0.0042	
4076	52_GR_NDS05_U_2020	Brachyura indet.	B		4	0.0026	
4077	52_GR_NDS05_U_2020	Cirratulidae gen. sp.	B		5	0.0004	
4078	52_GR_NDS05_U_2020	Clytia hemisphaerica	UNM	wenig			

4079	52_GR_NDS05_U_2020	Conopeum reticulum	UNM	wenig		
4080	52_GR_NDS05_U_2020	Crangon crangon	B		3	0.1841
4081	52_GR_NDS05_U_2020	Cylista troglodytes agg.	B		2	0.7247
4082	52_GR_NDS05_U_2020	Electra pilosa	UNM	wenig		
4083	52_GR_NDS05_U_2020	Ensis leei	B		1	0.1691
4085	52_GR_NDS05_U_2020	Eumida bahusiensis	UNM		1	
4084	52_GR_NDS05_U_2020	Eumida bahusiensis	B		8	0.0016
4087	52_GR_NDS05_U_2020	Eunereis longissima	UNM		1	
4086	52_GR_NDS05_U_2020	Eunereis longissima	B		9	0.5219
4088	52_GR_NDS05_U_2020	Farrella repens	UNM	wenig		
4090	52_GR_NDS05_U_2020	Glycera tridactyla	UNM		1	
4089	52_GR_NDS05_U_2020	Glycera tridactyla	B		3	0.0073
4091	52_GR_NDS05_U_2020	Harmothoe sp.	B		1	0.0003
4092	52_GR_NDS05_U_2020	Harmothoe sp.	UNM		1	
4093	52_GR_NDS05_U_2020	Kurtiella bidentata	B		1	0.0002
4095	52_GR_NDS05_U_2020	Lanice conchilega	UNM		1	
4094	52_GR_NDS05_U_2020	Lanice conchilega	B		3316	21.3303408
4096	52_GR_NDS05_U_2020	Limecola balthica	B		1	0.0015
4098	52_GR_NDS05_U_2020	Malmgrenia bicki	UNM		1	
4097	52_GR_NDS05_U_2020	Malmgrenia bicki	B		209	0.126
4099	52_GR_NDS05_U_2020	Mediomastus fragilis	UNM		1	
4100	52_GR_NDS05_U_2020	Microprotopus maculatus	UNM		1	
4102	52_GR_NDS05_U_2020	Molgula manhattensis agg.	UNM		1	
4101	52_GR_NDS05_U_2020	Molgula manhattensis agg.	B		150	2.872775
4104	52_GR_NDS05_U_2020	Monocorophium acherusicum	UNM		1	
4103	52_GR_NDS05_U_2020	Monocorophium acherusicum	B		6	5.00E-04
4105	52_GR_NDS05_U_2020	Myrianida brachycephala	B		1	5.00E-04
4106	52_GR_NDS05_U_2020	Myrianida brachycephala	UNM		1	
4107	52_GR_NDS05_U_2020	Nephtys hombergii	B		1	0.0136
4108	52_GR_NDS05_U_2020	Nephtys sp.	B		4	0.0035
4110	52_GR_NDS05_U_2020	Nereididae gen. sp.	UNM		1	
4109	52_GR_NDS05_U_2020	Nereididae gen. sp.	B		3	0.0006
4111	52_GR_NDS05_U_2020	Obelia bidentata	UNM	wenig		

4112	52_GR_NDS05_U_2020	Obelia longissima	UNM	wenig		
4114	52_GR_NDS05_U_2020	Polydora cornuta	UNM		1	
4113	52_GR_NDS05_U_2020	Polydora cornuta	B		2	0.0003
4115	52_GR_NDS05_U_2020	Scoloplos armiger agg.	B		15	0.0081
4117	52_GR_NDS05_U_2020	Tharyx killariensis	UNM		1	
4116	52_GR_NDS05_U_2020	Tharyx killariensis	B		2	0.0008
4118	52_GR_NDS05_U_2020	Tubificinae gen. sp.	UNM		1	
4119	52_GR_NDS05_U_2020	Tubificoides benedii	UNM		1	
4120	52_GR_NDS05_U_2020	Tubificoides pseudogaster agg.	B		1	1.00E-04
4121	52_GR_NDS05_U_2020	Tubificoides pseudogaster agg.	UNM		1	
4122	53_GR_DK5_0_2019	Aphelochaeta marioni	UNM		2	
4123	53_GR_DK5_0_2019	Bodotria scorpioides	UNM		1	
4126	53_GR_DK5_0_2019	Capitella capitata agg.	UNM		1	
4125	53_GR_DK5_0_2019	Capitella capitata agg.	BLFD		3	0.01528
4124	53_GR_DK5_0_2019	Capitella capitata agg.	B		42	
4127	53_GR_DK5_0_2019	Capitella minima	UNM		2	
4128	53_GR_DK5_0_2019	Ensis leei	B		42	167.8
4129	53_GR_DK5_0_2019	Heteromastus filiformis	UNM		1	
4130	53_GR_DK5_0_2019	Limecola balthica	BLFD		1	0.001
4131	53_GR_DK5_0_2019	Nephtys cirrosa	LFD		1	
4132	53_GR_DK5_0_2019	Pygospio elegans	LFD		2	
4133	53_GR_DK5_0_2019	Pygospio elegans	UNM		7	
4134	53_GR_DK5_0_2019	Spio martinensis	UNM		2	
4135	53_GR_DK5_0_2019	Tubificoides cf. pseudogaster agg.	UNM		4	
4137	53_GR_NDS05_U_2020	Abra alba	UNM		1	
4136	53_GR_NDS05_U_2020	Abra alba	B		2	0.0467
4138	53_GR_NDS05_U_2020	Alitta succinea	B		1	5.00E-04
4139	53_GR_NDS05_U_2020	Capitellidae gen. sp.	B		1	0.0002
4141	53_GR_NDS05_U_2020	Carcinus maenas	UNM		1	
4140	53_GR_NDS05_U_2020	Carcinus maenas	B		4	0.2412
4142	53_GR_NDS05_U_2020	Conopeum reticulum	UNM	wenig		
4143	53_GR_NDS05_U_2020	Crangon crangon	B		1	0.0527
4144	53_GR_NDS05_U_2020	Crangon crangon	UNM		1	

4146	53_GR_NDS05_U_2020	Cylista troglodytes agg.	UNM		1	
4145	53_GR_NDS05_U_2020	Cylista troglodytes agg.	B		3	0.9026
4147	53_GR_NDS05_U_2020	Ensis leei	B		1	0.4065
4148	53_GR_NDS05_U_2020	Ensis leei	UNM		1	
4149	53_GR_NDS05_U_2020	Eteone longa	UNM		1	
4150	53_GR_NDS05_U_2020	Eumida bahusiensis	B		1	
4151	53_GR_NDS05_U_2020	Eunereis longissima	B		18	0.8362
4153	53_GR_NDS05_U_2020	Gattyana cirrhosa	UNM		1	
4152	53_GR_NDS05_U_2020	Gattyana cirrhosa	B		2	0.0003
4154	53_GR_NDS05_U_2020	Glycera sp.	UNM		1	
4155	53_GR_NDS05_U_2020	Heteromastus filiformis	UNM		1	
4157	53_GR_NDS05_U_2020	Kurtiella bidentata	UNM		1	
4156	53_GR_NDS05_U_2020	Kurtiella bidentata	B		8	0.0044
4158	53_GR_NDS05_U_2020	Lanice conchilega	B		7	0.088
4159	53_GR_NDS05_U_2020	Leptoplanoidea indet.	UNM		1	
4160	53_GR_NDS05_U_2020	Microphthalmus sp.	UNM		1	
4161	53_GR_NDS05_U_2020	Monocorophium acherusicum	B		3	1.00E-04
4162	53_GR_NDS05_U_2020	Myrianida sanmartini	B		1	
4163	53_GR_NDS05_U_2020	Myrianida sanmartini	UNM		1	
4164	53_GR_NDS05_U_2020	Myrianida sp.	B		4	
4165	53_GR_NDS05_U_2020	Nephtys sp.	B		4	0.0041
4166	53_GR_NDS05_U_2020	Notomastus latericeus	UNM		1	
4167	53_GR_NDS05_U_2020	Obelia bidentata	UNM	wenig		
4168	53_GR_NDS05_U_2020	Obelia longissima	UNM	wenig		
4169	53_GR_NDS05_U_2020	Pagurus bernhardus	UNM		1	
4171	53_GR_NDS05_U_2020	Phyllodoce mucosa	UNM		1	
4170	53_GR_NDS05_U_2020	Phyllodoce mucosa	B		5	0.0014
4172	53_GR_NDS05_U_2020	Polydora cornuta	B		4	1.00E-04
4173	53_GR_NDS05_U_2020	Scoloplos armiger agg.	B		31	0.012
4174	53_GR_NDS05_U_2020	Tharyx killariensis	B		8	0.0014
4175	53_GR_NDS05_U_2020	Tubificoides brownae	UNM		1	
4176	53_GR_NDS05_U_2020	Venerupis corrugata	B		1	0.4759
4177	53_T1_A_IV_2019	Austrominius modestus	LFD		3	

4178	53_T1_A_IV_2019	Bathyporeia sarsi	LFD		2		
4179	53_T1_A_IV_2019	Conopeum seurati	UNM	wenig			
4180	53_T1_A_IV_2019	Idotea linearis	LFD		1		
4181	53_T1_A_IV_2019	Magelona mirabilis	LFD		1		
4182	53_T1_A_IV_2019	Nephtys hombergii	BLFD		3	0.02093	
4183	53_T1_A_IV_2019	Nephtys kersivalensis	BLFD		1	0.00871	
4184	53_T1_A_IV_2019	Retusa obtusa	BLFD		1	0.00124	
4185	53_T3_C_K_2021	Bathyporeia guilliamsoniana	UNM		1		
4186	53_T3_C_K_2021	Crangon sp.	B		4	0.0007	
4187	53_T3_C_K_2021	Limecola balthica	UNM		1		
4188	53_T3_C_K_2021	Nephtys cirrosa	B		3	0.0137	
4189	53_T3_C_K_2021	Spio martinensis	B		1	0.0002	
4191	54_GR_DK5_0_2019	Capitella capitata agg.	LFD		4		
4190	54_GR_DK5_0_2019	Capitella capitata agg.	B		22	0.00417	
4192	54_GR_DK5_0_2019	Ensis leei	B		43		172.02
4193	54_GR_DK5_0_2019	Ensis leei juv.	LFD		1		
4194	54_GR_DK5_0_2019	Heteromastus filiformis	UNM		2		
4195	54_GR_DK5_0_2019	Limecola balthica	BLFD		1	0.11517	
4196	54_GR_DK5_0_2019	Nephtys juv.	LFD		1		
4197	54_GR_DK5_0_2019	Nephtys juv.	UNM		1		
4198	54_GR_DK5_0_2019	Pygospio elegans	LFD		2		
4199	54_GR_DK5_0_2019	Scoloplos armiger agg.	LFD		1		
4200	54_GR_DK5_0_2019	Sertularia cupressina	NA	wenig			
4201	54_GR_DK5_0_2019	Spio martinensis	LFD		2		
4202	54_GR_DK5_0_2019	Spisula subtruncata	BLFD		2	0.0005	
4203	54_GR_DK5_0_2019	Streblospio benedicti	LFD		1		
4204	54_GR_DK5_0_2019	Tubificoides cf. pseudogaster agg.	LFD		2		
4205	54_GR_NDS05_U_2020	Abra alba	BLFD		10	0.06626	
4207	54_GR_NDS05_U_2020	Abra alba juv.	BLFD		2	0.00985	
4206	54_GR_NDS05_U_2020	Abra alba juv.	B		63		
4208	54_GR_NDS05_U_2020	Actinaria gen. sp.	B		4		0.859
4209	54_GR_NDS05_U_2020	Alitta virens	BLFD		1	-0.37522	
4210	54_GR_NDS05_U_2020	Ampharete sp.	LFD		2		

4211	54_GR_NDS05_U_2020	Anoplodactylus petiolatus	LFD		2		
4213	54_GR_NDS05_U_2020	Aphelochaeta marioni	LFD		1		
4212	54_GR_NDS05_U_2020	Aphelochaeta marioni	B		6	0.00116	
4214	54_GR_NDS05_U_2020	Asterias rubens	BLFD		2	0.00093	
4215	54_GR_NDS05_U_2020	Capitella capitata agg.	LFD		1		
4216	54_GR_NDS05_U_2020	Corophium sextonae	LFD		1		
4217	54_GR_NDS05_U_2020	Crangon crangon	BLFD		4	0.4125	
4218	54_GR_NDS05_U_2020	Ensis leei	BLFD		8		71.038
4219	54_GR_NDS05_U_2020	Eteone longa	LFD		2		
4220	54_GR_NDS05_U_2020	Eumida sanguinea	BLFD		2	0.00059	
4221	54_GR_NDS05_U_2020	Eumida sanguinea	LFD		2		
4223	54_GR_NDS05_U_2020	Eunereis longissima	BLFD		4	0.88926	
4222	54_GR_NDS05_U_2020	Eunereis longissima	B		14		
4224	54_GR_NDS05_U_2020	Gattyana cirrhosa	LFD		1		
4226	54_GR_NDS05_U_2020	Glycera sp.	UNM		1		
4225	54_GR_NDS05_U_2020	Glycera sp.	BLFD		2	0.00114	
4228	54_GR_NDS05_U_2020	Heteromastus filiformis	UNM		1		
4227	54_GR_NDS05_U_2020	Heteromastus filiformis	BLFD		2	0.00836	
4229	54_GR_NDS05_U_2020	Lanice conchilega	BLFD		90		
4230	54_GR_NDS05_U_2020	Limecola balthica	BLFD		6	0.00717	
4231	54_GR_NDS05_U_2020	Malmgrenia bicki	LFD		2		
4232	54_GR_NDS05_U_2020	Malmgrenia bicki	UNM		3		
4234	54_GR_NDS05_U_2020	Mediomastus fragilis	UNM		1		
4233	54_GR_NDS05_U_2020	Mediomastus fragilis	LFD		3		
4235	54_GR_NDS05_U_2020	Microprotopus maculatus	LFD		3		
4236	54_GR_NDS05_U_2020	Molgula manhattensis agg.	B		10		20.04
4237	54_GR_NDS05_U_2020	Myrianida sanmartini	LFD		7		
4238	54_GR_NDS05_U_2020	Mytilus edulis	LFD		3		
4239	54_GR_NDS05_U_2020	Nephtys cirrosa	B		5	0.00594	
4240	54_GR_NDS05_U_2020	Nereis juv.	B		13	0.00441	
4241	54_GR_NDS05_U_2020	Obelia bidentata	UNM	mittel			
4243	54_GR_NDS05_U_2020	Phyllodoce mucosa	LFD		1		
4242	54_GR_NDS05_U_2020	Phyllodoce mucosa	B		2	0.00088	

4245	54_GR_NDS05_U_2020	Polydora ciliata	UNM		3	
4244	54_GR_NDS05_U_2020	Polydora ciliata	LFD		5	
4246	54_GR_NDS05_U_2020	Polydora cornuta	BLFD		2	0.00013
4248	54_GR_NDS05_U_2020	Polydora cornuta	UNM		2	
4247	54_GR_NDS05_U_2020	Polydora cornuta	LFD		10	
4249	54_GR_NDS05_U_2020	Scoloplos armiger agg.	BLFD		19	
4250	54_GR_NDS05_U_2020	Tharyx killariensis	LFD		7	
4252	54_GR_NDS05_U_2020	Tubificoides benedii	LFD		1	
4251	54_GR_NDS05_U_2020	Tubificoides benedii	BLFD		2	0.00022
4254	54_GR_NDS05_U_2020	Tubificoides pseudogaster agg.	LFD		3	
4255	54_GR_NDS05_U_2020	Tubificoides pseudogaster agg.	UNM		4	
4253	54_GR_NDS05_U_2020	Tubificoides pseudogaster agg.	B		54	0.00433
4256	54_GR_NDS05_U_2020	Venerupis corrugata	BLFD		1	0.26883
4257	54_T1_A_K_2019	Bathyporeia elegans	BLFD		1	0.00031
4258	54_T1_A_K_2019	Bathyporeia pelagica	BLFD		4	0.00129
4259	54_T1_A_K_2019	Bathyporeia sarsi	B		1	
4260	54_T1_A_K_2019	Bathyporeia sarsi	BLFD		33	0.01109
4261	54_T1_A_K_2019	Fabulina fabula	BLFD		3	0.00438
4262	54_T1_A_K_2019	Limecola balthica	BLFD		2	0.0155
4263	54_T1_A_K_2019	Macomangulus tenuis	BLFD		2	0.02426
4264	54_T1_A_K_2019	Nephtys hombergii	B		1	
4265	54_T1_A_K_2019	Nephtys hombergii	BLFD		1	0.02486
4266	54_T3_C_K_2021	Bathyporeia pelagica	B		1	0.0002
4267	54_T3_C_K_2021	Clytia hemisphaerica	UNM	wenig		
4268	54_T3_C_K_2021	Crangon sp.	B		2	0.0009
4269	54_T3_C_K_2021	Nephtys cirrosa	B		4	0.0207
4270	54_T3_C_K_2021	Obelia longissima	UNM	wenig		
4271	54_T3_C_K_2021	Sertularia argentea	UNM	wenig		
4272	55_GR_DK5_0_2019	Capitella capitata agg.	B		5	0.00291
4273	55_GR_DK5_0_2019	Ensis leei	B		41	
4274	55_GR_DK5_0_2019	Heteromastus filiformis	B		1	0.00067
4275	55_GR_DK5_0_2019	Limecola balthica	BLFD		2	0.11488
4276	55_GR_DK5_0_2019	Nephtys cirrosa	BLFD		1	0.00028

84.78

4277	55_GR_DK5_0_2019	Obelia bidentata	NA	wenig		
4278	55_GR_DK5_0_2019	Pygospio elegans	LFD		1	
4279	55_GR_DK5_0_2019	Tubificoides benedii	UNM		1	
4280	55_GR_NDS05_U_2020	Capitellidae gen. sp.	B		1	0.0002
4281	55_GR_NDS05_U_2020	Carcinus maenas	B		2	0.988
4283	55_GR_NDS05_U_2020	Cirratulidae gen. sp.	UNM		1	
4282	55_GR_NDS05_U_2020	Cirratulidae gen. sp.	B		29	0.0024
4284	55_GR_NDS05_U_2020	Cylista troglodytes agg.	B		11	3.8875
4285	55_GR_NDS05_U_2020	Electra pilosa	UNM	wenig		
4286	55_GR_NDS05_U_2020	Ensis leei	B		7	2.0796
4287	55_GR_NDS05_U_2020	Eunereis longissima	B		10	0.4295
4288	55_GR_NDS05_U_2020	Glycera tridactyla	B		10	0.0005
4289	55_GR_NDS05_U_2020	Mediomastus fragilis	B		15	0.001
4290	55_GR_NDS05_U_2020	Microprotopus maculatus	B		10	0.001
4291	55_GR_NDS05_U_2020	Monocorophium acherusicum	B		5	5.00E-04
4292	55_GR_NDS05_U_2020	Nephtys sp.	B		5	0.002
4293	55_GR_NDS05_U_2020	Nereididae gen. sp.	B		5	5.00E-04
4294	55_GR_NDS05_U_2020	Obelia bidentata	UNM	wenig		
4295	55_GR_NDS05_U_2020	Polydora cornuta	B		10	0.0005
4296	55_GR_NDS05_U_2020	Scoloplos armiger agg.	B		5	0.0115
4297	55_GR_NDS05_U_2020	Tharyx killariensis	B		50	0.005
4298	55_GR_NDS05_U_2020	Tubificinae gen. sp.	B		190	0.0145
4299	55_GR_NDS05_U_2020	Tubificoides benedii	B		10	
4300	55_GR_NDS05_U_2020	Tubificoides brownae	B		15	0.001
4301	55_GR_NDS05_U_2020	Venerupis corrugata	B		2	3.0504
4302	55_T1_A_K_2019	Bathyporeia elegans	LFD		1	
4303	55_T1_A_K_2019	Bathyporeia pelagica	LFD		2	
4304	55_T1_A_K_2019	Bathyporeia sarsi	BLFD		2	0.00035
4305	55_T1_A_K_2019	Capitella cf. capitata agg.	BLFD		7	0.0041
4306	55_T1_A_K_2019	Capitella cf. minima	BLFD		3	0.00163
4307	55_T1_A_K_2019	Conopeum reticulum	UNM	wenig		
4308	55_T1_A_K_2019	Electra monostachys	UNM	wenig		
4309	55_T1_A_K_2019	Eteone longa	BLFD		2	0.00107

4310	55_T1_A_K_2019	Eucheilota maculata	UNM	wenig			
4311	55_T1_A_K_2019	Fabulina fabula	BLFD		1	0.00011	
4312	55_T1_A_K_2019	Hydractinia echinata	UNM	wenig			
4313	55_T1_A_K_2019	Magelona mirabilis	BLFD		2	0.00261	
4314	55_T1_A_K_2019	Mytilus edulis	BLFD		1	5.00E-05	
4315	55_T1_A_K_2019	Nephtys cirrosa	BLFD		2	0.00517	
4316	55_T1_A_K_2019	Nephtys hombergii	BLFD		1	0.00704	
4317	55_T1_A_K_2019	Schistomysis kervillei	BLFD		1	0.00095	
4318	55_T1_A_K_2019	Scoloplos armiger agg.	BLFD		13	0.21601	
4319	55_T1_A_K_2019	Spio martinensis	BLFD		9	0.00108	
4320	55_T3_C_K_2021	Bathyporeia pelagica	B		2	0.0007	
4321	55_T3_C_K_2021	Clytia hemisphaerica	UNM	wenig			
4322	55_T3_C_K_2021	Crangon sp.	B		2	0.0006	
4323	55_T3_C_K_2021	Cylista troglodytes agg.	B		1	0.7333	
4324	55_T3_C_K_2021	Nephtys cirrosa	B		4	0.0206	
4325	55_T3_C_K_2021	Nephtys hombergii	B		1	0.0405	
4326	55_T3_C_K_2021	Obelia longissima	UNM	wenig			
4327	55_T3_C_K_2021	Spio martinensis	B		2	0.0002	
4328	56_GR_DK5_0_2019	Ensis leei	B		59	1.07677	205.36161
4330	56_GR_DK5_0_2019	Macomangulus tenuis	LFD		1		
4329	56_GR_DK5_0_2019	Macomangulus tenuis	BLFD		2	0.10605	
4331	56_GR_DK5_0_2019	Obelia longissima	NA	wenig			
4332	56_GR_DK5_0_2019	Sertularia cupressina	NA	wenig			
4333	56_GR_NDS05_U_2020	Anoplodactylus petiolatus	B		1		
4334	56_GR_NDS05_U_2020	Carcinus maenas	B		1	0.045	
4335	56_GR_NDS05_U_2020	Clytia hemisphaerica	UNM	wenig			
4336	56_GR_NDS05_U_2020	Conopeum reticulum	UNM	wenig			
4337	56_GR_NDS05_U_2020	Cylista troglodytes agg.	B		2	0.8477	
4338	56_GR_NDS05_U_2020	Ensis leei	B		7	4.5099	
4339	56_GR_NDS05_U_2020	Eumida bahusiensis	B		1	0.0004	
4340	56_GR_NDS05_U_2020	Eumida sp.	B		2	1.00E-04	
4341	56_GR_NDS05_U_2020	Eunereis longissima	B		11	0.2848	
4342	56_GR_NDS05_U_2020	Glycera tridactyla	B		3	0.0014	

4343	56_GR_NDS05_U_2020	Heteromastus filiformis	B		1	0.0003
4344	56_GR_NDS05_U_2020	Kurtiella bidentata	B		1	1.00E-04
4345	56_GR_NDS05_U_2020	Lanice conchilega	B		63	0.29421
4346	56_GR_NDS05_U_2020	Macropodia rostrata	UNM		1	
4347	56_GR_NDS05_U_2020	Malmgrenia bicki	B		1	0.0004
4348	56_GR_NDS05_U_2020	Molgula manhattensis agg.	B		1	0.0407
4349	56_GR_NDS05_U_2020	Nephtys sp.	B		1	0.0002
4350	56_GR_NDS05_U_2020	Nereididae gen. sp.	B		2	1.00E-04
4351	56_GR_NDS05_U_2020	Obelia bidentata	UNM	wenig		
4352	56_GR_NDS05_U_2020	Obelia longissima	UNM	wenig		
4353	56_GR_NDS05_U_2020	Petricolaria pholadiformis	UNM		1	
4354	56_GR_NDS05_U_2020	Polydora cornuta	B		1	0.0004
4355	56_GR_NDS05_U_2020	Scoloplos armiger agg.	B		2	
4356	56_GR_NDS05_U_2020	Tharyx killariensis	B		1	0.0004
4357	56_T3_C_K_2021	Bathyporeia sarsi	B		1	5.00E-04
4358	56_T3_C_K_2021	Clytia hemisphaerica	UNM	wenig		
4359	56_T3_C_K_2021	Conopeum reticulum	UNM	wenig		
4360	56_T3_C_K_2021	Hypophorella expansa	UNM	wenig		
4361	56_T3_C_K_2021	Limecola balthica	B		1	0.0173
4362	56_T3_C_K_2021	Magelona mirabilis	B		1	0.0002
4363	56_T3_C_K_2021	Nephtys cirrosa	B		1	0.0046
4364	56_T3_C_K_2021	Nephtys hombergii	B		2	0.0677
4365	56_T3_C_K_2021	Scoloplos armiger agg.	B		2	0.0086
4366	56_T3_C_K_2021	Spio martinensis	B		8	0.0018
4367	57_T1_A_K_2019	Bathyporeia pelagica	B		1	
4368	57_T1_A_K_2019	Bathyporeia pelagica	BLFD		2	0.0014
4369	57_T1_A_K_2019	Bathyporeia sarsi	BLFD		13	0.00356
4370	57_T1_A_K_2019	Capitella cf. capitata agg.	BLFD		4	0.00417
4371	57_T1_A_K_2019	Capitella cf. minima	BLFD		3	0.00092
4372	57_T1_A_K_2019	Fabulina fabula	BLFD		1	0.01002
4373	57_T1_A_K_2019	Limecola balthica	BLFD		1	0.00391
4374	57_T1_A_K_2019	Magelona mirabilis	BLFD		5	0.00448
4375	57_T1_A_K_2019	Nephtys cirrosa	BLFD		2	0.0055

4376	57_T1_A_K_2019	Nephtys hombergii	BLFD		2	0.01241
4377	57_T1_A_K_2019	Scoloplos armiger agg.	BLFD		9	0.09677
4378	57_T1_A_K_2019	Spio martinensis	BLFD		20	0.00255
4379	57_T3_C_K_2021	Clytia hemisphaerica	UNM	wenig		
4380	57_T3_C_K_2021	Crangon sp.	B		1	0.0003
4381	57_T3_C_K_2021	Magelona johnstoni	B		3	0.0015
4382	57_T3_C_K_2021	Neomysis integer	B		1	1.00E-04
4383	57_T3_C_K_2021	Nephtys cirrosa	B		2	0.0098
4384	57_T3_C_K_2021	Nephtys hombergii	B		1	0.0154
4385	57_T3_C_K_2021	Scoloplos armiger agg.	B		1	0.0004
4386	57_T3_C_K_2021	Spio martinensis	B		7	0.0018
4387	59_T3_C_K_2021	Bathyporeia pelagica	B		14	0.0043
4388	59_T3_C_K_2021	Bathyporeia sarsi	B		1	0.0003
4389	59_T3_C_K_2021	Crangon sp.	B		1	0.0004
4390	59_T3_C_K_2021	Magelona johnstoni	B		1	0.0006
4391	59_T3_C_K_2021	Mesopodopsis slabberi	B		2	0.0022
4392	59_T3_C_K_2021	Neomysis integer	B		1	0.0015
4393	59_T3_C_K_2021	Pontocrates altamarinus	B		1	0.0004
4394	6_T0_C_IV_2021	Bathyporeia sarsi	B		1	0.0006
4395	6_T0_C_IV_2021	Spio martinensis	B		1	0.0002
4396	6_T0_C_IV_2021	Tharyx sp.	B		2	0.0004
4397	60_T1_A_I_2019	Aspidelectra melolontha	UNM	wenig		
4398	60_T1_A_I_2019	Bathyporeia elegans	B		1	0.00055
4399	60_T1_A_I_2019	Bathyporeia elegans	BLFD		1	
4401	60_T1_A_I_2019	Bathyporeia guilliamsoniana	LFD		1	
4400	60_T1_A_I_2019	Bathyporeia guilliamsoniana	BLFD		2	0.002
4402	60_T1_A_I_2019	Bathyporeia pelagica	BLFD		13	0.00471
4403	60_T1_A_I_2019	Bodotria scorpioides	BLFD		1	0.00031
4404	60_T1_A_I_2019	Conopeum reticulum	UNM	wenig		
4405	60_T1_A_I_2019	Einhornia crustulenta	UNM	wenig		
4406	60_T1_A_I_2019	Euceilota maculata	UNM	mittel		
4407	60_T1_A_I_2019	Macomangulus tenuis	BLFD		5	0.06829
4408	60_T1_A_I_2019	Mytilus edulis	BLFD		1	0.00025

4409	60_T1_A_I_2019	Nephtys cirrosa	LFD		1	
4410	60_T1_A_I_2019	Nephtys cirrosa	UNM		1	
4411	60_T1_A_I_2019	Scoloplos armiger agg.	LFD		1	
4412	60_T1_A_I_2019	Scyphozoa gen. sp. (Polyps)	UNM	mittel		
4413	60_T1_A_I_2019	Spio martinensis	LFD		1	0.00024
4414	60_T3_C_IV_2021	Anguinella palmata	UNM	wenig		
4416	60_T3_C_IV_2021	Bathyporeia pelagica	UNM		1	
4415	60_T3_C_IV_2021	Bathyporeia pelagica	B		2	0.0004
4417	60_T3_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
4418	60_T3_C_IV_2021	Conopeum reticulum	UNM	wenig		
4419	60_T3_C_IV_2021	Crangon sp.	B		7	0.0016
4420	60_T3_C_IV_2021	Nephtys cirrosa	B		4	0.014
4421	61_GR_NDS06_U_2020	Alitta succinea	B		4	0.0009
4422	61_GR_NDS06_U_2020	Ampharete sp.	UNM		1	
4423	61_GR_NDS06_U_2020	Capitella capitata agg.	UNM		1	
4424	61_GR_NDS06_U_2020	Cirratulidae gen. sp.	B		1	0.0001
4425	61_GR_NDS06_U_2020	Cylista troglodytes agg.	B		2	0.6324
4426	61_GR_NDS06_U_2020	Ensis sp.	B		1	0.1837
4427	61_GR_NDS06_U_2020	Lineidae gen. sp.	B		1	0.0002
4428	61_GR_NDS06_U_2020	Mediomastus fragilis	B		1	
4429	61_GR_NDS06_U_2020	Mesopodopsis slabberi	UNM		1	
4430	61_GR_NDS06_U_2020	Phyllodoce mucosa	B		1	0.0006
4431	61_GR_NDS06_U_2020	Polydora cornuta	B		2	0.0002
4432	61_GR_NDS06_U_2020	Tubificinae gen. sp.	B		4	0.0002
4433	61_GR_NDS06_U_2020	Tubificoides benedii	B		1	0.0003
4434	61_GR_NDS06_U_2020	Venerupis corrugata	B		1	0.3819
4435	61_T3_C_IV_2021	Anthozoa indet.	B		2	0.0054
4436	61_T3_C_IV_2021	Arachnidium fibrosum	UNM	wenig		
4437	61_T3_C_IV_2021	Bathyporeia pelagica	B		2	0.0003
4438	61_T3_C_IV_2021	Bathyporeia sarsi	B		1	0.0006
4439	61_T3_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
4440	61_T3_C_IV_2021	Conopeum reticulum	UNM	wenig		
4441	61_T3_C_IV_2021	Metridium senile	B		1	0.0216

4442	61_T3_C_IV_2021	Nephtys cirrosa	B		3	0.0242
4443	61_T3_C_IV_2021	Obelia longissima	UNM	wenig		
4444	61_T3_C_IV_2021	Tharyx sp.	B		1	
4445	62_GR_NDS06_U_2020	Alcyonidium parasiticum	UNM	wenig		
4446	62_GR_NDS06_U_2020	Anthoathecata indet.	UNM	wenig		
4447	62_GR_NDS06_U_2020	Barentsia sp.	UNM	wenig		
4448	62_GR_NDS06_U_2020	Cirratulidae gen. sp.	B		30	0.005
4449	62_GR_NDS06_U_2020	Clytia hemisphaerica	UNM	wenig		
4450	62_GR_NDS06_U_2020	Conopeum reticulum	UNM	wenig		
4451	62_GR_NDS06_U_2020	Cylista troglodytes agg.	B		4	0.7689
4452	62_GR_NDS06_U_2020	Electra pilosa	UNM	wenig		
4453	62_GR_NDS06_U_2020	Ensis leei	B		2	0.5506
4454	62_GR_NDS06_U_2020	Eteone longa	B		10	0.004
4455	62_GR_NDS06_U_2020	Eumida bahusiensis	B		25	0.0065
4456	62_GR_NDS06_U_2020	Eunereis longissima	B		4	0.1659
4457	62_GR_NDS06_U_2020	Gattyana cirrhosa	B		5	0.0055
4458	62_GR_NDS06_U_2020	Glycera tridactyla	B		10	0.0505
4459	62_GR_NDS06_U_2020	Kurtiella bidentata	B		5	
4460	62_GR_NDS06_U_2020	Lanice conchilega	B		125	1.268
4461	62_GR_NDS06_U_2020	Malmgrenia bicki	B		5	0.0005
4462	62_GR_NDS06_U_2020	Mediomastus fragilis	B		45	0.0065
4463	62_GR_NDS06_U_2020	Mesopodopsis slabberi	B		5	0.002
4464	62_GR_NDS06_U_2020	Microphthalmus sp.	B		5	0.0005
4465	62_GR_NDS06_U_2020	Microprotopus maculatus	B		5	5.00E-04
4466	62_GR_NDS06_U_2020	Myrianida sanmartini	B		5	0.0005
4467	62_GR_NDS06_U_2020	Nephtys caeca	B		5	0.0095
4468	62_GR_NDS06_U_2020	Nephtys sp.	B		5	0.003
4469	62_GR_NDS06_U_2020	Obelia bidentata	UNM	wenig		
4470	62_GR_NDS06_U_2020	Obelia longissima	UNM	wenig		
4471	62_GR_NDS06_U_2020	Polydora cornuta	B		25	0.0005
4472	62_GR_NDS06_U_2020	Schistomysis kervillei	B		5	0.0185
4473	62_GR_NDS06_U_2020	Scoloplos armiger agg.	B		60	0.0215
4474	62_GR_NDS06_U_2020	Sertularia sp.	UNM	wenig		

4475	62_GR_NDS06_U_2020	Tharyx killariensis	B		75	0.0105
4476	62_GR_NDS06_U_2020	Tubificinae gen. sp.	B		170	0.0115
4477	62_GR_NDS06_U_2020	Tubificoides brownae	B		10	0.0005
4478	62_T3_C_IV_2021	Bathyporeia pelagica	B		7	0.0023
4479	62_T3_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
4480	62_T3_C_IV_2021	Crangon crangon	B		5	0.1107
4481	62_T3_C_IV_2021	Nephtys cirrosa	B		3	0.0123
4482	62_T3_C_IV_2021	Obelia longissima	UNM	wenig		
4483	62_T3_C_IV_2021	Spio martinensis	B		1	5.00E-04
4484	63_GR_NDS06_U_2020	Abra alba	B		25	0.4
4485	63_GR_NDS06_U_2020	Alcyonidiidae gen. sp.	UNM	wenig		
4486	63_GR_NDS06_U_2020	Alcyonidium parasiticum	UNM	wenig		
4487	63_GR_NDS06_U_2020	Alitta virens	UNM		1	
4488	63_GR_NDS06_U_2020	Amphipholis squamata	B		5	
4489	63_GR_NDS06_U_2020	Asterias rubens	B		5	0.004
4490	63_GR_NDS06_U_2020	Carcinus maenas	B		5	0.0465
4491	63_GR_NDS06_U_2020	Conopeum reticulum	UNM	wenig		
4492	63_GR_NDS06_U_2020	Cylista troglodytes agg.	B		7	2.004
4493	63_GR_NDS06_U_2020	Ensis leei	B		2	0.4856
4494	63_GR_NDS06_U_2020	Eteone longa	B		5	5.00E-04
4495	63_GR_NDS06_U_2020	Eumida bahusiensis	B		90	0.033
4496	63_GR_NDS06_U_2020	Eunereis longissima	B		15	1.445
4497	63_GR_NDS06_U_2020	Gattyana cirrhosa	B		10	0.006
4498	63_GR_NDS06_U_2020	Glycera tridactyla	B		45	0.133
4499	63_GR_NDS06_U_2020	Kurtiella bidentata	B		30	0.0125
4500	63_GR_NDS06_U_2020	Lanice conchilega	B		2170	17.26886
4501	63_GR_NDS06_U_2020	Limecola balthica	B		15	0.0635
4502	63_GR_NDS06_U_2020	Lineidae gen. sp.	B		1	
4503	63_GR_NDS06_U_2020	Malmgrenia bicki	B		35	0.001
4504	63_GR_NDS06_U_2020	Mediomastus fragilis	B		10	0.0015
4505	63_GR_NDS06_U_2020	Microprotopus maculatus	B		25	0.0025
4506	63_GR_NDS06_U_2020	Molgula manhattensis agg.	B		7	0.2452
4507	63_GR_NDS06_U_2020	Monocorophium acherusicum	B		30	0.003

4508	63_GR_NDS06_U_2020	<i>Nephtys caeca</i>	B		10	0.0225
4509	63_GR_NDS06_U_2020	<i>Petricolaria pholadiformis</i>	B		1	0.3401
4510	63_GR_NDS06_U_2020	<i>Phyllodoce mucosa</i>	B		5	0.0045
4511	63_GR_NDS06_U_2020	<i>Polydora cornuta</i>	B		35	0.0065
4512	63_GR_NDS06_U_2020	<i>Scoloplos armiger</i> agg.	B		75	0.0495
4513	63_GR_NDS06_U_2020	<i>Tharyx killariensis</i>	B		15	0.0035
4514	63_GR_NDS06_U_2020	Tubificinae gen. sp.	B		135	0.013
4515	63_GR_NDS06_U_2020	<i>Tubificoides benedii</i>	B		5	0.0015
4516	63_GR_NDS06_U_2020	<i>Venerupis corrugata</i>	B		1	1.4309
4517	63_T3_C_K_2021	<i>Alitta succinea</i>	B		1	
4518	63_T3_C_K_2021	<i>Bathyporeia pelagica</i>	B		1	1.00E-04
4519	63_T3_C_K_2021	<i>Bathyporeia sarsi</i>	B		1	0.0003
4520	63_T3_C_K_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
4521	63_T3_C_K_2021	<i>Crangon</i> sp.	B		1	1.00E-04
4522	63_T3_C_K_2021	<i>Cylista troglodytes</i> agg.	B		10	0.5445
4523	63_T3_C_K_2021	<i>Eumida bahusiensis</i>	B		1	
4524	63_T3_C_K_2021	<i>Heteromastus filiformis</i>	B		3	0.006
4525	63_T3_C_K_2021	<i>Kurtiella bidentata</i>	B		2	0.0006
4526	63_T3_C_K_2021	<i>Lanice conchilega</i>	B		1	0.0367
4527	63_T3_C_K_2021	<i>Malmgrenia bicki</i>	B		1	0.0015
4528	63_T3_C_K_2021	<i>Mesopodopsis slabberi</i>	B		3	0.001
4529	63_T3_C_K_2021	<i>Microprotopus maculatus</i>	B		1	
4530	63_T3_C_K_2021	<i>Molgula</i> sp.	B		2	0.0002
4531	63_T3_C_K_2021	<i>Nephtys hombergii</i>	B		1	0.0157
4532	63_T3_C_K_2021	<i>Spio martinensis</i>	B		1	1.00E-04
4533	63_T3_C_K_2021	<i>Tharyx killariensis</i>	B		1	0.0002
4534	63_T3_C_K_2021	Tubificinae gen. sp.	B		3	0.0002
4535	63_T3_C_K_2021	<i>Tubificoides benedii</i>	B		3	0.0001
4536	63_T3_C_K_2021	<i>Tubificoides brownae</i>	UNM		1	
4537	64_GR_NDS06_U_2020	<i>Abra alba</i>	B		3	0.0828
4538	64_GR_NDS06_U_2020	<i>Alitta succinea</i>	B		10	
4539	64_GR_NDS06_U_2020	<i>Anthoathecata</i> indet.	UNM	wenig		
4540	64_GR_NDS06_U_2020	<i>Asterias rubens</i>	B		1	0.0071

4541	64_GR_NDS06_U_2020	Asterias rubens	UNM		1	
4542	64_GR_NDS06_U_2020	Crangon crangon	B		2	0.1958
4543	64_GR_NDS06_U_2020	Cylista troglodytes agg.	B		22	3.8202
4544	64_GR_NDS06_U_2020	Eumida bahusiensis	B		20	0.0065
4545	64_GR_NDS06_U_2020	Eunereis longissima	B		5	0.4479
4546	64_GR_NDS06_U_2020	Gattyana cirrhosa	B		5	0.016
4547	64_GR_NDS06_U_2020	Glycera tridactyla	B		10	0.0095
4548	64_GR_NDS06_U_2020	Kurtiella bidentata	B		5	0.0035
4549	64_GR_NDS06_U_2020	Lanice conchilega	B		530	11.0982
4550	64_GR_NDS06_U_2020	Limecola balthica	UNM		1	
4551	64_GR_NDS06_U_2020	Malmgrenia bicki	B		25	0.02
4552	64_GR_NDS06_U_2020	Nephtys sp.	B		10	0.0075
4553	64_GR_NDS06_U_2020	Nereididae gen. sp.	B		10	0.0015
4554	64_GR_NDS06_U_2020	Schistomysis kervillei	B		5	0.008
4555	64_GR_NDS06_U_2020	Scoloplos armiger agg.	B		20	0.0065
4556	64_GR_NDS06_U_2020	Tharyx killariensis	B		5	0.003
4557	64_GR_NDS06_U_2020	Tubificinae gen. sp.	B		15	0.004
4558	65_GR_NDS06_U_2020	Abra alba	B		25	0.312
4559	65_GR_NDS06_U_2020	Aequorea sp.	UNM	wenig		
4560	65_GR_NDS06_U_2020	Alcyonidiidae gen. sp.	UNM	wenig		
4561	65_GR_NDS06_U_2020	Alcyonidium parasiticum	UNM	wenig		
4562	65_GR_NDS06_U_2020	Ampharete sp.	UNM		1	
4563	65_GR_NDS06_U_2020	Capitellidae gen. sp.	B		1	0.0003
4564	65_GR_NDS06_U_2020	Carcinus maenas	B		2	0.7402
4565	65_GR_NDS06_U_2020	Clytia hemisphaerica	UNM	wenig		
4566	65_GR_NDS06_U_2020	Conopeum reticulum	UNM	wenig		
4567	65_GR_NDS06_U_2020	Cylista troglodytes agg.	B		16	4.0619
4568	65_GR_NDS06_U_2020	Ensis leei	B		2	0.4171
4569	65_GR_NDS06_U_2020	Eteone longa	B		5	
4570	65_GR_NDS06_U_2020	Eumida bahusiensis	B		35	0.0115
4571	65_GR_NDS06_U_2020	Eunereis longissima	B		14	1.2044
4572	65_GR_NDS06_U_2020	Gattyana cirrhosa	B		5	0.031
4573	65_GR_NDS06_U_2020	Glycera tridactyla	B		20	0.042

4574	65_GR_NDS06_U_2020	Kurtiella bidentata	B		30	0.004
4575	65_GR_NDS06_U_2020	Lanice conchilega	B		800	7.43
4576	65_GR_NDS06_U_2020	Limecola balthica	B		5	0.003
4577	65_GR_NDS06_U_2020	Malmgrenia bicki	B		35	0.007
4578	65_GR_NDS06_U_2020	Monocorophium acherusicum	B		10	0.003
4579	65_GR_NDS06_U_2020	Neoamphitrite figulus	UNM		1	
4580	65_GR_NDS06_U_2020	Nephtys caeca	B		5	0.021
4581	65_GR_NDS06_U_2020	Nephtys sp.	B		15	0.018
4582	65_GR_NDS06_U_2020	Obelia bidentata	UNM	wenig		
4583	65_GR_NDS06_U_2020	Obelia longissima	UNM	wenig		
4584	65_GR_NDS06_U_2020	Phyllodoce mucosa	B		10	0.0015
4585	65_GR_NDS06_U_2020	Scoloplos armiger agg.	B		35	0.0235
4586	65_GR_NDS06_U_2020	Siphonenteron bilineatum	UNM		1	
4587	65_GR_NDS06_U_2020	Tharyx killariensis	B		20	0.0035
4588	65_GR_NDS06_U_2020	Tubificinae gen. sp.	B		55	0.0035
4589	65_GR_NDS06_U_2020	Tubificoides benedii	B		25	0.0035
4590	65_T3_C_IV_2021	Alitta succinea	B		2	1.00E-04
4591	65_T3_C_IV_2021	Anguinella palmata	UNM	wenig		
4592	65_T3_C_IV_2021	Arachnidium fibrosum	UNM	wenig		
4593	65_T3_C_IV_2021	Capitella capitata agg.	B		3	0.0003
4594	65_T3_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
4595	65_T3_C_IV_2021	Conopeum reticulum	UNM	wenig		
4596	65_T3_C_IV_2021	Crangon crangon	B		1	0.0627
4597	65_T3_C_IV_2021	Crangon sp.	B		2	0.0002
4598	65_T3_C_IV_2021	Cylista troglodytes agg.	B		7	0.445
4599	65_T3_C_IV_2021	Heteromastus filiformis	B		3	0.0084
4600	65_T3_C_IV_2021	Microprotopus maculatus	B		1	0.0003
4601	65_T3_C_IV_2021	Myrianida sanmartini	B		1	1.00E-04
4602	65_T3_C_IV_2021	Nephtys cirrosa	B		4	0.0174
4603	65_T3_C_IV_2021	Nephtys hombergii	B		1	0.0633
4604	65_T3_C_IV_2021	Pagurus bernhardus	UNM		1	
4605	65_T3_C_IV_2021	Tubificinae gen. sp.	B		3	1.00E-04
4606	65_T3_C_IV_2021	Tubificoides benedii	B		3	0.0002

4607	66_GR_NDS06_U_2020	<i>Abra alba</i>	B		1	0.0089
4608	66_GR_NDS06_U_2020	<i>Alitta succinea</i>	B		1	0.0003
4609	66_GR_NDS06_U_2020	Aoridae gen. sp.	B		1	0.0004
4610	66_GR_NDS06_U_2020	<i>Asterias rubens</i>	B		1	0.0014
4611	66_GR_NDS06_U_2020	<i>Carcinus maenas</i>	B		2	0.093
4612	66_GR_NDS06_U_2020	<i>Crangon crangon</i>	B		1	0.0369
4613	66_GR_NDS06_U_2020	<i>Cylista troglodytes</i> agg.	B		1	0.4695
4614	66_GR_NDS06_U_2020	<i>Eumida</i> sp.	B		2	1.00E-04
4615	66_GR_NDS06_U_2020	<i>Eunereis longissima</i>	B		1	0.0826
4617	66_GR_NDS06_U_2020	<i>Glycera tridactyla</i>	UNM		1	
4616	66_GR_NDS06_U_2020	<i>Glycera tridactyla</i>	B		5	0.0381
4618	66_GR_NDS06_U_2020	<i>Lanice conchilega</i>	B		12	0.2221
4619	66_GR_NDS06_U_2020	<i>Malmgrenia bicki</i>	B		4	0.0021
4620	66_GR_NDS06_U_2020	<i>Monocorophium acherusicum</i>	B		3	0.0006
4621	66_GR_NDS06_U_2020	<i>Phyllodoce mucosa</i>	B		1	0.0008
4622	66_GR_NDS06_U_2020	<i>Polydora cornuta</i>	B		7	0.0008
4623	66_GR_NDS06_U_2020	<i>Tharyx killariensis</i>	B		3	0.0008
4624	66_T1_A_K_2019	<i>Bathyporeia pelagica</i>	LFD		2	
4625	66_T1_A_K_2019	<i>Bathyporeia sarsi</i>	LFD		1	
4626	66_T1_A_K_2019	<i>Electra monostachys</i>	UNM	wenig		
4627	66_T1_A_K_2019	<i>Fabulina fabula</i>	BLFD		1	0.00119
4628	66_T1_A_K_2019	<i>Hydractinia echinata</i>	UNM	wenig		
4629	66_T1_A_K_2019	<i>Limecola balthica</i>	BLFD		2	0.02461
4630	66_T1_A_K_2019	<i>Magelona mirabilis</i>	BLFD		4	0.00791
4631	66_T1_A_K_2019	<i>Nephtys cirrosa</i>	BLFD		2	0.00309
4632	66_T1_A_K_2019	<i>Nephtys hombergii</i>	BLFD		1	0.00873
4633	66_T1_A_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		5	0.086
4634	66_T3_C_IV_2021	<i>Crangon crangon</i>	UNM		1	
4635	66_T3_C_IV_2021	<i>Mesopodopsis slabberi</i>	B		1	
4636	66_T3_C_IV_2021	<i>Mesopodopsis slabberi</i>	UNM		1	
4637	66_T3_C_IV_2021	<i>Nephtys cirrosa</i>	B		2	0.013
4638	66_T3_C_IV_2021	<i>Nephtys</i> sp.	B		1	0.0003
4639	66_T3_C_IV_2021	<i>Spio martinensis</i>	B		2	0.0004

4640	67_T1_A_IV_2019	Bathyporeia pelagica	LFD		1	
4641	67_T1_A_IV_2019	Bathyporeia sarsi	LFD		2	
4642	67_T1_A_IV_2019	Cerastoderma edule	LFD		1	
4643	67_T1_A_IV_2019	Cylista troglodytes agg.	BLFD		2	0.63488
4644	67_T1_A_IV_2019	Diastylis bradyi	BLFD		1	0.00206
4645	67_T1_A_IV_2019	Limecola balthica	BLFD		3	0.00957
4646	67_T1_A_IV_2019	Nephtys cirrosa	BLFD		1	0.0072
4647	67_T1_A_IV_2019	Nephtys kersivalensis	BLFD		1	0.00613
4648	67_T1_A_IV_2019	Retusa obtusa	B		9	0.00098
4649	67_T1_A_IV_2019	Spio martinensis	LFD		1	
4650	67_T3_C_IV_2021	Bathyporeia pelagica	B		4	0.0007
4651	67_T3_C_IV_2021	Farrella repens	UNM	wenig		
4652	67_T3_C_IV_2021	Malmgrenia bicki	B		1	0.0002
4653	67_T3_C_IV_2021	Microprotopus maculatus	B		1	
4654	67_T3_C_IV_2021	Nephtys cirrosa	B		1	0.0158
4655	67_T3_C_IV_2021	Nephtys hombergii	B		1	0.0478
4656	67_T3_C_IV_2021	Obelia longissima	UNM	wenig		
4657	67_T3_C_IV_2021	Pontocrates altamarinus	UNM		1	
4658	67_T3_C_IV_2021	Spio martinensis	B		1	
4659	68_T3_C_IV_2021	Anguinella palmata	UNM	wenig		
4660	68_T3_C_IV_2021	Anthozoa indet.	B		1	0.0007
4661	68_T3_C_IV_2021	Aspidelectra melolontha	UNM	wenig		
4662	68_T3_C_IV_2021	Bathyporeia elegans	B		1	0.0003
4663	68_T3_C_IV_2021	Bathyporeia guilliamsoniana	B		1	0.0017
4664	68_T3_C_IV_2021	Bathyporeia pelagica	B		26	0.0067
4665	68_T3_C_IV_2021	Conopeum reticulum	UNM	wenig		
4666	68_T3_C_IV_2021	Electra pilosa	UNM	wenig		
4667	68_T3_C_IV_2021	Limecola balthica	B		1	0.0233
4668	68_T3_C_IV_2021	Mesopodopsis slabberi	B		1	0.0002
4669	68_T3_C_IV_2021	Nephtys cirrosa	B		2	0.0122
4670	68_T3_C_IV_2021	Obelia longissima	UNM	wenig		
4671	69_T3_C_IV_2021	Bathyporeia guilliamsoniana	B		1	0.0015
4672	69_T3_C_IV_2021	Bathyporeia pelagica	B		1	

4673	69_T3_C_IV_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
4674	69_T3_C_IV_2021	<i>Crangon</i> sp.	B		4	0.001
4675	69_T3_C_IV_2021	<i>Magelona mirabilis</i>	B		1	0.002
4676	69_T3_C_IV_2021	<i>Nephtys caeca</i>	B		1	0.0056
4677	69_T3_C_IV_2021	<i>Nephtys cirrosa</i>	B		1	0.0028
4678	69_T3_C_IV_2021	<i>Obelia longissima</i>	UNM	wenig		
4679	69_T3_C_IV_2021	<i>Praunus flexuosus</i>	B		1	0.0137
4680	69_T3_C_IV_2021	<i>Spio martinensis</i>	B		1	
4681	7_T0_A_K_2019	<i>Bathyporeia sarsi</i>	BLFD		1	0.00035
4682	7_T0_A_K_2019	<i>Calycella syringa</i>	UNM	wenig		
4683	7_T0_A_K_2019	<i>Cerastoderma edule</i>	BLFD		1	0.0005
4684	7_T0_A_K_2019	<i>Eucheilota maculata</i>	UNM	wenig		
4685	7_T0_A_K_2019	<i>Fabulina fabula</i>	BLFD		1	0.04158
4686	7_T0_A_K_2019	<i>Mytilus edulis</i>	BLFD		1	1.00E-04
4687	7_T0_A_K_2019	<i>Nephtys hombergii</i>	BLFD		4	0.02318
4688	7_T0_A_K_2019	<i>Retusa obtusa</i>	BLFD		2	0.00046
4689	7_T0_C_IV_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
4690	7_T0_C_IV_2021	<i>Crangon crangon</i>	B		1	0.0146
4691	7_T0_C_IV_2021	<i>Limecola balthica</i>	B		4	0.1438
4692	7_T0_C_IV_2021	<i>Neomysis integer</i>	B		1	0.0004
4693	7_T0_C_IV_2021	<i>Nephtys hombergii</i>	B		1	0.0099
4694	7_T0_C_IV_2021	<i>Nephtys hombergii</i>	UNM		1	
4695	7_T0_C_IV_2021	<i>Scoloplos armiger</i> agg.	B		1	1.00E-04
4696	7_T0_C_IV_2021	<i>Spio martinensis</i>	B		3	0.0011
4697	71_GR_NDS07_U_2020	<i>Alcyonidiidae</i> gen. sp.	UNM	wenig		
4698	71_GR_NDS07_U_2020	<i>Crangon crangon</i>	B		1	0.0423
4699	71_GR_NDS07_U_2020	<i>Magelona mirabilis</i>	B		2	0.004
4700	71_GR_NDS07_U_2020	<i>Nephtys cirrosa</i>	B		6	0.0487
4701	71_GR_NDS07_U_2020	<i>Nephtys hombergii</i>	B		1	0.013
4702	71_GR_NDS13_U_2021	<i>Alitta succinea</i>	B		1	0.0003
4703	71_GR_NDS13_U_2021	<i>Anguinella palmata</i>	UNM	wenig		
4704	71_GR_NDS13_U_2021	<i>Arachnidium fibrosum</i>	UNM	wenig		
4705	71_GR_NDS13_U_2021	<i>Barentsia</i> sp.	UNM	wenig		

4706	71_GR_NDS13_U_2021	<i>Carcinus maenas</i>	B		1	0.0264
4707	71_GR_NDS13_U_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
4708	71_GR_NDS13_U_2021	<i>Conopeum reticulum</i>	UNM	wenig		
4709	71_GR_NDS13_U_2021	<i>Conopeum seurati</i>	UNM	wenig		
4710	71_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		43	3.4841
4711	71_GR_NDS13_U_2021	<i>Electra monostachys</i>	UNM	wenig		
4712	71_GR_NDS13_U_2021	<i>Electra pilosa</i>	UNM	wenig		
4713	71_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		11	0.0086
4714	71_GR_NDS13_U_2021	<i>Eunereis longissima</i>	B		3	0.3647
4715	71_GR_NDS13_U_2021	<i>Gattyana cirrhosa</i>	B		7	0.0312
4716	71_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		1	0.0037
4717	71_GR_NDS13_U_2021	<i>Heteromastus filiformis</i>	B		3	0.0187
4718	71_GR_NDS13_U_2021	<i>Lanice conchilega</i>	B		28	1.0583
4719	71_GR_NDS13_U_2021	<i>Malmgrenia bicki</i>	B		7	0.0064
4720	71_GR_NDS13_U_2021	<i>Mediomastus fragilis</i>	B		1	5.00E-04
4721	71_GR_NDS13_U_2021	<i>Monocorophium acherusicum</i>	B		3	0.0004
4722	71_GR_NDS13_U_2021	<i>Myrianida prolifera</i>	B		1	
4723	71_GR_NDS13_U_2021	<i>Myrianida sanmartini</i>	B		1	1.00E-04
4724	71_GR_NDS13_U_2021	<i>Nephtys caeca</i>	B		6	0.0143
4725	71_GR_NDS13_U_2021	<i>Nephtys hombergii</i>	B		1	0.0024
4726	71_GR_NDS13_U_2021	<i>Obelia bidentata</i>	UNM	wenig		
4727	71_GR_NDS13_U_2021	<i>Obelia longissima</i>	UNM	wenig		
4728	71_GR_NDS13_U_2021	<i>Oerstedea dorsalis</i>	B		1	0.0006
4729	71_GR_NDS13_U_2021	<i>Palaemon longirostris</i>	UNM		1	
4730	71_GR_NDS13_U_2021	<i>Pariambus typicus</i>	B		1	
4731	71_GR_NDS13_U_2021	<i>Petricolaria pholadiformis</i>	B		1	0.0009
4732	71_GR_NDS13_U_2021	<i>Scoloplos armiger</i> agg.	B		2	0.007
4733	71_GR_NDS13_U_2021	Spionidae gen. sp.	UNM		1	
4734	71_GR_NDS13_U_2021	<i>Tubificoides benedii</i>	B		2	0.0004
4735	72_GR_NDS07_U_2020	<i>Carcinus maenas</i>	B		1	1.7719
4736	72_GR_NDS07_U_2020	<i>Nephtys cirrosa</i>	B		2	0.0121
4737	72_GR_NDS07_U_2020	<i>Obelia bidentata</i>	UNM	wenig		
4738	72_GR_NDS07_U_2020	<i>Obelia longissima</i>	UNM	wenig		

4739	72_GR_NDS13_U_2021	Alitta succinea	B		3	0.0015
4740	72_GR_NDS13_U_2021	Amphipholis squamata	B		4	0.0018
4741	72_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
4742	72_GR_NDS13_U_2021	Anthozoa indet.	B		2	0.0013
4743	72_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
4744	72_GR_NDS13_U_2021	Bodotria scorpioides	B		4	0.0004
4745	72_GR_NDS13_U_2021	Capitella capitata agg.	B		4	
4746	72_GR_NDS13_U_2021	Carcinus maenas	B		3	0.6266
4747	72_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
4748	72_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
4749	72_GR_NDS13_U_2021	Corophiidae gen. sp.	B		1	1.00E-04
4750	72_GR_NDS13_U_2021	Cylista troglodytes agg.	B		92	8.2261
4751	72_GR_NDS13_U_2021	Dyopedos monacanthus	B		2	1.00E-04
4752	72_GR_NDS13_U_2021	Einhornia crustulenta	UNM	wenig		
4753	72_GR_NDS13_U_2021	Electra monostachys	UNM	wenig		
4754	72_GR_NDS13_U_2021	Ensis leei	B		1	0.0581
4755	72_GR_NDS13_U_2021	Eumida bahusiensis	B		75	0.0414
4756	72_GR_NDS13_U_2021	Eunereis longissima	B		2	0.0541
4757	72_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
4758	72_GR_NDS13_U_2021	Gattyana cirrhosa	B		8	0.032
4759	72_GR_NDS13_U_2021	Glycera tridactyla	B		11	0.036
4760	72_GR_NDS13_U_2021	Heteromastus filiformis	B		3	0.0007
4761	72_GR_NDS13_U_2021	Kurtiella bidentata	B		6	0.001
4762	72_GR_NDS13_U_2021	Lanice conchilega	B		19	0.4601
4763	72_GR_NDS13_U_2021	Malmgrenia bicki	B		8	0.016
4764	72_GR_NDS13_U_2021	Mediomastus fragilis	B		2	1.00E-04
4765	72_GR_NDS13_U_2021	Microprotopus maculatus	B		3	1.00E-04
4766	72_GR_NDS13_U_2021	Molgula sp.	B		9	0.0025
4767	72_GR_NDS13_U_2021	Myrianida sanmartini	B		3	1.00E-04
4768	72_GR_NDS13_U_2021	Myrianida sp.	B		4	1.00E-04
4769	72_GR_NDS13_U_2021	Nephtys caeca	B		1	0.0026
4770	72_GR_NDS13_U_2021	Nephtys hombergii	B		1	0.0012
4771	72_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		

4772	72_GR_NDS13_U_2021	<i>Pariambus typicus</i>	B		2	1.00E-04
4773	72_GR_NDS13_U_2021	<i>Petricolaria pholadiformis</i>	B		1	0.0011
4774	72_GR_NDS13_U_2021	<i>Phyllodoce mucosa</i>	B		2	0.0011
4775	72_GR_NDS13_U_2021	<i>Polydora cornuta</i>	B		4	0.0003
4776	72_GR_NDS13_U_2021	<i>Polynoia</i> gen. sp.	B		2	0.0002
4777	72_GR_NDS13_U_2021	<i>Pseudopolydora pulchra</i>	B		2	0.0016
4778	72_GR_NDS13_U_2021	<i>Pygospio elegans</i>	B		7	0.0014
4779	72_GR_NDS13_U_2021	<i>Scoloplos armiger</i> agg.	B		16	0.0371
4780	72_GR_NDS13_U_2021	Terebellidae gen. sp.	B		3	0.0003
4781	72_GR_NDS13_U_2021	<i>Tharyx</i> sp.	B		23	0.0037
4782	72_GR_NDS13_U_2021	Tubificinae gen. sp.	B		42	0.0035
4783	72_GR_NDS13_U_2021	<i>Tubificoides benedii</i>	B		3	5.00E-04
4784	72_GR_NDS13_U_2021	Veneridae gen. sp.	B		1	5.00E-04
4785	72_T3_B_K_2019	<i>Capitella capitata</i> agg.	BLFD		2	0.00135
4786	72_T3_B_K_2019	<i>Eteone longa</i>	BLFD		1	0.00077
4787	72_T3_B_K_2019	<i>Macomangulus tenuis</i>	BLFD		1	0.00133
4788	72_T3_B_K_2019	<i>Magelona mirabilis</i>	LFD		1	
4789	72_T3_B_K_2019	<i>Nephtys hombergii</i>	BLFD		2	0.03022
4790	72_T3_B_K_2019	<i>Nephtys kersivalensis</i>	BLFD		1	0.00757
4791	72_T3_B_K_2019	<i>Nephtys longosetosa</i>	BLFD		1	0.04976
4792	72_T3_B_K_2019	<i>Schistomysis kervillei</i>	LFD		1	
4793	72_T3_B_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		5	0.17564
4794	72_T3_B_K_2019	<i>Spio martinensis</i>	UNM		6	
4795	72_T3_B_K_2019	<i>Spisula subtruncata</i>	LFD		1	
4796	73_GR_NDS07_U_2020	<i>Clytia hemisphaerica</i>	UNM	wenig		
4797	73_GR_NDS07_U_2020	<i>Electra pilosa</i>	UNM	wenig		
4798	73_GR_NDS07_U_2020	<i>Magelona johnstoni</i>	B		1	
4799	73_GR_NDS07_U_2020	<i>Magelona mirabilis</i>	B		5	0.0103
4800	73_GR_NDS07_U_2020	<i>Mesopodopsis slabberi</i>	B		3	0.0025
4801	73_GR_NDS07_U_2020	<i>Nephtys cirrosa</i>	B		1	0.0015
4802	73_GR_NDS07_U_2020	<i>Nephtys hombergii</i>	B		1	0.0182
4803	73_GR_NDS07_U_2020	<i>Obelia bidentata</i>	UNM	wenig		
4804	73_GR_NDS07_U_2020	<i>Obelia longissima</i>	UNM	wenig		

4805	73_GR_NDS07_U_2020	Sertularia sp.	UNM	wenig		
4806	73_GR_NDS07_U_2020	Spio martinensis	UNM		1	
4807	73_GR_NDS13_U_2021	Alitta succinea	B		1	0.0008
4808	73_GR_NDS13_U_2021	Amphiuridae gen. sp.	B		1	0.0026
4809	73_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
4810	73_GR_NDS13_U_2021	Anoplodactylus petiolatus	B		1	
4811	73_GR_NDS13_U_2021	Anthozoa indet.	UNM		1	
4812	73_GR_NDS13_U_2021	Bodotria scorpioides	B		1	
4813	73_GR_NDS13_U_2021	Bodotria scorpioides	UNM		1	
4814	73_GR_NDS13_U_2021	Cylista troglodytes agg.	B		46	3.9043
4815	73_GR_NDS13_U_2021	Eumida bahusiensis	B		11	0.0049
4816	73_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
4817	73_GR_NDS13_U_2021	Gattyana cirrhosa	B		1	0.0057
4818	73_GR_NDS13_U_2021	Glycera tridactyla	B		9	0.0149
4819	73_GR_NDS13_U_2021	Heteromastus filiformis	B		1	0.0028
4820	73_GR_NDS13_U_2021	Jassa sp.	UNM		1	
4821	73_GR_NDS13_U_2021	Lagis koreni	UNM		1	
4822	73_GR_NDS13_U_2021	Lanice conchilega	B		3	0.1031
4823	73_GR_NDS13_U_2021	Mediomastus fragilis	B		2	1.00E-04
4824	73_GR_NDS13_U_2021	Microprotopus maculatus	B		5	0.001
4825	73_GR_NDS13_U_2021	Molgula sp.	B		1	1.00E-04
4827	73_GR_NDS13_U_2021	Myrianida brachycephala	UNM		1	
4826	73_GR_NDS13_U_2021	Myrianida brachycephala	B		2	
4828	73_GR_NDS13_U_2021	Myrianida sanmartini	B		2	0.001
4829	73_GR_NDS13_U_2021	Nephtys caeca	B		4	0.007
4830	73_GR_NDS13_U_2021	Nephtys hombergii	B		1	0.012
4831	73_GR_NDS13_U_2021	Nereididae gen. sp.	B		1	
4832	73_GR_NDS13_U_2021	Pariambus typicus	UNM		1	
4833	73_GR_NDS13_U_2021	Pygospio elegans	B		8	0.0013
4834	73_GR_NDS13_U_2021	Scoelepis (Scoelepis) foliosa	UNM		1	
4835	73_GR_NDS13_U_2021	Scoloplos armiger agg.	B		12	0.033
4836	73_GR_NDS13_U_2021	Terebellidae gen. sp.	B		1	1.00E-04
4837	73_GR_NDS13_U_2021	Tharyx sp.	B		7	0.0006

4838	73_GR_NDS13_U_2021	Tubificinae gen. sp.	B		3	0.0002
4839	73_GR_NDS13_U_2021	Tubificoides benedii	B		11	0.0015
4840	73_T0_B2_K_2021	Alcyonidiidae gen. sp.	UNM	wenig		
4841	73_T0_B2_K_2021	Bathyporeia pelagica	B		77	0.0201
4842	73_T0_B2_K_2021	Bathyporeia sarsi	B		2	0.0004
4843	73_T0_B2_K_2021	Einhornia crustulenta	UNM	wenig		
4844	73_T0_B2_K_2021	Electra pilosa	UNM	wenig		
4845	73_T0_B2_K_2021	Ensis sp.	B		1	0.0018
4846	73_T0_B2_K_2021	Gastrosaccus spinifer	B		6	0.0015
4847	73_T0_B2_K_2021	Microphthalmus similis	B		1	
4849	73_T0_B2_K_2021	Nemertea indet.	UNM		1	
4848	73_T0_B2_K_2021	Nemertea indet.	B		5	0.0007
4850	73_T0_B2_K_2021	Nephtys cirrosa	B		1	0.006
4852	73_T3_B_K_2019	Bathyporeia elegans	UNM		1	
4851	73_T3_B_K_2019	Bathyporeia elegans	B		5	0.00171136
4854	73_T3_B_K_2019	Bathyporeia guilliamsoniana	UNM		2	
4853	73_T3_B_K_2019	Bathyporeia guilliamsoniana	B		11	0.003765
4856	73_T3_B_K_2019	Bathyporeia pelagica	UNM		16	
4855	73_T3_B_K_2019	Bathyporeia pelagica	B		90	0.03080455
4858	73_T3_B_K_2019	Bathyporeia sarsi	UNM		36	
4857	73_T3_B_K_2019	Bathyporeia sarsi	B		202	0.06913909
4859	73_T3_B_K_2019	Cumopsis goodsir	LFD		1	
4860	73_T3_B_K_2019	Magelona mirabilis	LFD		1	
4861	73_T3_B_K_2019	Nephtys cirrosa	BLFD		1	0.02262
4862	73_T3_B_K_2019	Nephtys hombergii	BLFD		1	0.01308
4863	73_T3_B_K_2019	Scoloplos armiger agg.	BLFD		3	0.0051
4865	73_T3_B_K_2019	Spio martinensis	LFD		5	
4864	73_T3_B_K_2019	Spio martinensis	B		9	0.00169
4866	74_GR_NDS07_U_2020	Carcinus maenas	B		1	0.1848
4867	74_GR_NDS07_U_2020	Clytia hemisphaerica	UNM	wenig		
4868	74_GR_NDS07_U_2020	Fabulina fabula	B		1	5.00E-04
4869	74_GR_NDS07_U_2020	Glycera tridactyla	B		1	0.0476
4870	74_GR_NDS07_U_2020	Nephtys cirrosa	B		2	0.0047

4871	74_GR_NDS07_U_2020	<i>Obelia bidentata</i>	UNM	wenig		
4872	74_GR_NDS07_U_2020	<i>Obelia longissima</i>	UNM	wenig		
4873	74_GR_NDS07_U_2020	<i>Peringia ulvae</i>	UNM		1	
4874	74_GR_NDS13_U_2021	Alcyonidiidae gen. sp.	UNM	wenig		
4875	74_GR_NDS13_U_2021	<i>Alitta succinea</i>	B		1	0.0002
4876	74_GR_NDS13_U_2021	<i>Alitta virens</i>	B		1	0.6571
4877	74_GR_NDS13_U_2021	<i>Ampharete</i> sp.	B		1	
4878	74_GR_NDS13_U_2021	<i>Capitella capitata</i> agg.	B		3	0.0008
4879	74_GR_NDS13_U_2021	Capitellidae gen. sp.	B		1	0.0008
4880	74_GR_NDS13_U_2021	<i>Carcinus maenas</i>	B		1	1.908
4881	74_GR_NDS13_U_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
4882	74_GR_NDS13_U_2021	<i>Conopeum seurati</i>	UNM	wenig		
4883	74_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		68	6.4059
4884	74_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		24	0.0126
4885	74_GR_NDS13_U_2021	<i>Eunereis longissima</i>	B		2	0.0011
4886	74_GR_NDS13_U_2021	<i>Gattyana cirrhosa</i>	B		1	0.0008
4887	74_GR_NDS13_U_2021	<i>Glycera</i> sp.	B		1	0.007
4888	74_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		2	0.0019
4889	74_GR_NDS13_U_2021	<i>Lanice conchilega</i>	B		97	4.089908
4890	74_GR_NDS13_U_2021	<i>Limecola balthica</i>	B		1	0.0269
4891	74_GR_NDS13_U_2021	<i>Magelona johnstoni</i>	B		1	0.0011
4892	74_GR_NDS13_U_2021	<i>Malmgrenia bicki</i>	B		28	0.0304
4893	74_GR_NDS13_U_2021	<i>Microprotopus maculatus</i>	B		2	1.00E-04
4894	74_GR_NDS13_U_2021	<i>Mytilus edulis</i> agg.	UNM		1	
4895	74_GR_NDS13_U_2021	<i>Nephtys caeca</i>	B		4	0.0118
4896	74_GR_NDS13_U_2021	<i>Nephtys</i> sp.	B		1	0.0003
4897	74_GR_NDS13_U_2021	<i>Pariambus typicus</i>	B		1	
4898	74_GR_NDS13_U_2021	<i>Pygospio elegans</i>	B		1	
4899	74_GR_NDS13_U_2021	<i>Scoloplos armiger</i> agg.	B		10	0.0105
4900	74_GR_NDS13_U_2021	<i>Tharyx killariensis</i>	B		1	
4901	74_GR_NDS13_U_2021	Veneridae gen. sp.	UNM		1	
4902	74_T0_B2_K_2021	<i>Bathyporeia pelagica</i>	B		2	5.00E-04
4903	74_T0_B2_K_2021	<i>Bathyporeia sarsi</i>	B		1	0.0002

4904	74_T0_B2_K_2021	Corambe obscura agg.	B		7	
4905	74_T0_B2_K_2021	Crangon crangon	B		1	0.3349
4906	74_T0_B2_K_2021	Crangon sp.	B		3	0.0004
4907	74_T0_B2_K_2021	Electra pilosa	UNM	wenig		
4908	74_T0_B2_K_2021	Microphthalmus similis	B		3	0.0003
4909	74_T0_B2_K_2021	Nephtys cirrosa	B		2	0.0132
4910	74_T0_B2_K_2021	Nototropis swammerdamei	B		1	0.0002
4911	75_GR_NDS07_U_2020	Alcyonidium parasiticum	UNM	wenig		
4912	75_GR_NDS07_U_2020	Clytia hemisphaerica	UNM	wenig		
4913	75_GR_NDS07_U_2020	Nephtys cirrosa	B		3	0.0438
4914	75_GR_NDS07_U_2020	Obelia bidentata	UNM	wenig		
4915	75_GR_NDS07_U_2020	Obelia longissima	UNM	wenig		
4916	75_GR_NDS13_U_2021	Aequorea sp.	UNM	wenig		
4917	75_GR_NDS13_U_2021	Alcyonidiidae gen. sp.	UNM	wenig		
4918	75_GR_NDS13_U_2021	Alitta succinea	B		4	0.0025
4919	75_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
4920	75_GR_NDS13_U_2021	Anthozoa indet.	B		6	0.0029
4921	75_GR_NDS13_U_2021	Asterias rubens	B		1	0.1449
4922	75_GR_NDS13_U_2021	Barentsia sp.	UNM	wenig		
4923	75_GR_NDS13_U_2021	Bodotria scorpioides	B		3	0.0006
4924	75_GR_NDS13_U_2021	Capitella capitata agg.	B		6	0.0029
4925	75_GR_NDS13_U_2021	Caprella linearis	B		21	0.0017
4926	75_GR_NDS13_U_2021	Carcinus maenas	B		2	0.0265
4927	75_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
4928	75_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
4929	75_GR_NDS13_U_2021	Crepidula fornicata	B		1	0.0004
4930	75_GR_NDS13_U_2021	Cylista troglodytes agg.	B		34	3.3568
4931	75_GR_NDS13_U_2021	Dyopodos monacanthus	B		5	0.0006
4932	75_GR_NDS13_U_2021	Electra pilosa	UNM	wenig		
4933	75_GR_NDS13_U_2021	Eumida bahusiensis	B		10	0.01
4934	75_GR_NDS13_U_2021	Eumida sp.	B		5	0.0003
4935	75_GR_NDS13_U_2021	Farrella repens	UNM	wenig		
4936	75_GR_NDS13_U_2021	Gattyana cirrhosa	B		7	0.0586

4937	75_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		6	0.0103
4938	75_GR_NDS13_U_2021	<i>Heteromastus filiformis</i>	B		1	0.0036
4939	75_GR_NDS13_U_2021	<i>Hypophorella expansa</i>	UNM	wenig		
4940	75_GR_NDS13_U_2021	<i>Lanice conchilega</i>	B		23	0.8475
4941	75_GR_NDS13_U_2021	<i>Malmgrenia bicki</i>	B		8	0.0191
4942	75_GR_NDS13_U_2021	<i>Mediomastus fragilis</i>	B		2	0.0012
4943	75_GR_NDS13_U_2021	<i>Microphthalmus</i> sp.	B		1	
4944	75_GR_NDS13_U_2021	<i>Microprotopus maculatus</i>	B		3	0.0002
4945	75_GR_NDS13_U_2021	<i>Molgula</i> sp.	B		56	0.0125
4946	75_GR_NDS13_U_2021	<i>Myrianida edwarsi</i>	UNM		1	
4947	75_GR_NDS13_U_2021	<i>Myrianida sanmartini</i>	B		12	0.0006
4948	75_GR_NDS13_U_2021	<i>Myrianida</i> sp.	B		7	0.0001
4949	75_GR_NDS13_U_2021	<i>Nephtys caeca</i>	B		3	0.0247
4950	75_GR_NDS13_U_2021	<i>Nymphon brevirostre</i>	B		6	0.0063
4951	75_GR_NDS13_U_2021	<i>Obelia bidentata</i>	UNM	wenig		
4952	75_GR_NDS13_U_2021	<i>Oerstedtia dorsalis</i>	B		3	0.0003
4953	75_GR_NDS13_U_2021	<i>Pagurus bernhardus</i>	B		1	0.0311
4954	75_GR_NDS13_U_2021	<i>Pariambus typicus</i>	B		15	5.00E-04
4955	75_GR_NDS13_U_2021	<i>Polydora cornuta</i>	B		8	5.00E-04
4956	75_GR_NDS13_U_2021	<i>Polynoinae</i> gen. sp.	B		2	0.0001
4957	75_GR_NDS13_U_2021	<i>Pygospio elegans</i>	B		15	0.0029
4958	75_GR_NDS13_U_2021	<i>Scoloplos armiger</i> agg.	B		20	0.0927
4959	75_GR_NDS13_U_2021	<i>Sertularia argentea</i>	UNM	wenig		
4960	75_GR_NDS13_U_2021	<i>Spio martinensis</i>	B		4	0.0011
4961	75_GR_NDS13_U_2021	<i>Terebellidae</i> gen. sp.	B		10	0.0009
4962	75_GR_NDS13_U_2021	<i>Tharyx killariensis</i>	B		2	0.0006
4963	75_GR_NDS13_U_2021	<i>Tharyx</i> sp.	B		45	0.007
4964	75_GR_NDS13_U_2021	<i>Tubificinae</i> gen. sp.	B		13	0.001
4965	75_GR_NDS13_U_2021	<i>Tubificoides benedii</i>	B		3	0.0006
4966	75_GR_NDS13_U_2021	<i>Veneridae</i> gen. sp.	B		1	0.0001
4967	75_T0_B2_K_2021	<i>Bathyporeia guilliamsoniana</i>	UNM		1	
4968	75_T0_B2_K_2021	<i>Bathyporeia pelagica</i>	B		78	0.0256
4969	75_T0_B2_K_2021	<i>Bathyporeia sarsi</i>	B		2	0.001

4970	75_T0_B2_K_2021	<i>Electra pilosa</i>	UNM	wenig		
4971	75_T0_B2_K_2021	<i>Nephtys cirrosa</i>	B		2	0.0139
4972	75_T3_B_K_2019	<i>Bathyporeia pelagica</i>	UNM		15	
4973	75_T3_B_K_2019	<i>Bathyporeia sarsi</i>	UNM		35	
4974	75_T3_B_K_2019	<i>Eteone longa</i>	LFD		1	
4975	75_T3_B_K_2019	<i>Macomangulus tenuis</i>	BLFD		1	0.00049
4976	75_T3_B_K_2019	<i>Nephtys cirrosa</i>	BLFD		2	0.00501
4977	75_T3_B_K_2019	<i>Nephtys kersivalensis</i>	BLFD		1	0.00244
4978	75_T3_B_K_2019	<i>Scoloplos armiger</i> agg.	B		1	0.00714
4979	75_T3_B_K_2019	<i>Spio martinensis</i>	LFD		1	
4980	76_GR_NDS07_U_2020	<i>Clytia hemisphaerica</i>	UNM	wenig		
4981	76_GR_NDS07_U_2020	<i>Electra pilosa</i>	UNM	wenig		
4982	76_GR_NDS07_U_2020	<i>Fabulina fabula</i>	B		1	1.00E-04
4983	76_GR_NDS07_U_2020	<i>Magelona mirabilis</i>	UNM		1	
4984	76_GR_NDS07_U_2020	<i>Mesopodopsis slabberi</i>	B		2	0.0006
4985	76_GR_NDS07_U_2020	<i>Neomysis integer</i>	B		1	0.0004
4986	76_GR_NDS07_U_2020	<i>Nephtys cirrosa</i>	B		16	0.0479
4987	76_GR_NDS07_U_2020	<i>Obelia bidentata</i>	UNM	wenig		
4988	76_GR_NDS07_U_2020	<i>Obelia longissima</i>	UNM	wenig		
4989	76_GR_NDS07_U_2020	<i>Schistomysis</i> sp.	UNM		1	
4990	76_GR_NDS07_U_2020	<i>Sertularia</i> sp.	UNM	wenig		
4991	76_T0_B2_K_2021	<i>Bathyporeia pelagica</i>	B		6	0.0019
4992	76_T0_B2_K_2021	<i>Crangon</i> sp.	B		2	0.0004
4993	76_T0_B2_K_2021	<i>Einhornia crustulenta</i>	UNM	wenig		
4994	76_T0_B2_K_2021	<i>Electra pilosa</i>	UNM	wenig		
4995	76_T0_B2_K_2021	<i>Microphthalmus similis</i>	B		2	
4996	76_T0_B2_K_2021	<i>Nemertea</i> indet.	B		1	1.00E-04
4997	76_T0_B2_K_2021	<i>Nephtys cirrosa</i>	B		2	0.0247
4998	76_T0_B2_K_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0036
4999	76_T0_B2_K_2021	<i>Spio martinensis</i>	B		1	
5000	76_T3_B_IV_2019	<i>Bathyporeia pelagica</i>	UNM		3	
5001	76_T3_B_IV_2019	<i>Bathyporeia sarsi</i>	UNM		8	
5003	76_T3_B_IV_2019	<i>Microphthalmus similis</i>	UNM		6	

5002	76_T3_B_IV_2019	<i>Microphthalmus similis</i>	B		21	0.0008
5004	76_T3_B_IV_2019	<i>Mytilus edulis</i>	LFD		3	
5005	76_T3_B_IV_2019	Nemertea indet.	UNM		1	
5006	76_T3_B_IV_2019	<i>Nephtys juv.</i>	BLFD		1	0.00153
5007	76_T3_B_IV_2019	<i>Pygospio elegans</i>	LFD		1	
5008	76_T3_B_IV_2019	<i>Scolelepis squamata</i>	LFD		1	
5009	76_T3_B_IV_2019	<i>Spio cf. filicornis</i>	LFD		3	
5010	76_T3_B_IV_2019	<i>Spio martinensis</i>	LFD		3	
5011	77_T0_B2_K_2021	<i>Amathia</i> sp.	UNM	wenig		
5012	77_T0_B2_K_2021	<i>Bathyporeia pelagica</i>	B		6	0.0016
5013	77_T0_B2_K_2021	<i>Bathyporeia sarsi</i>	B		1	1.00E-04
5014	77_T0_B2_K_2021	<i>Electra pilosa</i>	UNM	wenig		
5015	77_T0_B2_K_2021	<i>Eteone longa</i>	B		1	1.00E-04
5016	77_T0_B2_K_2021	<i>Gammarus locusta</i>	B		1	0.0015
5017	77_T0_B2_K_2021	<i>Gammarus locusta</i>	UNM		1	
5018	77_T0_B2_K_2021	<i>Limecola balthica</i>	B		1	0.0038
5019	77_T0_B2_K_2021	<i>Microphthalmus similis</i>	B		3	
5020	77_T0_B2_K_2021	<i>Mytilus edulis</i> agg.	B		1	5.00E-04
5021	77_T0_B2_K_2021	<i>Nephtys cirrosa</i>	B		3	0.0171
5022	77_T0_B2_K_2021	<i>Obelia longissima</i>	UNM	wenig		
5023	77_T0_B2_K_2021	Paguroidea indet.	B		1	0.0003
5024	77_T0_B2_K_2021	<i>Pontocrates altamarinus</i>	B		1	0.0008
5025	77_T0_B2_K_2021	Terebellidae gen. sp.	B		1	
5026	77_T7_C_K_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
5027	77_T7_C_K_2021	<i>Crangon</i> sp.	B		1	0.0004
5028	77_T7_C_K_2021	<i>Myrianida</i> sp.	B		2	1.00E-04
5029	77_T7_C_K_2021	<i>Nephtys cirrosa</i>	B		4	0.0239
5030	77_T7_C_K_2021	<i>Nephtys hombergii</i>	B		1	0.0196
5031	77_T7_C_K_2021	<i>Obelia longissima</i>	UNM	wenig		
5032	77_T7_C_K_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0022
5033	78_T0_B2_K_2021	Alcyonidiidae gen. sp.	UNM	wenig		
5034	78_T0_B2_K_2021	<i>Bathyporeia pelagica</i>	B		6	0.0015
5035	78_T0_B2_K_2021	<i>Conopeum seurati</i>	UNM	wenig		

5036	78_T0_B2_K_2021	Cumopsis goodsir	UNM		1	
5037	78_T0_B2_K_2021	Electra pilosa	UNM	wenig		
5038	78_T0_B2_K_2021	Eteone longa	B		2	0.0021
5039	78_T0_B2_K_2021	Farrella repens	UNM	wenig		
5040	78_T0_B2_K_2021	Gammarus sp.	UNM		1	
5041	78_T0_B2_K_2021	Microphthalmus similis	B		2	
5042	78_T0_B2_K_2021	Nephtys cirrosa	B		1	0.0031
5043	78_T3_B_IV_2019	Conopeum reticulum	UNM	wenig		
5044	78_T3_B_IV_2019	Einhornia crustulenta	UNM	wenig		
5045	78_T3_B_IV_2019	Mytilus edulis agg.	B		7	1.00E-04
5046	78_T3_B_IV_2019	Nephtys cirrosa	B		1	0.0023
5047	78_T3_B_IV_2019	Obelia bidentata	UNM	wenig		
5048	78_T3_B_IV_2019	Scoloplos armiger agg.	B		5	0.0676
5049	78_T3_B_IV_2019	Spio martinensis	B		2	0.0003
5050	78_T3_B_IV_2019	Stenothoe monoculoides	UNM		1	
5051	78_T7_C_K_2021	Anthozoa indet.	B		1	
5052	78_T7_C_K_2021	Clytia hemisphaerica	UNM	wenig		
5053	78_T7_C_K_2021	Crangon sp.	B		2	0.0006
5054	78_T7_C_K_2021	Magelona mirabilis	B		1	0.0015
5055	78_T7_C_K_2021	Myrianida prolifera	B		1	1.00E-04
5056	78_T7_C_K_2021	Nephtys cirrosa	B		4	0.0193
5057	78_T7_C_K_2021	Pariambus typicus	B		1	1.00E-04
5058	78_T7_C_K_2021	Praunus flexuosus	B		1	0.0004
5059	78_T7_C_K_2021	Schistomysis kervillei	UNM		1	
5060	79_T0_B2_K_2021	Bathyporeia pelagica	B		17	0.0035
5061	79_T0_B2_K_2021	Bathyporeia sarsi	B		1	0.0003
5062	79_T0_B2_K_2021	Gastrosaccus spinifer	B		1	0.0009
5063	79_T0_B2_K_2021	Nephtys cirrosa	B		3	0.029
5064	79_T0_B2_K_2021	Scoloplos armiger agg.	B		1	0.0006
5065	79_T3_B_IV_2019	Bathyporeia elegans	UNM		1	
5066	79_T3_B_IV_2019	Bathyporeia pelagica	UNM		18	
5067	79_T3_B_IV_2019	Bathyporeia sarsi	UNM		16	
5068	79_T3_B_IV_2019	Crangon crangon	BLFD		1	0.00661

5069	79_T3_B_IV_2019	Cumopsis goodsir	UNM		1	
5070	79_T3_B_IV_2019	Microphthalmus listensis	UNM		3	
5071	79_T3_B_IV_2019	Nephtys cirrosa	BLFD		1	0.0023
5072	79_T3_B_IV_2019	Nephtys kersivalensis	BLFD		1	
5073	79_T3_B_IV_2019	Scoloplos armiger agg.	BLFD		2	0.017
5074	79_T3_B_IV_2019	Spio cf. filicornis	UNM		1	
5075	79_T3_B_IV_2019	Spio martinensis	UNM		1	
5076	79_T3_B_IV_2019	Tubificoides pseudogaster agg.	UNM		1	
5077	79_T7_C_K_2021	Clytia hemisphaerica	UNM	wenig		
5078	79_T7_C_K_2021	Crangon sp.	B		1	0.0003
5079	79_T7_C_K_2021	Crangon sp.	UNM		1	
5080	79_T7_C_K_2021	Myrianida sp.	B		2	
5081	79_T7_C_K_2021	Nephtys cirrosa	B		4	0.0192
5082	79_T7_C_K_2021	Scoloplos armiger agg.	B		1	0.0008
5083	79_T7_C_K_2021	Spio martinensis	B		6	0.0011
5084	8_T0_A_K_2019	Crangon crangon	LFD		1	
5085	8_T0_A_K_2019	Electra pilosa	UNM	wenig		
5086	8_T0_A_K_2019	Fabulina fabula	LFD		1	
5087	8_T0_A_K_2019	Limecola balthica	BLFD		1	0.00707
5088	8_T0_A_K_2019	Magelona mirabilis	BLFD		1	0.00215
5089	8_T0_A_K_2019	Nephtys caeca	BLFD		1	0.22896
5090	8_T0_A_K_2019	Nephtys cirrosa	B		1	0.0019
5091	8_T0_A_K_2019	Nephtys hombergii	BLFD		6	0.0359
5092	8_T0_A_K_2019	Obelia dichotoma	UNM	wenig		
5093	8_T0_A_K_2019	Ophiura ophiura	BLFD		1	0.00016
5094	8_T0_A_K_2019	Scoloplos armiger agg.	BLFD		1	0.01926
5095	8_T0_C_K_2021	Arenicola sp.	UNM		1	
5096	8_T0_C_K_2021	Crangon sp.	B		1	0.0006
5097	8_T0_C_K_2021	Mesopodopsis slabberi	B		1	0.0008
5098	8_T0_C_K_2021	Nephtys cirrosa	B		1	0.0072
5099	8_T0_C_K_2021	Scoloplos armiger agg.	B		1	0.0007
5100	8_T0_C_K_2021	Spio martinensis	B		11	0.0024
5101	80_T0_B2_K_2021	Bathyporeia pelagica	B		52	0.012

5102	80_T0_B2_K_2021	Bathyporeia sarsi	B		5	0.0009
5103	80_T0_B2_K_2021	Campanulariidae gen. sp.	UNM	wenig		
5104	80_T0_B2_K_2021	Caprella mutica	UNM		1	
5105	80_T0_B2_K_2021	Corambe obscura agg.	B		3	
5106	80_T0_B2_K_2021	Electra pilosa	UNM	wenig		
5107	80_T0_B2_K_2021	Gastrosaccus spinifer	B		3	0.0008
5108	80_T0_B2_K_2021	Microprotopus maculatus	B		1	0.0003
5109	80_T0_B2_K_2021	Nephtys cirrosa	B		1	0.0051
5110	80_T0_B2_K_2021	Nototropis swammerdamei	B		2	0.0008
5111	80_T0_B2_K_2021	Spio martinensis	B		1	
5112	80_T7_C_K_2021	Clytia hemisphaerica	UNM	wenig		
5113	80_T7_C_K_2021	Crangon sp.	B		1	0.0003
5114	80_T7_C_K_2021	Idotea linearis	UNM		1	
5115	80_T7_C_K_2021	Limecola balthica	B		2	0.0212
5116	80_T7_C_K_2021	Magelona johnstoni	B		2	0.0006
5117	80_T7_C_K_2021	Mesopodopsis slabberi	B		1	0.0007
5118	80_T7_C_K_2021	Myrianida prolifera	B		3	0.0002
5119	80_T7_C_K_2021	Myrianida sp.	B		3	
5120	80_T7_C_K_2021	Nephtys cirrosa	B		1	0.004
5121	80_T7_C_K_2021	Obelia longissima	UNM	wenig		
5122	80_T7_C_K_2021	Praunus flexuosus	B		1	0.0003
5123	80_T7_C_K_2021	Scoloplos armiger agg.	B		2	0.0006
5124	80_T7_C_K_2021	Spio martinensis	B		4	5.00E-04
5125	81_GR_NDS08_U_2020	Aequorea sp.	UNM	wenig		
5126	81_GR_NDS08_U_2020	Clytia hemisphaerica	UNM	wenig		
5127	81_GR_NDS08_U_2020	Conopeum reticulum	UNM	wenig		
5128	81_GR_NDS08_U_2020	Cylista troglodytes agg.	B		1	0.304
5129	81_GR_NDS08_U_2020	Electra pilosa	UNM	wenig		
5130	81_GR_NDS08_U_2020	Glycera tridactyla	B		1	0.0141
5131	81_GR_NDS08_U_2020	Magelona johnstoni	B		1	0.0006
5132	81_GR_NDS08_U_2020	Magelona mirabilis	B		1	0.0058
5133	81_GR_NDS08_U_2020	Mytilus edulis agg.	B		1	0.0002
5134	81_GR_NDS08_U_2020	Mytilus edulis agg.	UNM		1	

5135	81_GR_NDS08_U_2020	<i>Neomysis integer</i>	B		1	0.0011
5136	81_GR_NDS08_U_2020	<i>Nephtys cirrosa</i>	B		14	0.0262
5137	81_GR_NDS08_U_2020	<i>Obelia bidentata</i>	UNM	wenig		
5138	81_GR_NDS08_U_2020	<i>Obelia longissima</i>	UNM	wenig		
5139	81_T0_B2_K_2021	<i>Bathyporeia pelagica</i>	B		7	0.001
5140	81_T0_B2_K_2021	<i>Bathyporeia sarsi</i>	B		1	0.001
5141	81_T0_B2_K_2021	<i>Calycella syringa</i>	UNM	wenig		
5142	81_T0_B2_K_2021	<i>Crangon crangon</i>	B		1	0.1521
5143	81_T0_B2_K_2021	<i>Crangon sp.</i>	B		1	0.001
5144	81_T0_B2_K_2021	<i>Electra pilosa</i>	UNM	wenig		
5145	81_T0_B2_K_2021	<i>Ensis sp.</i>	B		1	0.0028
5146	81_T0_B2_K_2021	<i>Jassa sp.</i>	B		1	0.0002
5147	81_T0_B2_K_2021	<i>Microphthalmus similis</i>	B		1	
5148	81_T0_B2_K_2021	<i>Nemertea indet.</i>	B		1	0.001
5149	81_T0_B2_K_2021	<i>Nephtys cirrosa</i>	B		4	0.0355
5150	81_T0_B2_K_2021	<i>Obelia longissima</i>	UNM	wenig		
5151	81_T0_B2_K_2021	<i>Scoloplos armiger agg.</i>	B		1	1.00E-04
5152	81_T0_B2_K_2021	<i>Sertularia sp.</i>	UNM	wenig		
5153	81_T0_B2_K_2021	<i>Spio martinensis</i>	B		4	0.0007
5154	81_T7_C_K_2021	<i>Capitella capitata agg.</i>	B		1	
5155	81_T7_C_K_2021	<i>Magelona johnstoni</i>	B		1	0.0002
5156	81_T7_C_K_2021	<i>Nephtys caeca</i>	B		1	0.0019
5157	81_T7_C_K_2021	<i>Nephtys cirrosa</i>	B		1	0.0019
5158	81_T7_C_K_2021	<i>Nephtys hombergii</i>	B		1	0.0416
5159	81_T7_C_K_2021	<i>Nephtys sp.</i>	B		1	0.0004
5160	81_T7_C_K_2021	<i>Pygospio elegans</i>	B		4	0.0007
5161	81_T7_C_K_2021	<i>Scoloplos armiger agg.</i>	B		9	0.0033
5162	81_T7_C_K_2021	<i>Spio martinensis</i>	B		22	0.0035
5163	81_T7_C_K_2021	<i>Tanaissus lilljeborgi</i>	UNM		1	
5164	82_GR_NDS08_U_2020	<i>Aequorea sp.</i>	UNM	wenig		
5165	82_GR_NDS08_U_2020	<i>Alcyonidiidae gen. sp.</i>	UNM	wenig		
5166	82_GR_NDS08_U_2020	<i>Anthoathecata indet.</i>	UNM	wenig		
5167	82_GR_NDS08_U_2020	<i>Clytia hemisphaerica</i>	UNM	wenig		

5168	82_GR_NDS08_U_2020	Conopeum reticulum	UNM	wenig		
5169	82_GR_NDS08_U_2020	Cumopsis goodsir	UNM		1	
5170	82_GR_NDS08_U_2020	Glycera tridactyla	B		1	0.0098
5171	82_GR_NDS08_U_2020	Magelona mirabilis	B		2	0.0034
5172	82_GR_NDS08_U_2020	Mesopodopsis slabberi	B		2	0.0007
5173	82_GR_NDS08_U_2020	Neomysis integer	B		2	5.00E-04
5174	82_GR_NDS08_U_2020	Nephtys cirrosa	B		19	0.0681
5175	82_GR_NDS08_U_2020	Nephtys sp.	B		6	0.0065
5176	82_GR_NDS08_U_2020	Obelia bidentata	UNM	wenig		
5177	82_GR_NDS08_U_2020	Obelia longissima	UNM	wenig		
5178	82_GR_NDS08_U_2020	Schistomysis kervillei	UNM		1	
5179	82_GR_NDS08_U_2020	Scoloplos armiger agg.	B		1	5.00E-04
5180	83_GR_NDS08_U_2020	Aequorea sp.	UNM	wenig		
5181	83_GR_NDS08_U_2020	Clytia hemisphaerica	UNM	wenig		
5182	83_GR_NDS08_U_2020	Conopeum reticulum	UNM	wenig		
5183	83_GR_NDS08_U_2020	Electra pilosa	UNM	wenig		
5184	83_GR_NDS08_U_2020	Nephtys caeca	B		1	0.0594
5185	83_GR_NDS08_U_2020	Nephtys cirrosa	B		4	0.0094
5186	83_GR_NDS08_U_2020	Obelia bidentata	UNM	wenig		
5187	83_GR_NDS08_U_2020	Scoloplos armiger agg.	B		1	0.0106
5188	83_T0_B2_K_2021	Bathyporeia guilliamsoniana	B		2	5.00E-04
5189	83_T0_B2_K_2021	Bathyporeia pelagica	B		31	0.0051
5190	83_T0_B2_K_2021	Bathyporeia sarsi	B		2	0.0008
5191	83_T0_B2_K_2021	Conopeum reticulum	UNM	wenig		
5192	83_T0_B2_K_2021	Crangon crangon	B		2	0.0984
5193	83_T0_B2_K_2021	Ensis sp.	B		1	0.0023
5194	83_T0_B2_K_2021	Lamprops fasciatus	UNM		1	
5195	83_T0_B2_K_2021	Monocorophium acherusicum	B		1	1.00E-04
5196	83_T0_B2_K_2021	Nephtys cirrosa	B		1	0.0089
5197	83_T0_B2_K_2021	Pontocrates altamarinus	B		3	0.0003
5198	83_T0_B2_K_2021	Spio martinensis	B		2	
5199	83_T0_B2_K_2021	Spio sp.	UNM		1	
5200	83_T7_C_IV_2021	Aequorea sp.	UNM	wenig		

5201	83_T7_C_IV_2021	Balanus crenatus	UNM		1	
5202	83_T7_C_IV_2021	Conopeum reticulum	UNM	wenig		
5203	83_T7_C_IV_2021	Nephtys cirrosa	B		3	0.0392
5204	83_T7_C_IV_2021	Tharyx killariensis	B		1	0.0002
5205	83_T7_C_IV_2021	Urothoe poseidonis	B		1	0.0003
5206	84_GR_NDS08_U_2020	Magelona johnstoni	B		1	0.0007
5207	84_GR_NDS08_U_2020	Magelona mirabilis	B		1	0.0019
5208	84_GR_NDS08_U_2020	Nephtys cirrosa	B		5	0.013
5209	84_GR_NDS08_U_2020	Scoloplos armiger agg.	B		1	0.0149
5210	84_T7_C_IV_2021	Aspidelectra melolontha	UNM	wenig		
5211	84_T7_C_IV_2021	Bathyporeia elegans	B		1	0.0001
5212	84_T7_C_IV_2021	Bathyporeia pelagica	B		5	0.0011
5213	84_T7_C_IV_2021	Conopeum reticulum	UNM	wenig		
5214	84_T7_C_IV_2021	Nephtys cirrosa	B		1	0.0063
5215	85_GR_NDS08_U_2020	Lanice conchilega	B		1	0.0091
5216	85_GR_NDS08_U_2020	Magelona johnstoni	B		1	5.00E-04
5217	85_GR_NDS08_U_2020	Nephtys cirrosa	B		3	0.0111
5218	85_T0_B2_IV_2021	Bathyporeia pelagica	B		18	0.0041
5219	85_T0_B2_IV_2021	Macomangulus tenuis	UNM		1	
5220	85_T0_B2_IV_2021	Magelona mirabilis	B		5	0.0248
5221	85_T0_B2_IV_2021	Nephtys caeca	B		1	0.1469
5222	85_T0_B2_IV_2021	Scoloplos armiger agg.	B		2	0.0115
5223	85_T0_B2_IV_2021	Spio martinensis	B		2	0.0002
5224	85_T3_B_K_2019	Bathyporeia elegans	UNM		1	
5226	85_T3_B_K_2019	Bathyporeia pelagica	UNM		2	
5225	85_T3_B_K_2019	Bathyporeia pelagica	B		9	0.00536
5228	85_T3_B_K_2019	Bathyporeia sarsi	UNM		3	
5227	85_T3_B_K_2019	Bathyporeia sarsi	B		49	0.05453
5229	85_T3_B_K_2019	Capitella capitata agg.	UNM		1	
5230	85_T3_B_K_2019	Limecola balthica	BLFD		1	0.01049
5231	85_T3_B_K_2019	Magelona johnstoni	UNM		1	
5232	85_T3_B_K_2019	Nephtys hombergii	BLFD		3	0.04016
5233	85_T3_B_K_2019	Nephtys juv.	BLFD		1	0.00069

5234	85_T3_B_K_2019	Scoloplos armiger agg.	BLFD		1	0.02351
5235	85_T3_B_K_2019	Spio martinensis	UNM		1	
5236	85_T7_C_IV_2021	Ascidacea indet.	B		1	1.00E-04
5237	85_T7_C_IV_2021	Bathyporeia pelagica	B		1	0.0004
5238	85_T7_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
5239	85_T7_C_IV_2021	Crangon sp.	B		1	0.0004
5240	85_T7_C_IV_2021	Magelona mirabilis	B		2	0.0032
5241	85_T7_C_IV_2021	Nephtys cirrosa	B		4	0.0255
5242	85_T7_C_IV_2021	Obelia longissima	UNM	wenig		
5243	85_T7_C_IV_2021	Praunus flexuosus	B		1	0.0034
5244	85_T7_C_IV_2021	Tharyx killariensis	B		1	0.0002
5245	86_GR_NDS08_U_2020	Aequorea sp.	UNM	wenig		
5246	86_GR_NDS08_U_2020	Aspidelectra melolontha	UNM	wenig		
5247	86_GR_NDS08_U_2020	Glycera sp.	B		1	0.0003
5248	86_GR_NDS08_U_2020	Mysidae gen. sp.	B		1	0.0008
5249	86_GR_NDS08_U_2020	Nephtys cirrosa	B		1	0.0026
5250	86_GR_NDS08_U_2020	Nephtys sp.	B		3	0.003
5251	86_GR_NDS08_U_2020	Scoloplos armiger agg.	B		1	0.0095
5252	86_GR_NDS08_U_2020	Sertularia sp.	UNM	wenig		
5253	86_T0_B2_IV_2021	Bathyporeia pelagica	B		21	0.0053
5254	86_T0_B2_IV_2021	Crangon sp.	B		2	0.0007
5255	86_T0_B2_IV_2021	Electra pilosa	UNM	wenig		
5256	86_T0_B2_IV_2021	Gastrosaccus spinifer	B		1	0.0001
5257	86_T0_B2_IV_2021	Limecola balthica	B		1	0.0035
5258	86_T0_B2_IV_2021	Magelona mirabilis	B		1	0.003
5259	86_T0_B2_IV_2021	Nemertea indet.	B		1	0.0016
5260	86_T0_B2_IV_2021	Nephtys cirrosa	B		1	0.0036
5261	86_T3_B_K_2019	Bathyporeia pelagica	LFD		1	
5262	86_T3_B_K_2019	Bathyporeia sarsi	LFD		2	
5263	86_T3_B_K_2019	Crangon crangon	LFD		1	
5264	86_T3_B_K_2019	Diastylis bradyi	LFD		1	
5265	86_T3_B_K_2019	Limecola balthica	BLFD		1	0.00803
5266	86_T3_B_K_2019	Magelona mirabilis	LFD		1	

5267	86_T3_B_K_2019	<i>Mytilus edulis</i>	LFD		2	
5268	86_T3_B_K_2019	<i>Nephtys cirrosa</i>	BLFD		2	0.00296
5269	86_T3_B_K_2019	<i>Nephtys hombergii</i>	BLFD		4	0.0398
5270	86_T3_B_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		6	0.08982
5271	86_T3_B_K_2019	<i>Sertularia cupressina</i>	UNM	wenig		
5273	86_T3_B_K_2019	<i>Spio martinensis</i>	LFD		2	
5272	86_T3_B_K_2019	<i>Spio martinensis</i>	BLFD		4	0.00056
5274	86_T7_C_IV_2021	Anthozoa indet.	B		3	0.0015
5275	86_T7_C_IV_2021	<i>Bathyporeia pelagica</i>	B		2	0.0003
5276	86_T7_C_IV_2021	<i>Electra</i> sp. 1	UNM	wenig		
5277	86_T7_C_IV_2021	<i>Microprotopus maculatus</i>	B		1	1.00E-04
5278	86_T7_C_IV_2021	<i>Nephtys cirrosa</i>	B		2	0.035
5279	86_T7_C_IV_2021	<i>Obelia longissima</i>	UNM	wenig		
5280	86_T7_C_IV_2021	<i>Tharyx</i> sp.	B		1	
5282	87_T0_B2_IV_2021	Ascidacea indet.	UNM		1	
5281	87_T0_B2_IV_2021	Ascidacea indet.	B		13	
5283	87_T0_B2_IV_2021	<i>Bathyporeia pelagica</i>	B		29	0.0086
5284	87_T0_B2_IV_2021	<i>Capitella capitata</i> agg.	B		1	0.0002
5285	87_T0_B2_IV_2021	<i>Ensis</i> sp.	B		1	0.0026
5286	87_T0_B2_IV_2021	<i>Gastrosaccus spinifer</i>	B		9	0.0031
5287	87_T0_B2_IV_2021	<i>Kurtiella bidentata</i>	UNM		1	
5288	87_T0_B2_IV_2021	<i>Limecola balthica</i>	UNM		1	
5289	87_T0_B2_IV_2021	<i>Macomangulus tenuis</i>	B		6	0.0027
5290	87_T0_B2_IV_2021	<i>Nephtys cirrosa</i>	B		1	0.0051
5291	87_T0_B2_IV_2021	<i>Nephtys hombergii</i>	B		1	0.0584
5292	87_T0_B2_IV_2021	<i>Scoloplos armiger</i> agg.	B		1	0.0003
5293	87_T0_B2_IV_2021	<i>Spio martinensis</i>	B		3	0.0003
5294	87_T3_B_IV_2019	<i>Bodotria scorpioides</i>	BLFD		1	0.0011
5295	87_T3_B_IV_2019	<i>Conopeum seurati</i>	UNM	wenig		
5296	87_T3_B_IV_2019	<i>Crassikorophium bonellii</i>	LFD		1	
5297	87_T3_B_IV_2019	<i>Lamprops fasciatus</i>	LFD		1	
5298	87_T3_B_IV_2019	<i>Microphthalmus listensis</i>	LFD		1	
5299	87_T3_B_IV_2019	<i>Mytilus edulis</i>	BLFD		4	0.00081

5300	87_T3_B_IV_2019	Nephtys cirrosa	BLFD		3	0.0069
5301	87_T3_B_IV_2019	Ophelia sp.	LFD		1	
5302	87_T3_B_IV_2019	Scoloplos armiger agg.	BLFD		1	0.01056
5303	87_T7_C_IV_2021	Bathyporeia pelagica	B		1	0.0003
5304	87_T7_C_IV_2021	Capitella capitata agg.	B		1	
5305	87_T7_C_IV_2021	Crangon sp.	B		2	0.0007
5306	87_T7_C_IV_2021	Magelona mirabilis	B		1	0.0032
5307	87_T7_C_IV_2021	Nephtys hombergii	B		1	0.0165
5308	87_T7_C_IV_2021	Spio martinensis	B		1	0.0003
5309	88_T0_B2_IV_2021	Bathyporeia pelagica	B		19	0.0052
5310	88_T0_B2_IV_2021	Bathyporeia sarsi	B		10	0.0041
5311	88_T0_B2_IV_2021	Macomangulus tenuis	B		3	0.0139
5312	88_T0_B2_IV_2021	Magelona mirabilis	B		1	0.0008
5313	88_T0_B2_IV_2021	Nephtys cirrosa	B		1	0.0052
5314	88_T0_B2_IV_2021	Praunus flexuosus	B		1	
5315	88_T0_B2_IV_2021	Scoloplos armiger agg.	B		5	0.1306
5316	88_T0_B2_IV_2021	Spio martinensis	B		2	0.0003
5317	89_T0_B2_IV_2021	Bathyporeia pelagica	B		5	0.0013
5318	89_T0_B2_IV_2021	Bathyporeia sarsi	B		1	0.0006
5319	89_T0_B2_IV_2021	Electra pilosa	UNM	wenig		
5320	89_T0_B2_IV_2021	Ensis sp.	B		2	0.0029
5321	89_T0_B2_IV_2021	Limecola balthica	B		1	0.0126
5322	89_T0_B2_IV_2021	Nephtys cirrosa	B		1	0.0077
5323	89_T0_B2_IV_2021	Scoloplos armiger agg.	B		2	0.0079
5324	89_T0_B2_IV_2021	Spio martinensis	B		1	
5325	89_T0_B2_IV_2021	Urothoe poseidonis	B		1	0.0004
5326	89_T7_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
5327	89_T7_C_IV_2021	Crangon sp.	B		1	0.0003
5328	89_T7_C_IV_2021	Heteromastus filiformis	B		1	5.00E-04
5329	89_T7_C_IV_2021	Limecola balthica	B		1	0.0124
5330	89_T7_C_IV_2021	Nephtys cirrosa	B		3	0.0127
5331	89_T7_C_IV_2021	Scoloplos armiger agg.	B		1	0.008
5332	89_T7_C_IV_2021	Spio martinensis	B		2	0.0007

5333	9_T0_A_IV_2019	Bathyporeia pelagica	BLFD		1	0.00049
5334	9_T0_A_IV_2019	Bathyporeia sarsi	BLFD		1	0.00076
5335	9_T0_A_IV_2019	Conopeum reticulum	UNM	wenig		
5336	9_T0_A_IV_2019	Liocarcinus holsatus	UNM		1	
5337	9_T0_A_IV_2019	Magelona mirabilis	BLFD		1	0.00153
5338	9_T0_A_IV_2019	Nephtys caeca	LFD		1	
5339	9_T0_A_IV_2019	Nephtys hombergii	BLFD		1	0.00681
5340	9_T0_A_IV_2019	Retusa obtusa	BLFD		4	0.00034
5341	9_T0_A_IV_2019	Scoloplos armiger agg.	BLFD		2	0.01857
5342	9_T0_C_K_2021	Arachnidium fibrosum	UNM	wenig		
5343	9_T0_C_K_2021	Clytia hemisphaerica	UNM	wenig		
5344	9_T0_C_K_2021	Crangon sp.	B		1	5.00E-04
5345	9_T0_C_K_2021	Jassa sp.	B		1	
5346	9_T0_C_K_2021	Mesopodopsis slabberi	B		1	0.0007
5347	9_T0_C_K_2021	Neomysis integer	UNM		1	
5348	9_T0_C_K_2021	Nephtys hombergii	B		1	0.0157
5349	9_T0_C_K_2021	Obelia longissima	UNM	wenig		
5350	9_T0_C_K_2021	Pygospio elegans	UNM		1	
5351	9_T0_C_K_2021	Scoloplos armiger agg.	B		2	0.0019
5353	9_T0_C_K_2021	Spio martinensis	UNM		1	
5352	9_T0_C_K_2021	Spio martinensis	B		7	0.0009
5354	9_T0_C_K_2021	Tubificinae gen. sp.	B		1	
5355	9_T0_C_K_2021	Tubificinae gen. sp.	UNM		1	
5356	90_T0_B2_IV_2021	Actinaria indet.	UNM		1	
5357	90_T0_B2_IV_2021	Alcyoniidae gen. sp.	UNM	wenig		
5358	90_T0_B2_IV_2021	Bathyporeia pelagica	B		6	0.0025
5359	90_T0_B2_IV_2021	Bathyporeia sarsi	B		4	0.0014
5360	90_T0_B2_IV_2021	Capitella capitata agg.	UNM		1	
5361	90_T0_B2_IV_2021	Electra pilosa	UNM	wenig		
5362	90_T0_B2_IV_2021	Eteone longa	UNM		1	
5363	90_T0_B2_IV_2021	Macomangulus tenuis	B		2	0.0263
5364	90_T0_B2_IV_2021	Magelona johnstoni	B		1	
5365	90_T0_B2_IV_2021	Obelia longissima	UNM	wenig		

5366	90_T0_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0061
5367	90_T0_B2_IV_2021	Sertularia sp.	UNM	wenig		
5368	90_T0_B2_IV_2021	Spio martinensis	B		2	0.0002
5369	90_T3_B_K_2019	Capitella capitata agg.	LFD		1	
5370	90_T3_B_K_2019	Gammarus locusta	LFD		2	
5371	90_T3_B_K_2019	Limecola balthica	BLFD		3	0.0708
5372	90_T3_B_K_2019	Magelona johnstoni	UNM		1	
5373	90_T3_B_K_2019	Nephtys cirrosa	BLFD		3	0.01419
5374	90_T3_B_K_2019	Scoloplos armiger agg.	BLFD		8	0.11268
5376	90_T3_B_K_2019	Spio martinensis	UNM		8	
5375	90_T3_B_K_2019	Spio martinensis	B		25	0.00436
5377	90_T7_C_IV_2021	Heteromastus filiformis	B		1	0.0008
5378	90_T7_C_IV_2021	Magelona mirabilis	B		1	0.0006
5379	90_T7_C_IV_2021	Nephtys cirrosa	B		2	0.0115
5380	90_T7_C_IV_2021	Nephtys hombergii	B		1	0.0032
5381	91_GR_NDS09_U_2020	Bathyporeia elegans	B		1	0.0007
5382	91_GR_NDS09_U_2020	Gastrosaccus spinifer	B		1	0.0035
5383	91_GR_NDS09_U_2020	Nephtys cirrosa	B		7	0.0393
5384	91_GR_NDS09_U_2020	Scolecopsis ? mesnili	UNM		1	
5385	91_GR_NDS09_U_2020	Scolecopsis sp.	B		1	0.0004
5386	91_T0_B2_IV_2021	Crangon sp.	B		1	0.0002
5387	91_T0_B2_IV_2021	Spio martinensis	B		1	1.00E-04
5388	91_T7_C_IV_2021	Anguinella palmata	UNM	wenig		
5389	91_T7_C_IV_2021	Bathyporeia elegans	B		1	0.0004
5390	91_T7_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
5391	91_T7_C_IV_2021	Nephtys cirrosa	B		1	0.0083
5392	91_T7_C_IV_2021	Obelia longissima	UNM	wenig		
5393	91_T7_C_IV_2021	Spio martinensis	B		5	0.0009
5394	92_GR_NDS09_U_2020	Ophelia sp.	B		2	0.0169
5395	92_GR_NDS09_U_2020	Scolecopsis ? mesnili	UNM		1	
5396	92_GR_NDS09_U_2020	Scolecopsis sp.	UNM		1	
5397	92_T0_B2_IV_2021	Ascidacea indet.	B		3	0.0002
5398	92_T0_B2_IV_2021	Bathyporeia pelagica	B		51	0.0135

5399	92_T0_B2_IV_2021	Bathyporeia sarsi	B		2	0.0007
5400	92_T0_B2_IV_2021	Conopeum reticulum	UNM	wenig		
5401	92_T0_B2_IV_2021	Electra pilosa	UNM	wenig		
5402	92_T0_B2_IV_2021	Fabulina fabula	UNM		1	
5403	92_T0_B2_IV_2021	Macomangulus tenuis	B		4	0.0126
5404	92_T0_B2_IV_2021	Nephtys cirrosa	B		2	0.0194
5405	92_T0_B2_IV_2021	Pontocrates altamarinus	UNM		1	
5406	92_T0_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0007
5407	92_T0_B2_IV_2021	Spio martinensis	B		4	0.0001
5408	92_T7_C_IV_2021	Bathyporeia pelagica	B		27	0.0101
5409	92_T7_C_IV_2021	Carcinus maenas	B		1	4.3385
5410	92_T7_C_IV_2021	Clytia hemisphaerica	UNM	wenig		
5411	92_T7_C_IV_2021	Crangon sp.	B		1	0.0004
5412	92_T7_C_IV_2021	Nephtys cirrosa	B		2	0.004
5413	92_T7_C_IV_2021	Obelia bidentata	UNM	wenig		
5414	93_GR_NDS09_U_2020	Carcinus maenas	B		2	5.3924
5415	93_GR_NDS09_U_2020	Diastylis bradyi	B		1	0.0003
5416	93_GR_NDS09_U_2020	Electra pilosa	UNM	wenig		
5417	93_GR_NDS09_U_2020	Limecola balthica	B		1	0.0079
5418	93_GR_NDS09_U_2020	Magelona johnstoni	B		2	0.0003
5419	93_GR_NDS09_U_2020	Nephtys cirrosa	B		1	0.0009
5420	93_GR_NDS09_U_2020	Nephtys hombergii	B		2	0.0061
5421	93_GR_NDS09_U_2020	Obelia bidentata	UNM	wenig		
5422	93_GR_NDS09_U_2020	Pygospio elegans	UNM		1	
5423	93_GR_NDS09_U_2020	Schistomysis kervillei	B		1	0.0003
5424	93_T0_B2_IV_2021	Bathyporeia pelagica	B		5	0.0013
5425	93_T0_B2_IV_2021	Bathyporeia sarsi	B		1	0.0004
5426	93_T0_B2_IV_2021	Fabulina fabula	B		1	0.0061
5427	93_T0_B2_IV_2021	Limecola balthica	B		2	0.0108
5428	93_T0_B2_IV_2021	Macomangulus tenuis	B		1	0.0113
5429	93_T0_B2_IV_2021	Magelona johnstoni	B		1	0.0021
5430	93_T0_B2_IV_2021	Nemertea indet.	UNM		1	
5431	93_T0_B2_IV_2021	Nephtys cirrosa	B		1	0.0099

5432	93_T0_B2_IV_2021	Scoloplos armiger agg.	UNM		1	
5433	93_T0_B2_IV_2021	Spio martinensis	UNM		1	
5434	93_T3_A_IV_2019	Bathyporeia sarsi	LFD		1	
5435	93_T3_A_IV_2019	Fabulina fabula	BLFD		1	0.00302
5436	93_T3_A_IV_2019	Nephtys kersivalensis	BLFD		1	0.01177
5437	93_T3_A_IV_2019	Obelia dichotoma	UNM	wenig		
5438	93_T3_A_IV_2019	Scoloplos armiger agg.	BLFD		1	0.01527
5439	93_T7_C_IV_2021	Bathyporeia elegans	B		5	0.0014
5440	93_T7_C_IV_2021	Bathyporeia pelagica	B		61	0.018
5441	93_T7_C_IV_2021	Nephtys cirrosa	B		5	0.0503
5442	93_T7_C_IV_2021	Nephtys hombergii	B		1	0.0074
5443	94_GR_NDS09_U_2020	Amphipholis squamata	UNM		1	
5444	94_GR_NDS09_U_2020	Capitella capitata agg.	B		1	0.0007
5445	94_GR_NDS09_U_2020	Fabulina fabula	B		1	0.0235
5446	94_GR_NDS09_U_2020	Hypophorella expansa	UNM	wenig		
5447	94_GR_NDS09_U_2020	Magelona johnstoni	B		1	5.00E-04
5448	94_GR_NDS09_U_2020	Nephtys cirrosa	B		1	0.0126
5449	94_GR_NDS09_U_2020	Nephtys hombergii	B		1	0.019
5450	94_GR_NDS09_U_2020	Nephtys sp.	B		1	0.0004
5451	94_GR_NDS09_U_2020	Spiophanes bombyx	B		1	0.0001
5452	94_T3_A_IV_2019	Bathyporeia guilliamsoniana	UNM		2	
5453	94_T3_A_IV_2019	Bathyporeia pelagica	UNM		2	
5455	94_T3_A_IV_2019	Bathyporeia sarsi	UNM		3	
5454	94_T3_A_IV_2019	Bathyporeia sarsi	B		23	0.01347
5456	94_T3_A_IV_2019	Limecola balthica	BLFD		3	0.00911
5457	94_T3_A_IV_2019	Nephtys hombergii	BLFD		4	0.04715
5458	94_T3_A_IV_2019	Obelia bidentata	UNM	wenig		
5459	95_GR_NDS09_U_2020	Electra pilosa	UNM	wenig		
5460	95_GR_NDS09_U_2020	Limecola balthica	B		3	0.044
5461	95_GR_NDS09_U_2020	Nephtys hombergii	B		3	0.0208
5462	95_GR_NDS13_U_2021	Abludomelita obtusata	UNM		1	
5463	95_GR_NDS13_U_2021	Achelia echinata	UNM		1	
5464	95_GR_NDS13_U_2021	Alitta succinea	B		4	0.0004

5465	95_GR_NDS13_U_2021	Amphipholis squamata	B		6	0.0036
5466	95_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
5467	95_GR_NDS13_U_2021	Arachnidium fibrosum	UNM	wenig		
5468	95_GR_NDS13_U_2021	Asciacea indet.	B		13	0.0026
5469	95_GR_NDS13_U_2021	Bodotria scorpioides	B		3	0.0004
5470	95_GR_NDS13_U_2021	Capitella capitata agg.	B		2	0.0006
5471	95_GR_NDS13_U_2021	Clytia hemisphaerica	UNM	wenig		
5472	95_GR_NDS13_U_2021	Conopeum seurati	UNM	wenig		
5473	95_GR_NDS13_U_2021	Cylista troglodytes agg.	B		64	5.646
5474	95_GR_NDS13_U_2021	Electra pilosa	UNM	wenig		
5475	95_GR_NDS13_U_2021	Eteone longa	B		1	1.00E-04
5476	95_GR_NDS13_U_2021	Eumida bahusiensis	B		93	0.0323175
5477	95_GR_NDS13_U_2021	Eumida sp.	B		6	0.0002
5478	95_GR_NDS13_U_2021	Eunereis longissima	B		11	0.2709
5479	95_GR_NDS13_U_2021	Gattyana cirrhosa	B		29	0.2204
5480	95_GR_NDS13_U_2021	Glycera tridactyla	B		4	0.0121
5481	95_GR_NDS13_U_2021	Heteromastus filiformis	B		2	0.0033
5482	95_GR_NDS13_U_2021	Hypophorella expansa	UNM	wenig		
5483	95_GR_NDS13_U_2021	Kurtiella bidentata	B		6	0.0017
5484	95_GR_NDS13_U_2021	Lanice conchilega	B		202	5.5359547
5485	95_GR_NDS13_U_2021	Malmgrenia bicki	B		67	0.08111785
5486	95_GR_NDS13_U_2021	Mediomastus fragilis	B		3	0.0013
5487	95_GR_NDS13_U_2021	Mesopodopsis slabberi	B		1	0.0002
5488	95_GR_NDS13_U_2021	Microphthalmus sp.	B		6	
5489	95_GR_NDS13_U_2021	Microprotopus maculatus	B		10	0.0003
5490	95_GR_NDS13_U_2021	Monocorophium acherusicum	B		4	0.0002
5491	95_GR_NDS13_U_2021	Myrianida edwarsi	B		1	1.00E-04
5492	95_GR_NDS13_U_2021	Myrianida sanmartini	B		7	1.00E-04
5493	95_GR_NDS13_U_2021	Mytilus edulis agg.	B		2	1.00E-04
5494	95_GR_NDS13_U_2021	Nephtys caeca	B		2	0.0029
5495	95_GR_NDS13_U_2021	Nephtys hombergii	B		1	0.0325
5496	95_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
5497	95_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		

5498	95_GR_NDS13_U_2021	Oerstedtia dorsalis	UNM		1	
5499	95_GR_NDS13_U_2021	Pariambus typicus	B		8	0.0003
5500	95_GR_NDS13_U_2021	Polydora cornuta	B		4	0.0002
5501	95_GR_NDS13_U_2021	Polynoinae gen. sp.	B		1	
5502	95_GR_NDS13_U_2021	Praunus flexuosus	B		1	5.00E-04
5503	95_GR_NDS13_U_2021	Scoloplos armiger agg.	B		3	0.0072
5504	95_GR_NDS13_U_2021	Sertularia argentea	UNM	wenig		
5505	95_GR_NDS13_U_2021	Terebellidae gen. sp.	B		11	0.0006
5506	95_GR_NDS13_U_2021	Tharyx sp.	B		11	0.0015
5507	95_GR_NDS13_U_2021	Tubificinae gen. sp.	B		38	0.0024
5508	95_GR_NDS13_U_2021	Tubificoides benedii	B		8	0.0014
5509	95_GR_NDS13_U_2021	Venerupis corrugata	B		1	0.0035
5510	95_GR_NDS13_U_2021	Venerupis corrugata	UNM		1	
5511	95_T0_B2_IV_2021	Bathyporeia pelagica	B		28	0.008
5512	95_T0_B2_IV_2021	Bathyporeia sarsi	B		4	0.0017
5513	95_T0_B2_IV_2021	Fabulina fabula	B		1	0.0009
5514	95_T0_B2_IV_2021	Gastrosaccus spinifer	B		7	0.0054
5515	95_T0_B2_IV_2021	Limecola balthica	B		1	0.0037
5516	95_T0_B2_IV_2021	Macomangulus tenuis	B		4	0.0069
5517	95_T0_B2_IV_2021	Magelona johnstoni	B		1	0.0025
5518	95_T0_B2_IV_2021	Nemertea indet.	B		1	0.0007
5519	95_T0_B2_IV_2021	Nephtys cirrosa	B		3	0.0163
5520	95_T0_B2_IV_2021	Schistomysis kervillei	B		1	0.0006
5521	95_T0_B2_IV_2021	Scoloplos armiger agg.	B		1	0.0205
5522	95_T0_B2_IV_2021	Spio martinensis	B		2	0.0002
5523	95_T0_B2_IV_2021	Spiophanes bombyx	UNM		1	
5524	95_T3_A_IV_2019	Bathyporeia sarsi	UNM		7	
5525	95_T3_A_IV_2019	Capitella capitata agg.	LFD		4	
5526	95_T3_A_IV_2019	Clytia hemisphaerica	UNM	wenig		
5527	95_T3_A_IV_2019	Conopeum seurati	UNM	wenig		
5528	95_T3_A_IV_2019	Crangon crangon	BLFD		1	0.00558
5529	95_T3_A_IV_2019	Magelona johnstoni	B		1	0.00647
5530	95_T3_A_IV_2019	Magelona mirabilis	B		1	0.00846

5531	95_T3_A_IV_2019	<i>Nephtys hombergii</i>	BLFD		2	0.02446
5532	95_T3_A_IV_2019	<i>Obelia bidentata</i>	UNM	wenig		
5533	95_T3_A_IV_2019	<i>Scoloplos armiger</i> agg.	BLFD		1	0.02913
5534	95_T3_A_IV_2019	<i>Sertularia cupressina</i>	UNM	wenig		
5535	96_GR_NDS09_U_2020	<i>Clytia hemisphaerica</i>	UNM	wenig		
5536	96_GR_NDS09_U_2020	<i>Nephtys hombergii</i>	B		2	0.0109
5537	96_GR_NDS09_U_2020	<i>Schistomysis kervillei</i>	B		1	0.0009
5538	96_GR_NDS09_U_2020	Tubificinae gen. sp.	B		1	
5539	96_GR_NDS13_U_2021	Alcyonidiidae gen. sp.	UNM	wenig		
5540	96_GR_NDS13_U_2021	<i>Alcyonidium parasiticum</i>	UNM	wenig		
5541	96_GR_NDS13_U_2021	<i>Alitta succinea</i>	B		1	
5542	96_GR_NDS13_U_2021	<i>Ampharete</i> sp.	B		1	
5543	96_GR_NDS13_U_2021	<i>Amphipholis squamata</i>	B		2	0.0002
5544	96_GR_NDS13_U_2021	<i>Anguinella palmata</i>	UNM	wenig		
5545	96_GR_NDS13_U_2021	<i>Anoplodactylus petiolatus</i>	B		1	1.00E-04
5546	96_GR_NDS13_U_2021	<i>Asterias rubens</i>	B		1	0.0009
5547	96_GR_NDS13_U_2021	<i>Bathyporeia pelagica</i>	B		1	1.00E-04
5548	96_GR_NDS13_U_2021	<i>Bodotria scorpioides</i>	B		2	0.0003
5549	96_GR_NDS13_U_2021	<i>Capitella capitata</i> agg.	B		3	0.0014
5550	96_GR_NDS13_U_2021	<i>Carcinus maenas</i>	B		1	2.4221
5551	96_GR_NDS13_U_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
5552	96_GR_NDS13_U_2021	<i>Conopeum reticulum</i>	UNM	wenig		
5553	96_GR_NDS13_U_2021	<i>Conopeum seurati</i>	UNM	wenig		
5554	96_GR_NDS13_U_2021	<i>Crepidula fornicata</i>	B		1	1.00E-04
5555	96_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		81	1.1613
5556	96_GR_NDS13_U_2021	<i>Electra pilosa</i>	UNM	wenig		
5557	96_GR_NDS13_U_2021	<i>Eteone longa</i>	B		1	0.0002
5558	96_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		42	0.0222
5559	96_GR_NDS13_U_2021	<i>Eumida</i> sp.	B		3	1.00E-04
5560	96_GR_NDS13_U_2021	<i>Eunereis longissima</i>	B		4	0.2817
5561	96_GR_NDS13_U_2021	<i>Farrella repens</i>	UNM	wenig		
5562	96_GR_NDS13_U_2021	<i>Gattyana cirrhosa</i>	B		4	0.0338
5563	96_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		2	0.0025

5564	96_GR_NDS13_U_2021	Heteromastus filiformis	B		5	0.0264
5565	96_GR_NDS13_U_2021	Hypophorella expansa	UNM	wenig		
5566	96_GR_NDS13_U_2021	Kurtiella bidentata	B		3	0.0013
5567	96_GR_NDS13_U_2021	Lanice conchilega	B		269	9.24847344
5568	96_GR_NDS13_U_2021	Malmgrenia bicki	B		37	0.0358
5569	96_GR_NDS13_U_2021	Mediomastus fragilis	B		10	0.003
5570	96_GR_NDS13_U_2021	Microphthalmus sp.	B		1	
5571	96_GR_NDS13_U_2021	Microprotopus maculatus	B		9	1.00E-04
5572	96_GR_NDS13_U_2021	Molgula manhattensis agg.	B		2	
5573	96_GR_NDS13_U_2021	Molgula sp.	B		39	0.0136
5574	96_GR_NDS13_U_2021	Monocorophium acherusicum	B		6	0.0004
5575	96_GR_NDS13_U_2021	Myrianida sanmartini	B		4	0.0002
5576	96_GR_NDS13_U_2021	Myrianida sp.	B		1	
5577	96_GR_NDS13_U_2021	Mytilus edulis agg.	B		1	0.0002
5578	96_GR_NDS13_U_2021	Neomysis integer	B		1	0.0002
5579	96_GR_NDS13_U_2021	Nephtys caeca	B		2	0.0057
5580	96_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
5581	96_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		
5582	96_GR_NDS13_U_2021	Oerstedia dorsalis	B		1	1.00E-04
5583	96_GR_NDS13_U_2021	Pariambus typicus	B		5	0.0003
5584	96_GR_NDS13_U_2021	Polydora cornuta	B		3	
5585	96_GR_NDS13_U_2021	Pygospio elegans	B		2	0.0008
5586	96_GR_NDS13_U_2021	Scoloplos armiger agg.	B		16	0.0184
5587	96_GR_NDS13_U_2021	Terebellidae gen. sp.	B		1	
5588	96_GR_NDS13_U_2021	Tharyx killariensis	B		2	0.0003
5589	96_GR_NDS13_U_2021	Tharyx sp.	B		2	0.0002
5590	96_GR_NDS13_U_2021	Tubificinae gen. sp.	B		10	0.0004
5591	96_GR_NDS13_U_2021	Tubificoides benedii	B		5	0.0008
5592	96_GR_NDS13_U_2021	Veneridae gen. sp.	B		3	0.0016
5593	96_T3_A_K_2019	Bathyporeia pelagica	UNM		1	
5594	96_T3_A_K_2019	Capitella capitata agg.	BLFD		2	0.00205
5595	96_T3_A_K_2019	Limecola balthica	BLFD		2	0.02939
5596	96_T3_A_K_2019	Magelona johnstoni	UNM		1	

5597	96_T3_A_K_2019	<i>Nephtys cirrosa</i>	BLFD		1	0.00409
5598	96_T3_A_K_2019	<i>Nephtys hombergii</i>	BLFD		2	0.02345
5599	96_T3_A_K_2019	<i>Nephtys juv.</i>	LFD		2	
5600	96_T3_A_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		5	0.04411
5601	96_T3_A_K_2019	<i>Spio martinensis</i>	UNM		5	
5602	96_T3_A_K_2019	<i>Urothoe poseidonis</i>	LFD		1	
5603	97_GR_NDS13_U_2021	<i>Abra alba</i>	B		1	0.0246
5604	97_GR_NDS13_U_2021	<i>Alcyonidium parasiticum</i>	UNM	wenig		
5605	97_GR_NDS13_U_2021	<i>Amphipholis squamata</i>	B		2	5.00E-04
5606	97_GR_NDS13_U_2021	<i>Anguinella palmata</i>	UNM	wenig		
5607	97_GR_NDS13_U_2021	<i>Anoplodactylus petiolatus</i>	B		1	1.00E-04
5608	97_GR_NDS13_U_2021	<i>Arachnidium fibrosum</i>	UNM	wenig		
5609	97_GR_NDS13_U_2021	<i>Bodotria scorpioides</i>	B		1	0.0001
5610	97_GR_NDS13_U_2021	<i>Capitella capitata</i> agg.	B		3	0.0011
5611	97_GR_NDS13_U_2021	<i>Carcinus maenas</i>	B		2	6.1897
5612	97_GR_NDS13_U_2021	<i>Clytia hemisphaerica</i>	UNM	wenig		
5613	97_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		75	0.3282
5614	97_GR_NDS13_U_2021	<i>Dyopedos monacanthus</i>	B		1	
5615	97_GR_NDS13_U_2021	<i>Eteone longa</i>	B		1	0.0007
5616	97_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		48	0.0404
5617	97_GR_NDS13_U_2021	<i>Eunereis longissima</i>	B		1	0.1053
5618	97_GR_NDS13_U_2021	<i>Farrella repens</i>	UNM	wenig		
5619	97_GR_NDS13_U_2021	<i>Gattyana cirrhosa</i>	B		3	0.0337
5620	97_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		6	0.0142
5621	97_GR_NDS13_U_2021	<i>Heteromastus filiformis</i>	B		4	0.0069
5622	97_GR_NDS13_U_2021	<i>Hypophorella expansa</i>	UNM	wenig		
5623	97_GR_NDS13_U_2021	<i>Kurtiella bidentata</i>	B		1	0.0006
5624	97_GR_NDS13_U_2021	<i>Lanice conchilega</i>	B		91	3.266172
5625	97_GR_NDS13_U_2021	<i>Macropodia</i> sp.	B		8	0.0041
5626	97_GR_NDS13_U_2021	<i>Malmgrenia bicki</i>	B		19	0.0227
5627	97_GR_NDS13_U_2021	<i>Mediomastus fragilis</i>	B		2	1.00E-04
5628	97_GR_NDS13_U_2021	<i>Microprotopus maculatus</i>	B		1	1.00E-04
5629	97_GR_NDS13_U_2021	<i>Molgula</i> sp.	B		160	0.14471644

5630	97_GR_NDS13_U_2021	Monocorophium acherusicum	B		2	0.0003
5631	97_GR_NDS13_U_2021	Myrianida prolifera	B		3	1.00E-04
5632	97_GR_NDS13_U_2021	Myrianida sanmartini	B		2	
5633	97_GR_NDS13_U_2021	Mytilus edulis agg.	B		2	0.0002
5634	97_GR_NDS13_U_2021	Nephtys hombergii	B		1	0.0107
5635	97_GR_NDS13_U_2021	Nymphon brevirostre	B		1	0.0012
5636	97_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
5637	97_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		
5638	97_GR_NDS13_U_2021	Oerstedtia dorsalis	B		1	0.0002
5639	97_GR_NDS13_U_2021	Pariambus typicus	B		3	1.00E-04
5640	97_GR_NDS13_U_2021	Polydora cornuta	B		4	0.0004
5641	97_GR_NDS13_U_2021	Pseudopolydora pulchra	UNM		1	
5642	97_GR_NDS13_U_2021	Pygospio elegans	B		4	0.001
5643	97_GR_NDS13_U_2021	Scoloplos armiger agg.	B		6	0.0049
5644	97_GR_NDS13_U_2021	Tharyx sp.	B		3	0.0006
5645	97_GR_NDS13_U_2021	Tubificinae gen. sp.	B		4	0.0003
5646	97_GR_NDS13_U_2021	Tubificoides benedii	B		4	0.0007
5648	97_GR_NDS13_U_2021	Tubificoides pseudogaster agg.	UNM		1	
5647	97_GR_NDS13_U_2021	Tubificoides pseudogaster agg.	B		2	5.00E-04
5649	97_GR_NDS13_U_2021	Veneridae gen. sp.	B		2	0.001
5651	97_T3_A_K_2019	Capitella capitata agg.	BLFD		2	0.0018
5650	97_T3_A_K_2019	Capitella capitata agg.	B		3	
5652	97_T3_A_K_2019	Conopeum seurati	UNM	wenig		
5653	97_T3_A_K_2019	Macomangulus tenuis	BLFD		1	0.00024
5654	97_T3_A_K_2019	Mytilus edulis	LFD		1	
5655	97_T3_A_K_2019	Nephtys hombergii	B		1	0.01488
5656	97_T3_A_K_2019	Sabellaria-tubes	NA	wenig		
5657	97_T3_A_K_2019	Scoloplos armiger agg.	BLFD		1	0.00912
5658	97_T3_A_K_2019	Spio martinensis	LFD		1	
5659	98_GR_NDS13_U_2021	Alitta succinea	B		1	5.00E-04
5660	98_GR_NDS13_U_2021	Anguinella palmata	UNM	wenig		
5661	98_GR_NDS13_U_2021	Conopeum reticulum	UNM	wenig		
5662	98_GR_NDS13_U_2021	Cylista troglodytes agg.	B		34	3.5054

5663	98_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		1	0.0008
5664	98_GR_NDS13_U_2021	<i>Heteromastus filiformis</i>	B		1	0.0007
5665	98_GR_NDS13_U_2021	<i>Mediomastus fragilis</i>	B		2	0.0003
5666	98_GR_NDS13_U_2021	<i>Myrianida sanmartini</i>	B		2	0.0002
5667	98_GR_NDS13_U_2021	<i>Nephtys caeca</i>	B		1	0.0021
5668	98_GR_NDS13_U_2021	<i>Scoloplos armiger</i> agg.	B		4	0.0075
5669	98_GR_NDS13_U_2021	<i>Spio martinensis</i>	B		2	0.0007
5670	98_GR_NDS13_U_2021	<i>Tharyx</i> sp.	B		4	0.0008
5671	98_GR_NDS13_U_2021	Tubificinae gen. sp.	B		2	0.0002
5672	98_T3_A_K_2019	<i>Bathyporeia elegans</i>	UNM		2	
5673	98_T3_A_K_2019	<i>Bathyporeia pelagica</i>	UNM		10	
5674	98_T3_A_K_2019	<i>Bathyporeia sarsi</i>	UNM		48	
5675	98_T3_A_K_2019	<i>Capitella capitata</i> agg.	BLFD		2	0.00066
5676	98_T3_A_K_2019	<i>Eteone longa</i>	BLFD		2	0.00105
5677	98_T3_A_K_2019	<i>Fabulina fabula</i>	BLFD		1	0.00204
5678	98_T3_A_K_2019	<i>Magelona johnstoni</i>	UNM		1	
5679	98_T3_A_K_2019	<i>Magelona mirabilis</i>	UNM		3	
5680	98_T3_A_K_2019	<i>Moerella donacina</i>	BLFD		1	0.00168
5681	98_T3_A_K_2019	<i>Moerella donacina</i>	LFD		1	
5682	98_T3_A_K_2019	<i>Nephtys kersivalensis</i>	BLFD		2	0.01302
5683	98_T3_A_K_2019	<i>Scoloplos armiger</i> agg.	BLFD		2	0.02625
5684	98_T3_A_K_2019	<i>Sertularia cupressina</i>	UNM	wenig		
5685	98_T3_A_K_2019	<i>Spio martinensis</i>	UNM		1	
5686	99_GR_NDS13_U_2021	<i>Anguinella palmata</i>	UNM	wenig		
5688	99_GR_NDS13_U_2021	<i>Cephalothrix</i> sp.	UNM		1	
5687	99_GR_NDS13_U_2021	<i>Cephalothrix</i> sp.	B		2	0.0004
5689	99_GR_NDS13_U_2021	<i>Conopeum reticulum</i>	UNM	wenig		
5690	99_GR_NDS13_U_2021	<i>Cylista troglodytes</i> agg.	B		2	0.0692
5691	99_GR_NDS13_U_2021	Dorvilleidae gen. sp.	UNM		1	
5692	99_GR_NDS13_U_2021	<i>Electra pilosa</i>	UNM	wenig		
5693	99_GR_NDS13_U_2021	<i>Eumida bahusiensis</i>	B		3	0.0003
5694	99_GR_NDS13_U_2021	<i>Glycera tridactyla</i>	B		1	0.0013
5695	99_GR_NDS13_U_2021	<i>Metridium senile</i>	B		1	0.0318

5696	99_GR_NDS13_U_2021	Microphthalmus similis	B		28	0.0012
5697	99_GR_NDS13_U_2021	Microphthalmus sp.	B		13	
5698	99_GR_NDS13_U_2021	Microprotopus maculatus	B		9	0.0002
5699	99_GR_NDS13_U_2021	Molgula sp.	B		1	1.00E-04
5700	99_GR_NDS13_U_2021	Monocorophium acherusicum	B		1	
5701	99_GR_NDS13_U_2021	Myrianida sanmartini	B		1	1.00E-04
5702	99_GR_NDS13_U_2021	Mytilus edulis agg.	B		3	
5703	99_GR_NDS13_U_2021	Nephtys cirrosa	B		3	0.0159
5704	99_GR_NDS13_U_2021	Obelia bidentata	UNM	wenig		
5705	99_GR_NDS13_U_2021	Obelia longissima	UNM	wenig		
5706	99_GR_NDS13_U_2021	Pariambus typicus	B		1	1.00E-04
5707	99_GR_NDS13_U_2021	Polydora cornuta	B		2	0.0001
5708	99_GR_NDS13_U_2021	Scoloplos armiger agg.	B		1	0.0002
5709	99_GR_NDS13_U_2021	Tharyx sp.	B		2	0.0002
5710	99_GR_NDS13_U_2021	Tubificoides benedii	B		1	0.0002
5711	99_T1_B2_K_2021	Bathyporeia guilliamsoniana	B		1	0.0006
5712	99_T1_B2_K_2021	Bathyporeia pelagica	B		35	0.0101
5713	99_T1_B2_K_2021	Gastrosaccus spinifer	B		7	0.0035
5714	99_T1_B2_K_2021	Liocarcinus sp.	UNM		1	
5715	99_T1_B2_K_2021	Microphthalmus similis	B		12	
5716	99_T1_B2_K_2021	Mytilus edulis agg.	B		5	0.0004
5717	99_T1_B2_K_2021	Nephtys cirrosa	B		2	0.0266

ecies of a family